

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN SIXTEEN OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

JANUARY 1913.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., Ltd., Bellevue.
To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

WITH this issue of the Monthly Report effect is given to the following changes:—

1. The altered distribution of population brought about by the Glasgow Boundaries Act, 1912. By this two towns previously included in these monthly reports have been annexed to Glasgow, and as a consequence the towns now dealt with number sixteen in place of eighteen as formerly.

2. The tabulation of the causes of death in the towns differs from that previously in use.

3. All death statistics are corrected for the number of deaths of non-residents registered in the towns, and for the number of deaths of residents of the towns registered elsewhere in Scotland.

These changes, which no doubt are necessary, have one disadvantage, and that is that they interfere with comparison between the figures of the month and those of previous months; but this is only temporary, for in a comparatively short time a comparable series of figures will be available.

During the month of January 1913 there were registered in the Sixteen Principal Towns of Scotland the births of 5387 living children, of whom 2807 were male and 2580 female. The equivalent annual birth-rate per thousand of the estimated aggregate population of these towns is 28·1. In the individual towns this rate for the month ranged from 39·1 in Coatbridge, 38·3 in Clydebank, and 33·6 in Motherwell, to 22·0 in Edinburgh, 22·1 in Perth, and 22·4 in Kilmarnock. In

Hamilton the birth-rate of the month was 32·4 ; in Greenock, 31·8 ; in Glasgow, 30·2 ; in Aberdeen, 26·7 ; in Falkirk, 26·1 ; in Paisley, 25·7 ; in Leith, 25·6 ; in Dundee, 25·1 ; in Kirkcaldy, 24·7 ; and in Ayr, 24·1.

Of the 5387 living children registered, 390, or 7·2 per cent., were illegitimate. In the towns this rate ranged from 10·4 in Hamilton, 10·3 in Aberdeen, and 9·9 in Dundee, to 2·2 in Clydebank, 2·6 in Motherwell, and 4·5 in Kilmarnock. In Edinburgh it was 9·7 ; in Ayr, 8·6 ; in Glasgow, 6·8 ; in Coatbridge, 6·2 ; in Perth, 6·1 ; in Kirkcaldy, 6·0 ; in Paisley, 5·9 ; in Greenock, 5·7 ; in Leith, 5·1 ; and in Falkirk, 5·1.

Marriages registered numbered 2067, and the equivalent annual marriage-rate was 10·8. This rate was highest in Kirkcaldy, 12·7 ; in Glasgow, 12·6 ; and in Coatbridge, 12·2 ; and lowest in Leith, 5·6 ; in Perth, 7·0 ; and in Edinburgh, 7·8.

Deaths registered in the Sixteen Towns numbered 3642, 1853 being of males, and 1789 of females. Of these deaths 184 were of non-residents, and deaths of residents of these towns registered elsewhere in Scotland during the month numbered 176 ; the difference, 8, falls to be deducted from the number of deaths registered to obtain the corrected number, which is thus found to be 3634. The aggregate corrected death-rate of the month is 18·9 per thousand, the uncorrected rate being 0·1 per thousand greater.

The corrected death-rate in the towns ranged from 22·3 in Greenock and Clydebank, and 21·1 in Perth, to 12·6 in Kilmarnock, 13·7 in Hamilton, and 14·2 in Falkirk. In Glasgow this rate was 20·1 ; in Leith, 19·8 ; in Dundee, 19·5 ; in Coatbridge, 19·5 ; in Aberdeen, 19·0 ; in Paisley, 17·1 ; in Kirkcaldy, 16·8 ; in Edinburgh, 16·6 ; in Ayr, 15·5 ; and in Motherwell, 15·2. The effect of correcting the death-rates is mixed, some of the town rates being increased and some decreased. Comparatively large increases are found to result in Clydebank, where the corrected death-rate is 4·1 per thousand more than the uncorrected ; in Motherwell, where the corrected rate is 2·0 more than the uncorrected ; and in Kirkcaldy, where the corrected rate is 1·8 more than the uncorrected. Comparatively large decreases are found to result from correction in Ayr, 2·1 ; Perth, 2·0 ; and Edinburgh, 1·1. The death-rates of Glasgow, Dundee, and Paisley are little affected by correction ; but those of Aberdeen and Leith are both increased, the former by 0·9, and the latter by 1·2.

Of the deaths of the month, 1093, or 30·1 per cent., were of children of less than five years old, and 930, or 25·6 per cent., of persons of over sixty-five.

Deaths of children of less than one year old numbered 707, and are equal to an infantile mortality rate of 133. This rate in the towns varied from 194 in Perth, 175 in Leith, and 169 in Dundee, to 87 in Falkirk, 91 in Ayr, and 96 in Edinburgh. In Clydebank it was 164 ; in Kilmarnock, 151 ; in Coatbridge, 150 ; in Aberdeen, 148 ; in Kirkcaldy, 141 ; in Glasgow, 133 ; in Motherwell, 126 ; in Paisley, 119 ; in Greenock, 117 ; and in Hamilton, 99.

Deaths from the principal epidemic diseases, namely measles, scarlet fever, diphtheria, whooping-cough, enteric fever, and the diarrhoeas of childhood numbered 312, and are equal to an annual death-rate from these causes of 1·6 per thousand. In the towns this rate was highest in Motherwell, 4·0 ; Perth, 2·3 ; Coatbridge, 2·2 ; and Glasgow, 2·1 (in each of which whooping-cough was prevalent) ; and lowest in Ayr, 0·0 ; Kirkcaldy, 0·3 ; and Edinburgh, 0·6.

No deaths from small-pox among the residents of these towns were registered during the month. Deaths from measles numbered 13 ; from scarlet fever, 22 ; from diphtheria, 46 ; from whooping-cough, 174 ; from enteric fever, 8 ; and from the diarrhoeas of childhood, 49.

Deaths from influenza numbered 10 ; from malignant disease, 215 ; from heart disease, 291 ; from puerperal septic conditions, 12 ; and from violent causes, 122, of which 7 were attributed to suicide.

Deaths from pneumonia numbered 404, constituted 11·1 per cent. of the total, and are equal to an annual death-rate from this cause of 2·1 per thousand. Those from bronchitis numbered 364, constituted 10·0 per cent. of the total, and are equal to an annual death-rate from this cause of 1·9 per thousand.

Deaths from tuberculous disease numbered 416, constituted 11·5 per cent. of the total deaths of the month, and are equal to an annual death-rate from this cause of 2·2 per thousand. Of these deaths 288 were attributed to phthisis, a number which constitutes 7·9 per cent. of the total of the month, and is equal to an annual death-rate of 1·5 per thousand.

In the Sixteen Towns the death-rate from all forms of tuberculous disease ranged from 3·2 in Greenock, 2·9 in Leith, and 2·6 in Motherwell, to 1·0 in Kilmarnock, 1·2 in Kirkcaldy, and 1·5 in Hamilton. In Glasgow this rate was 2·3, and in Edinburgh 2·1. The death-rate from phthisis ranged from 2·3 in Greenock, 2·0 in Leith, and 1·7 in Motherwell and Clydebank, to 0·3 in Kirkcaldy, 0·6 in Hamilton, and 0·7 in Perth, Kilmarnock, and Falkirk. In both Glasgow and Edinburgh the phthisis death-rate of the month was 1·6 per thousand.

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. WATT, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

JANUARY 1913.

Mean barometric pressure, 29·657 inches ; less than the average of 1856-1905 by 0·168 inch.

Mean temperature, 37°·6 ; less by 0°·4.

Mean daily range of temperature, 7°·5 ; less by 1°·5.

Rain, number of days, 19 ; greater by 2 days.

Rain, depth in inches, 3·97 ; greater by 0·53 inch.

Wind, direction of : a 10 days' excess of winds from between E and S.

Hence the month was characterised by a very low mean pressure ; a slightly low mean temperature, with a low mean daily range ; a rather high mean rainfall ; and a very large excess of winds from between E and S.

The mean pressure was 29·657 inches, or 0·168 inch below the normal. Fluctuations were considerable, and, as a rule, the barometer stood at a low level. At Leith, at sea-level, readings of 30 inches or over were recorded only on 22nd, 26th, and 27th, the extremes there being 30·324 inches on 26th and 28·780 inches on 30th. On 30th the deepest depression of the month occurred, with a fall very generally of nearly 1 inch within twenty-four hours.

The mean temperature was 37°·6, or 0°·4 below the normal, the days being 1°·1 below and the nights 0°·4 above their respective averages. At Aberdeen and Dundee temperature was fractionally above the normal. At first, with south-westerly winds, the weather was decidedly mild, with highest readings for the month on 7th and 8th ; but from about 10th onwards winds from a south-easterly quarter were unusually frequent and much cold weather was experienced, with lowest

readings about 14th and 26th. There were, however, no abnormally low readings for a winter month, the lowest being 10° at Carrbridge on 26th and 11° at Braemar on the same day. As regards the chief towns, the extremes were 54° at Glasgow on 7th and 15° at Perth on 26th.

The mean rainfall was 3·97 inches, or 15 per cent. above the normal. In the East there was a decided excess, as much as 70 per cent. at Perth and 50 per cent. at Dundee, whilst the Western towns differed little from their normals, Glasgow and Paisley reporting trifling deficiencies. In the North and North-West there was a well-marked shortage. A large part of the month's precipitation consisted of snow, the "rainfall equivalent" for the 11th being as much as 1·79 inch at Greenock and 1·25 inch at Perth. The month's totals were largely accounted for on 11th and 12th, on 23rd, and from 28th onwards, very heavy falls of rain and snow occurring on 30th and 31st.

A great deal of stormy weather was experienced, and from 10th onwards the weather was from time to time of a very wintry type. Severe snowstorms were very general on 11th and on 31st, with more moderate ones between these dates. At Crieff on 11th there was a fall of nearly 18 inches, and in hilly regions both in South and North even heavier falls occurred. Traffic by road and rail was much interrupted in exposed districts.

A considerable amount of fog occurred, and on 31st a thunderstorm was somewhat widely experienced in West and North.

TABLE I.—ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES
in the Principal Towns, JANUARY 1913.

TOWNS.	POPULATION.		BIRTHS.					MARRIAGES.	DEATHS.					
	Census 1911.	Estimated to middle of 1913.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.	Transferred In.*	Transferred Out.*	Corrected for Transfers.
GLASGOW, . . .	1,008,487	1,021,500	1351	1271	2622	2443	179	1093	894	855	1749	62	68	1743
EDINBURGH, . . .	320,769	320,800	285	315	600	542	58	212	229	252	481	20	50	451
DUNDEE, . . .	165,004	165,900	185	168	353	318	35	152	133	145	278	8	11	275
ABERDEEN, . . .	163,891	162,700	183	186	369	331	38	113	129	121	250	30	17	263
PAISLEY, . . .	84,455	85,600	116	71	187	176	11	83	66	59	125	5	6	124
LEITH, . . .	80,601	80,500	90	85	175	166	9	38	66	61	127	9	1	135
GREENOCK, . . .	75,140	77,800	120	90	210	198	12	69	82	66	148	7	8	147
PERTH, . . .	35,854	35,100	37	29	66	62	4	21	34	35	69	1	7	63
TOTAL . . . (EIGHT TOWNS)	1,934,201	1,949,900	2367	2215	4582	4236	346	1781	1633	1594	3227	142	168	3201
COATBRIDGE, . .	43,286	43,400	83	61	144	135	9	45	41	32	73	1	2	72
MOTHERWELL, . .	40,380	41,000	60	57	117	114	3	32	26	20	46	7	-	53
KIRKCALDY, . . .	39,601	40,000	52	32	84	79	5	43	25	26	51	7	1	57
HAMILTON, . . .	38,644	38,600	56	50	106	95	11	38	27	19	46	2	3	45
CLYDEBANK, . . .	37,548	42,800	69	70	139	136	3	36	40	26	66	15	-	81
KILMARNOCK, . .	34,728	34,700	38	28	66	63	3	35	19	20	39	-	2	27
FALKIRK, . . .	33,574	35,600	46	33	79	75	4	32	18	25	43	2	2	43
AYR, . . .	32,986	34,200	36	34	70	64	6	25	24	27	51	-	6	45
TOTAL . . . (SIXTEEN TOWNS)	2,234,948	2,260,200	2807	2580	5387	4997	390	2067	1853	1789	3642	176	184	3634

* Deaths "Transferred In" are those of residents registered elsewhere in Scotland, and those "Transferred Out" are of non-residents registered in the towns.

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES
in the Principal Towns, JANUARY 1913.

TOWNS	Birth-Rate per 1000 of Popu- lation.	Illegiti- mate Birth- Rate per 100 Births.	Marriage- Rate per 1000 of Popu- lation.	DEATH-RATES PER 1000 OF POPULATION FROM					DEATHS UNDER ONE YEAR OF AGE.	
				All Causes (Cor- rected).	Principal Epidemic Diseases.	Tuber- culosis.	Phthisis.	All Re- spiratory Diseases.	Number.	Rate per 1000 Births.
GLASGOW, . . .	30·2	6·8	12·6	20·1	2·1	2·3	1·6	5·3	350	133
EDINBURGH, . .	22·0	9·7	7·8	16·6	0·6	2·1	1·6	3·1	55	96
DUNDEE, . . .	25·1	9·9	10·8	19·5	1·7	2·1	1·5	4·1	60	169
ABERDEEN, . . .	26·7	10·3	8·2	19·0	1·2	1·6	1·3	3·0	52	148
PAISLEY, . . .	25·7	5·9	11·4	17·1	1·1	2·2	1·2	3·3	23	119
LEITH, . . .	25·6	5·1	5·6	19·8	1·9	2·9	2·0	4·4	31	175
GREENOCK, . . .	31·8	5·7	10·5	22·3	1·1	3·2	2·3	3·8	24	117
PERTH, . . .	22·1	6·1	7·0	21·1	2·3	2·3	0·7	3·7	13	194
TOTAL . . . (EIGHT TOWNS)	27·7	7·6	10·8	19·3	1·7	2·2	1·6	4·4	608	134
COATBRIDGE, . .	39·1	6·2	12·2	19·5	2·2	2·2	1·4	4·6	18	150
MOTHERWELL, . .	33·6	2·6	9·2	15·2	4·0	2·6	1·7	1·7	14	126
KIRKCALDY, . . .	24·7	6·0	12·7	16·8	0·3	1·2	0·3	2·9	12	141
HAMILTON, . . .	32·4	10·4	11·6	13·7	1·2	1·5	0·6	3·7	11	99
CLYDEBANK, . . .	38·3	2·2	9·9	22·3	1·1	1·9	1·7	6·6	19	164
KILMARNOCK, . .	22·4	4·5	11·9	12·6	0·7	1·0	0·7	2·7	11	151
FALKIRK, . . .	26·1	5·1	10·6	14·2	1·0	2·0	0·7	3·3	7	87
AYR, . . .	24·1	8·6	8·6	15·5	0·0	1·7	1·4	2·1	7	91
TOTAL . . . (SIXTEEN TOWNS)	28·1	7·2	10·8	18·9	1·6	2·2	1·5	4·3	707	133

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR JANUARY 1913, and for
the Corresponding Month of the Preceding Ten Years, in EIGHT of the
PRINCIPAL TOWNS.

MONTH.	Birth-Rate.	Illegitimate Birth- rate per 100 Births.	Marriage-Rate.	Death-Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature.
					Smallpox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria.	Enteric Fever.	Diarrhoea (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
JAN. 1913, .	27·7	7·6	10·8	19·3	0	8	21	154	41	7	45	134	37°·6
JAN. 1912, .	26·3	6·8	12·0	19·3	0	181	28	50	48	10	31	131	37°·5
JAN. 1911, .	25·9	8·1	11·0	17·4	0	7	21	78	42	12	47	119	39°·9
JAN. 1910, .	25·8	7·3	10·4	19·6	0	208	26	26	38	15	55	140	36°·4
JAN. 1909, .	28·1	7·3	10·2	19·4	0	5	19	147	39	9	50	138	39°·0
JAN. 1908, .	29·2	6·8	11·3	25·0	2	359	18	116	32	12	-	173	37°·8
JAN. 1907, .	29·1	7·8	10·8	22·1	0	33	12	88	32	18	-	140	38°·5
JAN. 1906, .	29·9	6·8	12·1	20·2	0	128	9	28	41	7	-	141	40°·2
JAN. 1905, .	29·3	7·4	11·6	21·8	1	52	11	176	23	17	-	151	39°·8
JAN. 1904, .	28·4	7·1	11·6	20·2	14	71	9	58	16	12	-	153	39°·9
JAN. 1903, .	29·4	7·1	12·2	23·4	0	65	17	157	29	24	-	153	37°·3

In Columns 5-13 for 1913, deaths and death-rates have been corrected for non-resident deaths.

CAUSES OF DEATH (corrected for Transfers).

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—January 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	8	-	1	-	-	2	5	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	13	2	9	1	-	-	1	-	-	-	-	-
Scarlet Fever - - - - -	22	-	13	5	1	2	1	-	-	-	-	-
Whooping-cough - - - - -	174	64	105	5	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	46	6	26	11	2	1	-	-	-	-	-	-
Influenza - - - - -	10	1	-	-	-	1	1	-	-	-	4	3
Erysipelas - - - - -	11	4	-	-	-	-	1	-	-	2	1	3
Phthisis, Pulmonary Tuberculosis - - - - -	288	2	4	4	11	51	64	72	48	25	5	2
Tuberculous Meningitis - - - - -	52	21	17	6	5	2	-	1	-	-	-	-
Abdominal Tuberculosis - - - - -	31	5	13	3	4	2	1	2	1	-	-	-
Other Tuberculous Diseases - - - - -	45	9	7	4	1	11	3	4	3	2	1	-
Cancer, Malignant Disease - - - - -	215	-	-	-	-	-	6	17	46	60	58	28
Rheumatic Fever - - - - -	5	-	-	1	1	2	1	-	-	-	-	-
Meningitis - - - - -	34	13	10	4	1	1	3	1	-	1	-	-
Organic Heart Disease - - - - -	291	-	2	1	5	16	12	27	42	73	65	48
Bronchitis - - - - -	364	64	18	2	-	4	3	11	32	78	83	69
Pneumonia (all forms) - - - - -	404	104	83	8	3	19	18	27	36	50	36	20
Other Diseases of Respiratory Organs - - - - -	59	8	7	-	-	4	4	6	5	9	9	7
Diarrhoea and Enteritis (under 2 years) - - - - -	49	43	6	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	17	-	3	2	2	2	3	3	2	-	-	-
All Liver Diseases (not Malignant) - - - - -	27	-	4	-	-	-	1	1	8	8	5	-
Other Diseases of Digestive System (under 2 years) - - - - -	19	17	2	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	107	2	2	2	2	6	9	16	21	21	19	7
Puerperal Sepsis - - - - -	12	-	-	-	-	4	6	2	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	17	-	-	-	-	5	6	6	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	239	231	4	2	1	-	1	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	115	18	13	3	3	10	14	14	16	9	10	5
Suicide - - - - -	7	-	-	-	-	-	-	3	-	1	3	-
Other Defined Diseases - - - - -	857	78	30	13	13	26	29	50	84	130	177	227
Diseases Ill-defined or Unknown - - - - -	96	15	7	-	-	2	4	11	15	7	23	12
Total - - - - -	3634	707	386	77	55	173	197	274	359	476	499	431

GLASGOW—January 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	2	-	-	-	-	1	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	5	-	4	-	1	-	-	-	-	-	-	-
Scarlet Fever - - - - -	13	-	8	3	1	-	1	-	-	-	-	-
Whooping-cough - - - - -	117	45	67	5	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	25	4	15	5	-	1	-	-	-	-	-	-
Influenza - - - - -	6	-	-	-	-	1	-	-	-	-	3	2
Erysipelas - - - - -	8	4	-	-	-	-	1	-	-	-	1	2
Phthisis, Pulmonary Tuberculosis - - - - -	137	-	1	-	6	25	27	31	26	17	3	1
Tuberculous Meningitis - - - - -	21	7	9	2	3	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	17	2	8	1	3	2	-	1	-	-	-	-
Other Tuberculous Diseases - - - - -	22	4	3	2	1	8	2	1	-	1	-	-
Cancer, Malignant Diseases - - - - -	84	-	-	-	-	-	1	9	21	22	23	8
Rheumatic Fever - - - - -	3	-	-	-	1	1	1	-	-	-	-	-
Meningitis - - - - -	12	4	7	-	-	-	1	-	-	-	-	-
Organic Heart Disease - - - - -	109	-	2	1	3	9	8	7	16	28	24	11
Bronchitis - - - - -	183	32	8	-	-	2	3	6	15	41	45	31
Pneumonia (all forms) - - - - -	247	64	54	6	1	10	13	16	25	26	24	8
Other Diseases of Respiratory Organs - - - - -	31	4	6	-	-	1	2	4	3	3	6	2
Diarrhoea and Enteritis (under 2 years) - - - - -	23	19	4	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	6	-	1	1	1	1	1	-	1	-	-	-
All Liver Diseases (not Malignant) - - - - -	12	-	2	-	-	-	-	-	4	3	3	-
Other Diseases of Digestive System (under 2 years) - - - - -	11	10	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	55	-	-	1	1	4	5	7	15	12	7	3
Puerperal Sepsis - - - - -	4	-	-	-	-	2	2	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	6	-	-	-	-	2	2	2	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	100	96	2	1	-	-	1	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	56	6	5	2	1	4	10	8	6	5	4	5
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Defined Diseases - - - - -	378	40	13	6	6	12	15	21	40	52	75	98
Diseases Ill-defined or Unknown - - - - -	49	9	1	-	-	1	1	7	11	2	10	7
Total - - - - -	1743	350	221	36	29	87	98	120	183	213	228	178

EDINBURGH—January 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Whooping-cough - - - - -	11	1	10	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	44	-	-	1	-	7	14	11	8	3	-	-
Tuberculous Meningitis - - - - -	7	3	3	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Tuberculous Diseases - - - - -	5	2	1	-	-	1	-	1	-	-	-	-
Cancer, Malignant Disease - - - - -	41	-	-	-	-	-	1	3	6	12	11	8
Rheumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - -	7	3	-	2	-	-	1	1	-	-	-	-
Organic Heart Disease - - - - -	61	-	-	-	1	1	1	2	8	13	19	16
Bronchitis - - - - -	37	2	-	-	-	1	-	1	5	8	9	11
Pneumonia (all forms) - - - - -	38	6	6	1	1	2	2	3	2	4	5	6
Other Diseases of Respiratory Organs - - - - -	9	1	-	-	-	1	-	1	2	1	2	1
Diarrhoea and Enteritis (under 2 years) - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	2	-	-	-	-	-	-	1	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	6	-	1	-	-	-	-	-	2	2	1	-
Other Diseases of Digestive System (under 2 years) - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	12	1	-	-	-	1	-	-	1	-	6	3
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	4	-	-	-	-	2	1	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	21	20	-	-	1	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	7	2	1	-	-	-	-	-	2	1	1	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	126	9	4	1	1	3	5	5	11	25	31	31
Diseases Ill-defined or Unknown - - - - -	4	-	-	-	-	-	-	1	-	1	1	1
Total - - - - -	451	55	27	6	4	21	26	31	48	70	86	77

DUNDEE—January 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	2	-	-	1	-	1	-	-	-	-	-	-
Whooping-cough - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	5	1	2	1	1	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	21	-	-	2	1	6	3	5	4	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	4	-	2	-	-	-	-	1	1	-	-	-
Other Tuberculous Diseases - - - - -	4	1	-	-	-	-	1	-	1	-	1	-
Cancer, Malignant Disease - - - - -	16	-	-	-	-	-	1	1	1	8	3	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - - - -	21	-	-	-	-	3	-	2	4	3	8	1
Bronchitis - - - - -	29	4	1	-	-	1	-	1	5	7	6	4
Pneumonia (all forms) - - - - -	27	3	4	-	-	2	-	2	3	5	3	5
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Diarrhoea and Enteritis (under 2 years) - - - - -	12	10	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	9	1	1	-	-	-	2	2	3	-	-	-
Puerperal Sepsis - - - - -	2	-	-	-	-	1	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	3	-	-	-	-	1	1	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	23	23	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	12	7	1	-	1	-	-	1	1	1	-	-
Suicide - - - - -	3	-	-	-	-	-	-	2	-	-	1	-
Other Defined Diseases - - - - -	65	5	3	1	-	2	2	4	5	12	17	14
Diseases Ill-defined or Unknown - - - - -	6	1	1	-	-	-	-	-	-	1	2	1
Total - - - - -	275	60	20	6	3	18	12	22	28	37	42	27

CAUSES OF DEATH (corrected for Transfers).

ABERDEEN—January 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	4	-	1	-	-	1	1	1	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	8	1	4	2	1	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	18	-	1	-	-	2	7	4	1	3	-	-
Tuberculous Meningitis - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	20	-	-	-	-	-	1	-	3	6	6	4
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	16	-	-	-	-	-	-	3	1	6	2	4
Bronchitis - - - - -	16	4	-	-	-	-	-	-	1	1	5	5
Pneumonia (all forms) - - - - -	22	8	7	-	-	1	1	-	-	5	-	-
Other Diseases of Respiratory Organs - - - - -	4	1	-	-	-	1	1	-	-	-	-	1
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	11	-	-	-	-	-	1	1	-	4	4	1
Puerperal Sepsis - - - - -	3	-	-	-	-	-	3	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	22	22	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	13	1	2	-	-	3	1	2	1	1	2	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	89	12	4	1	1	3	1	6	9	9	9	34
Diseases Ill-defined or Unknown - - - - -	5	-	1	-	-	-	-	1	1	-	1	1
Total - - - - -	263	52	25	4	2	11	19	18	17	35	29	51

PAISLEY—January 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	4	-	4	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	9	-	-	-	-	4	2	1	2	-	-	-
Tuberculous Meningitis - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	3	-	-	1	-	1	-	-	-	1	-	-
Cancer, Malignant Disease - - - - -	12	-	-	-	-	-	-	2	2	4	2	2
Rheumatic Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	7	-	-	-	-	-	-	1	1	3	-	2
Bronchitis - - - - -	15	1	2	-	-	-	-	-	1	4	5	2
Pneumonia (all forms) - - - - -	9	5	3	-	-	-	-	-	1	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	2	-	-	-	-	-	-	2	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	1	-	1	1	-	-	-
Puerperal Sepsis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	-	-	2	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	10	9	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	4	-	-	-	-	-	1	-	1	-	2	-
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Defined Diseases - - - - -	27	2	1	-	1	1	1	1	1	6	8	5
Diseases Ill-defined or Unknown - - - - -	3	-	1	-	-	-	-	-	1	-	1	-
Total - - - - -	124	23	16	2	1	7	5	11	11	18	19	11

LEITH—January 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	10	7	3	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Phthisis, Pulmonary Tuberculosis - - - - -	14	-	1	1	1	-	2	6	1	-	1	1
Tuberculous Meningitis - - - - -	4	2	-	1	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	10	-	-	-	-	-	2	-	4	1	3	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	15	-	-	-	-	1	2	2	1	2	3	4
Bronchitis - - - - -	18	3	1	1	-	-	-	-	3	2	2	6
Pneumonia (all forms) - - - - -	11	4	2	-	1	-	-	-	-	3	1	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Disease of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	4	-	-	-	-	-	1	-	-	3	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	9	9	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	4	2	-	-	-	-	-	1	-	-	1	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	21	-	1	-	-	-	-	1	2	3	7	7
Diseases Ill-defined or Unknown - - - - -	5	1	-	-	-	-	1	-	-	-	2	1
Total - - - - -	135	31	10	5	3	1	8	11	11	14	20	21

GREENOCK—January 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	4	1	3	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	2	-	-	-	-	-	-	-	-	2	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	15	1	1	-	2	3	1	4	1	2	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	4	1	2	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Cancer, Malignant Disease - - - - -	6	-	-	-	-	-	-	2	-	2	2	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	1	1	-	-	-	-	-	-	1	-	-
Organic Heart Disease - - - - -	19	-	-	-	-	1	-	4	3	5	3	3
Bronchitis - - - - -	11	3	1	-	-	-	-	-	-	4	2	1
Pneumonia (all forms) - - - - -	14	5	3	-	-	-	-	1	-	4	-	1
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	4	-	1	-	-	-	-	-	2	1	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	-	-	1	1	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	10	9	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	5	-	1	-	-	-	1	1	2	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	36	2	1	-	3	-	3	2	4	6	7	8
Diseases Ill-defined or Unknown - - - - -	6	1	1	-	-	-	-	1	-	1	2	-
Total - - - - -	147	24	20	1	5	4	5	16	14	28	17	13

PERTH—January 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	1	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	3	1	-	-	-	1	-	1	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	4	-	-	-	-	-	-	-	2	1	-	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Organic Heart Disease - - - - -	9	-	-	-	-	-	-	1	3	1	1	3
Bronchitis - - - - -	9	3	-	-	-	-	-	1	-	2	2	1
Pneumonia (all forms) - - - - -	2	1	-	-	-	-	-	-	-	1	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	1	-	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	12	-	-	-	-	1	-	2	1	1	1	6
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	1	-	-	-	-	1
Total - - - - -	63	13	3	3	-	4	4	6	6	7	5	12

COATBRIDGE—January 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	4	2	2	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	5	-	-	-	-	1	2	1	1	-	-	-
Tuberculous Meningitis - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	-	2	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	5	-	-	-	-	-	-	-	-	2	2	1
Bronchitis - - - - -	8	2	1	-	-	-	-	2	-	2	1	-
Pneumonia (all forms) - - - - -	7	1	-	1	-	-	-	2	2	-	1	-
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	-	1	-	-	1	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	-	-	-	2	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	20	3	3	-	-	-	1	1	2	-	3	7
Diseases Ill-defined or Unknown - - - - -	4	1	-	-	-	-	-	-	1	1	1	-
Total - - - - -	72	18	7	2	-	1	4	7	8	8	9	8

MOTHERWELL—January 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	3	1	1	-	-	1	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	9	4	5	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	6	1	-	-	-	2	2	1	-	-	-	-
Tuberculous Meningitis - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	5	-	-	-	-	-	-	2	3	-	-	-
Bronchitis - - - - -	3	-	-	-	-	-	-	-	1	1	1	-
Pneumonia (all forms) - - - - -	3	-	-	-	-	-	2	1	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Defined Diseases - - - - -	8	-	-	2	-	-	2	1	1	1	1	-
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	53	14	8	4	-	-	6	4	6	5	3	3

KIRKCALDY—January 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	1	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	2	-	1	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	8	-	-	-	-	1	1	1	2	3	-	-
Bronchitis - - - - -	8	3	1	-	-	-	-	-	-	2	1	1
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	7	7	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	1	1	-	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - - - -	18	1	-	-	1	-	1	1	-	5	5	4
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Total - - - - -	57	12	2	-	1	4	3	5	5	13	7	5

HAMILTON—January 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	-	-	1	1	-	-	-
Tuberculous Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	-	-	2	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Organic Heart Hisease - - - - -	3	-	-	-	-	-	-	1	-	-	-	2
Bronchitis - - - - -	5	-	2	-	-	-	-	-	-	2	-	1
Pneumonia (all forms) - - - - -	5	2	1	-	-	-	-	1	-	-	1	-
Other Diseases of Respiratory Organs - - - - -	2	1	-	-	-	-	-	-	-	-	-	1
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	11	1	-	-	-	1	-	-	3	-	4	2
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Total - - - - -	45	11	7	1	2	1	-	3	4	2	8	6

CLYDEBANK—January 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	3	-	3	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	6	-	-	-	1	-	1	1	2	-	1	-
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	4	-	-	-	-	-	-	-	2	1	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	5	4	-	-	1	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	-	-	-	1	-	-	-	-	1	1	-
Bronchitis - - - - -	8	3	1	1	-	-	-	-	2	-	1	-
Pneumonia (all forms) - - - - -	11	3	2	-	-	4	-	1	1	-	-	-
Other Diseases of Respiratory Organs - - - - -	5	1	-	-	-	1	-	1	-	2	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	-	1	-	-	-	-	2	-	-	-	-
Puerperal Sepsis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	5	-	2	1	-	1	-	1	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	13	1	-	-	-	2	-	-	3	4	1	2
Diseases Ill-defined or Unknown - - - - -	5	1	1	-	-	-	1	1	-	-	1	-
Total - - - - -	81	19	10	3	3	9	4	7	10	8	6	2

KILMARNOCK—January 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	-	-	2	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	4	-	-	-	-	-	-	-	2	-	1	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	1	1	-	-	-
Bronchitis - - - - -	5	3	-	-	-	-	-	-	-	-	2	-
Pneumonia (all forms) - - - - -	2	1	-	-	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhilitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	9	-	-	-	-	-	1	-	1	1	3	3
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	37	11	-	1	1	-	1	4	4	3	7	5

FALKIRK—January 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	1	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	1	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	1	-	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	4	-	-	-	-	-	-	1	-	1	2	-
Bronchitis - - - - -	6	1	-	-	-	-	-	-	-	1	1	3
Pneumonia (all forms) - - - - -	3	1	1	-	-	-	-	-	-	1	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhilitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	-	1	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	5	4	-	1	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	10	-	-	-	-	-	-	1	1	5	1	2
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	43	7	6	2	-	2	1	3	2	9	6	5

AYR—January 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	4	-	-	-	-	1	1	2	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	-	1	1	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	4	-	-	-	-	-	-	1	-	2	-	1
Bronchitis - - - - -	3	-	-	-	-	-	-	-	-	1	-	2
Pneumonia (all forms) - - - - -	2	-	-	-	-	-	-	1	1	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	3	-	2	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	14	3	-	1	-	1	-	2	-	-	4	3
Diseases Ill-defined or Unknown - - - - -	5	1	1	-	-	1	-	-	-	1	1	-
Total - - - - -	45	7	4	1	1	3	1	6	2	6	7	7

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of JANUARY 1913.

OBSERVERS.	BARO-METER.		AIR TEMPERATURE.							HYGROMETER.			RAIN, AND OTHER FORMS OF PRECIPITATION.		WIND DIRECTIONS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
	Mean at Station and 32°. Mean at Sea-Level and 32°.		feet.	Mean of				Difference from Average.	Absolute Maximum and Minimum.			Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Number of Days.	Total Fall.		Difference from Average.	Number of Observations at 9 A.M. and 9 P.M.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
				Maximum (A).	Minimum (B).	Mean of A and B (Mean Temperature).	Maximum.		Day of Month.	Minimum.	Day of Month.						N	NE		E	SE	S	SW	W	NW	Calm or Variable.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
	inch.	inch.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

North Latitude.—Glasgow, 55° 51'; Edinburgh, 55° 55'; Dundee, 56° 28'; Aberdeen, 57° 9'; Paisley, 55° 51'; Leith, 55° 58'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 11'.
West Longitude.—Glasgow, 4° 13'; Edinburgh, 3° 11'; Dundee, 2° 57'; Aberdeen, 2° 7'; Paisley, 4° 27'; Leith, 3° 8'; Greenock, 4° 46'; Perth, 3° 25'; Mean, 3° 32'.

* At King's College, at 7 A.M. and 6 P.M.

† At 9 A.M. only.

FOR OFFICIAL USE.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN SIXTEEN OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

FEBRUARY 1913.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., Ltd., Bellevue.
To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

During the month of February 1913 there were registered in the Sixteen Principal Towns of Scotland the births of 4586 living children, of whom 2375 were male and 2211 female. Compared with the corresponding numbers of January, the male children are 432 fewer, the female children are 369 fewer, and the total children 801 fewer. The equivalent annual birth-rate is 26·5 per thousand of the estimated aggregate population of these towns, and is 1·6 less than that of January. In the individual towns the birth-rate of the month ranged from 36·0 in Clydebank, 34·4 in Motherwell, 32·8 in Coatbridge, and 32·2 in Kirkcaldy, to 20·1 in Perth, 20·5 in Edinburgh, and 22·1 in Paisley. In Dundee this rate was 28·4; in Ayr, 28·3; in Glasgow, 27·8; in Greenock, 27·8; in Hamilton, 26·0; in Kilmarnock, 25·9; in Leith, 25·8; in Falkirk, 25·2; and in Aberdeen, 23·8.

Of the 4586 children whose births were registered during the month in these towns, 372, or 8·1 per cent., were illegitimate. These illegitimate children are 18 fewer than in January, but this illegitimate rate is 0·9 higher than in that month. The illegitimate rate of the month varied from 14·1 in Aberdeen, 13·0 in Perth, and 10·1 in Leith and Falkirk, to 0·8 in Clydebank, 1·4 in Ayr, and 3·4 in Paisley. In Glasgow this rate was 7·9, and in Edinburgh 8·5.

Marriages registered in these towns during the month numbered 941, and are 1126 fewer than in January. The equivalent annual marriage-rate is 5·4 per thousand, and is 5·4 lower than that of January. This rate was highest in Perth,

7·8; Edinburgh, 6·4; and Hamilton, 6·1; and lowest in Kirkcaldy, 1·6; Motherwell, 2·5; and Falkirk, 2·9.

Deaths registered in these towns during the month numbered 3541, 1703 being of males and 1838 of females. Compared with the corresponding figures of January, the total deaths are 101 fewer, and the deaths of males, 150 fewer, but those of females are 49 more. Of these deaths 187 were of persons whose usual residences were outwith these towns, and there were registered in other parts of Scotland 135 deaths of persons whose usual residences were within these towns; the difference between these figures, 52, falls to be deducted from the deaths registered in these towns to obtain the corrected number, and this is found to be 3489. The corrected number of deaths is 145 less than that of January. The uncorrected death-rate of the month is 20·4, and the corrected death-rate 20·1. The uncorrected death-rate is 1·4 more, and the corrected death-rate 1·2 more, than the corresponding January rate.

The corrected death-rate of the month ranged from 23·0 in Dundee, 22·9 in Ayr, and 21·3 in Greenock, to 15·8 in Kilmarnock, 16·9 in Paisley, 17·3 in Kirkcaldy, and 17·5 in Edinburgh. In Glasgow this rate was 21·1; in Aberdeen, 20·9; in Falkirk, 20·5; in Perth, 20·4; in Hamilton, 19·6; in Motherwell, 19·4; in Coatbridge, 18·6; in Clydebank, 18·0; and in Leith, 17·9. The death-rates of Glasgow, Aberdeen, and Paisley are little affected by the correction; among those which are increased by this means there are Leith, Kirkcaldy, Hamilton, Clydebank, and Kilmarnock, each of these being increased by at least 1 per thousand; and among those which are decreased there are Edinburgh and Perth, the former being decreased by 1·8 and the latter by 1·5.

Of the deaths registered during the month, 1034, or 29·6 per cent., are of children of less than five years old, and 927, or 26·6 per cent., of persons of over sixty-five. The former are 59, and the latter 3, fewer than in January.

Deaths of children of less than one year old numbered 647, and are equal to an infantile mortality rate of 140 per thousand births. These children number 60 fewer than in January, but this rate is 7 more. In the towns this rate varied from 226 in Dundee, 204 in Clydebank, and 188 in Motherwell, to 31 in Kilmarnock and 101 in Ayr. In Greenock this rate was 162; in Leith, 155; in Perth, 153; in Falkirk, 151; in Glasgow, 139; in Hamilton, 143; in Coatbridge, 120; in Kirkcaldy, 114; in Edinburgh, 110; in Aberdeen, 110; and in Paisley, 110.

Deaths from the principal epidemic diseases, namely measles, scarlet fever, whooping-cough, diphtheria, enteric fever, and the diarrhoeas of childhood numbered 311. They are 1 less than in January, and are equal to an annual death-rate from these causes of 1·8 per thousand, which is 0·2 above the corresponding rate of that month. This rate varied from 4·5 in Motherwell, 3·3 in Falkirk, and 2·4 in Glasgow, to 0 in Ayr, and 0·3 in Paisley and Kirkcaldy. In Leith this rate was 2·3; in Clydebank, 2·1; in Hamilton, 1·7; in Greenock, 1·5; in Coatbridge, 1·5; in Dundee, 1·3; in Aberdeen, 1·3; in Edinburgh, 1·0; in Perth, 0·7; and in Kilmarnock, 0·4.

Deaths from measles numbered 21, and are 8 more than in January; from scarlet fever 10, which is 12 fewer than in January; from diphtheria 34, which is 12 fewer than in January; from whooping-cough 196, which is 22 more than in January; from enteric fever 8, which is the same as in January; and from the diarrhoeas of childhood 42, which is 7 less than in that month.

There were no deaths from small-pox registered in the towns during the month, nor any from typhus fever.

Deaths from influenza numbered 17; from malignant disease, 196; from heart

disease, 266; from puerperal septic conditions, 12; and from violent causes, 139, of which 12 were ascribed to suicide.

Deaths from pneumonia numbered 352, constituted 10·1 per cent. of the total of the month, and are equal to an annual death-rate from this cause of 2·0 per thousand; they are 52 fewer than were registered in January. Deaths from bronchitis numbered 386, constituted 11·1 per cent. of the total, and are equal to an annual death-rate of 2·2 per thousand; they are 22 more than those registered during January.

Deaths from all forms of tuberculous disease numbered 407, constituted 11·7 per cent. of the total deaths of the month, and are equal to an annual death-rate from these causes of 2·3 per thousand; of these deaths 270 were ascribed to phthisis, which number is equal to an annual death-rate of 1·6 per thousand. Compared with the corresponding numbers of January, deaths from all forms of tuberculous disease are 9 fewer, and those from phthisis are 18 less.

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. WATT, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

FEBRUARY 1913.

Mean barometric pressure, 30·048 ins; greater than the average of 1856–1905 by 0·186 in.

Mean temperature, 40°·3; greater by 1°·6.

Mean daily range of temperature, 9°·7; being the normal.

Rain, number of days, 14; less by 1 day.

Rain, depth in inches, 2·01; less by 0·85 in.

Wind, direction of: a 2 days' excess of winds from SW. and 1 day's excess of winds from E.

Hence the month was characterised by a very high mean pressure; a very high mean temperature, with a normal mean daily range; a rather low mean rainfall; and a slight excess of winds from south-west and also from east.

The mean pressure was 30·048 ins., or 0·186 in. above the normal. On the evening of 7th a very rapid fall of the barometer took place with an even more rapid recovery, amounting in the North of Scotland to fully 1 inch in 12 hours. Thereafter pressure remained at a high level until 23rd. At Leith, at sea-level, readings above 30 ins. were recorded from 9th to 23rd and on 28th, the extremes there being 30·612 ins. on 12th and 28·960 ins. on the evening of 7th.

The mean temperature was 40°·3, or 1°·6 below the normal, the excess being equally well-marked by day and by night. During the first half of the month a south-westerly type of weather prevailed with temperature considerably above the normal and highest readings for the month in many districts on 3rd. Thereafter conditions were controlled by a high-pressure system which spread over our Islands

from the Continent, and with winds very frequently from some easterly point moderately cold weather was experienced, with lowest readings between 20th and 23rd. As regards the chief towns, the extremes were 54° at Paisley on 28th and 25° at Leith on 23rd.

The mean rainfall was 2·01 ins, or 30 per cent. below the normal. Paisley had a nominal excess, the other towns a shortage of varying amount, and Perth, Dundee, and Aberdeen with aggregates of less than 1 inch only about one-third of their normals. Dundee had only one day with more than one-tenth of an inch, and Perth and Aberdeen only three such days. Almost the entire rainfall of the month was registered during the first ten days, when some moderately heavy falls occurred in the west, at Greenock 1·10 in. on 2nd, with a total there of about 4 in. for the first week. From 11th onwards almost rainless weather was experienced except for trifling falls in the west during the last few days.

Early in the month the weather was of a stormy character, especially on 7th and 8th. The severe snowstorm which had marked the closing days of January continued in many districts on February 1st, and thereafter rain and melted snow caused widespread and destructive flooding.

From 11th onwards fog was frequent.

TABLE I.—ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES
in the Principal Towns, FEBRUARY 1913.

TOWNS.	POPULATION.		BIRTHS.					MARRIAGES.	DEATHS.					
	Census 1911.	Estimated to middle of 1913.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.	Transferred In.*	Transferred Out.*	Corrected for Transfers.
GLASGOW, . . .	1,008,487	1,021,500	1129	1049	2178	2006	172	458	841	827	1668	50	66	1652
EDINBURGH, . . .	320,769	320,800	261	242	503	460	43	158	209	265	474	15	59	430
DUNDEE, . . .	165,004	165,900	190	171	361	326	35	57	139	164	303	5	16	292
ABERDEEN, . . .	163,891	162,700	162	135	297	255	42	64	110	149	259	18	16	261
PAISLEY, . . .	84,455	85,600	71	74	145	140	5	26	56	56	112	5	6	111
LEITH, . . .	80,601	80,500	79	80	159	143	16	32	43	60	103	8	1	110
GREENOCK, . . .	75,140	77,800	94	72	166	154	12	30	67	62	129	2	4	127
PERTH, . . .	35,854	35,100	28	26	54	47	7	21	26	33	59	4	8	55
TOTAL . . . (EIGHT TOWNS)	1,934,201	1,949,900	2014	1849	3863	3531	332	846	1491	1616	3107	107	176	3038
COATBRIDGE, . .	43,286	43,400	55	54	109	102	7	13	29	33	62	1	1	62
MOTHERWELL, . .	40,380	41,000	54	54	108	101	7	8	25	34	59	2	0	61
KIRKCALDY, . . .	39,601	40,000	57	42	99	94	5	5	19	31	50	4	1	53
HAMILTON, . . .	38,644	38,600	39	38	77	71	6	18	33	22	55	4	1	58
CLYDEBANK, . . .	37,548	42,800	57	61	118	117	1	17	27	26	53	8	2	59
KILMARNOCK, . .	34,728	34,700	28	41	69	63	6	13	14	24	38	4	0	42
FALKIRK, . . .	33,574	35,600	33	36	69	62	7	8	38	17	55	4	3	56
AYR, . . .	32,986	34,200	38	36	74	73	1	13	27	35	62	1	3	60
TOTAL . . . (SIXTEEN TOWNS)	2,234,948	2,260,200	2375	2211	4586	4214	372	941	1703	1838	3541	135	187	3489

* Deaths "Transferred In" are those of residents registered elsewhere in Scotland, and those "Transferred Out" are of non-residents registered in the towns.

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES
in the Principal Towns, FEBRUARY 1913.

TOWNS	Birth-Rate per 1000 of Popu- lation.	Illegiti- mate Birth- Rate per 100 Births.	Marriage- Rate per 1000 of Popu- lation.	DEATH-RATES PER 1000 OF POPULATION FROM					DEATHS UNDER ONE YEAR OF AGE.	
				All Causes (Cor- rected).	Principal Epidemic Diseases.	Tuber- culosis.	Phthisis.	All Re- spiratory Diseases.	Number.	Rate per 1000 Births.
GLASGOW, . . .	27·8	7·9	5·8	21·1	2·4	2·5	1·8	5·2	302	139
EDINBURGH, . .	20·5	8·5	6·4	17·5	1·0	1·8	1·1	3·9	57	110
DUNDEE, . . .	28·4	9·7	4·5	23·0	1·2	2·4	1·3	5·0	73	226
ABERDEEN, . . .	23·8	14·1	5·1	20·9	1·3	2·5	1·4	4·1	35	110
PAISLEY, . . .	22·1	3·4	4·0	16·9	0·3	1·8	1·1	4·0	19	110
LEITH, . . .	25·8	10·1	5·2	17·9	2·3	1·9	1·1	3·2	25	155
GREENOCK, . . .	27·8	7·2	5·0	21·3	1·5	3·0	1·8	4·9	30	162
PERTH, . . .	20·1	12·0	7·8	20·4	0·7	2·2	1·9	4·5	9	153
TOTAL (EIGHT TOWNS)	25·9	8·6	5·7	20·3	1·8	2·3	1·6	4·7	550	141
COATBRIDGE, . .	32·8	6·4	3·9	18·6	1·5	1·8	1·2	4·2	13	120
MOTHERWELL, . .	34·4	6·5	2·5	19·4	4·5	2·2	1·3	3·8	19	188
KIRKCALDY, . . .	32·2	5·1	1·6	17·3	0·3	2·3	0·7	4·6	9	114
HAMILTON, . . .	26·0	7·8	6·1	19·6	1·7	3·7	2·7	3·7	14	143
CLYDEBANK, . . .	36·0	0·8	5·2	18·0	2·1	2·4	1·5	3·4	22	204
KILMARNOCK, . .	25·9	8·7	4·9	15·8	0·4	1·9	0·8	5·3	2	31
FALKIRK, . . .	25·2	10·1	2·9	20·5	3·3	2·6	1·8	2·6	11	151
AYR, . . .	28·3	1·4	5·0	22·9	0·0	3·8	2·7	5·0	7	101
TOTAL (SIXTEEN TOWNS)	26·5	8·1	5·4	20·1	1·8	2·3	1·6	4·6	647	140

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR FEBRUARY 1913, and for
the Corresponding Month of the Preceding Ten Years, in EIGHT of the
PRINCIPAL TOWNS.

MONTH.	Birth-Rate.	Illegitimate Birth- rate per 100 Births.	Marriage-Rate.	Death-Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature.
					Smallpox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria.	Enteric Fever.	Diarrhoea (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
FEB. 1913, .	25·9	8·6	20·3	5·7	0	15	8	173	27	8	38	141	40°·3
FEB. 1912, .	25·5	6·8	21·8	5·7	0	231	9	43	42	6	45	161	39°·3
FEB. 1911, .	26·1	8·0	21·2	5·9	0	18	22	155	36	6	35	145	39°·7
FEB. 1910, .	27·0	7·5	19·3	5·7	0	169	26	27	43	11	28	122	39°·1
FEB. 1909, .	27·8	7·9	21·0	5·1	0	9	19	173	44	12	40	148	38°·9
FEB. 1908, .	27·5	7·9	23·1	5·8	3	202	22	98	32	14	-	164	41°·3
FEB. 1907, .	28·1	7·2	22·7	6·2	0	18	8	109	37	12	-	142	37°·1
FEB. 1906, .	28·8	7·2	19·5	6·3	0	107	10	27	21	13	-	121	36°·6
FEB. 1905, .	28·2	7·3	19·2	6·3	0	21	5	107	25	16	-	136	40°·1
FEB. 1904, .	29·7	6·7	22·1	6·6	18	86	8	104	20	9	-	157	37°·1
FEB. 1903, .	29·1	7·0	19·5	6·1	1	52	23	106	24	25	-	138	43°·3

In Columns 5-13 for 1913, deaths and death-rates have been corrected for non-resident deaths.

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—February 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	8	-	-	-	-	5	3	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	21	8	12	1	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	10	-	8	2	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	196	84	106	5	1	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	34	5	17	9	1	2	-	-	-	-	-	-
Influenza - - - - -	17	1	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	12	2	-	1	-	-	-	1	2	4	2	-
Phthisis, Pulmonary Tuberculosis - - - - -	270	3	14	4	4	49	70	51	40	25	7	3
Tuberculous Meningitis - - - - -	51	11	25	7	4	3	1	-	-	-	-	-
Abdominal Tuberculosis - - - - -	40	9	11	6	4	7	1	1	1	-	-	-
Other Tuberculous Diseases - - - - -	46	4	14	4	7	7	1	3	2	1	3	-
Cancer, Malignant Disease - - - - -	196	-	-	-	2	2	4	14	44	58	52	20
Rheumatic Fever - - - - -	15	-	-	1	2	4	4	1	1	1	-	1
Meningitis - - - - -	37	8	14	4	2	1	2	3	1	1	1	-
Organic Heart Disease - - - - -	266	-	-	1	2	10	9	25	32	70	72	45
Bronchitis - - - - -	386	58	19	3	1	1	4	13	33	73	103	78
Pneumonia (all forms) - - - - -	352	73	78	9	1	12	23	27	32	36	37	24
Other Diseases of Respiratory Organs - - - - -	62	14	9	-	-	4	-	4	7	6	10	8
Diarrhœa and Enteritis (under 2 years) - - - - -	42	35	7	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	25	-	-	4	4	6	2	2	3	2	1	1
All Liver Diseases (not Malignant) - - - - -	29	-	-	-	1	-	1	3	5	5	8	6
Other Diseases of Digestive System (under 2 years) - - - - -	18	14	4	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	114	1	-	2	2	9	10	21	21	20	21	7
Puerperal Sepsis - - - - -	12	-	-	-	-	3	5	4	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	36	-	-	-	-	4	20	11	1	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	221	214	5	-	1	1	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	*127	17	15	4	1	18	10	13	22	7	12	7
Suicide - - - - -	12	-	-	-	-	1	3	1	3	2	1	1
Other Defined Diseases - - - - -	778	78	25	14	3	13	26	56	83	112	169	199
Diseases Ill-defined or Unknown - - - - -	56	8	4	-	-	2	2	4	8	11	9	8
Total - - - - -	*3489	647	387	81	43	164	201	258	345	435	515	412

GLASGOW—February 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	4	-	-	-	-	1	3	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	10	2	7	1	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	6	-	5	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	131	55	72	3	1	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	14	1	8	3	-	2	-	-	-	-	-	-
Influenza - - - - -	5	-	-	-	-	-	-	-	1	-	2	2
Erysipelas - - - - -	6	2	-	-	-	-	-	1	1	-	2	-
Phthisis, Pulmonary Tuberculosis - - - - -	142	1	6	1	2	24	39	27	20	15	4	3
Tuberculous Meningitis - - - - -	23	8	10	3	2	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	14	4	3	3	2	2	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	13	1	3	2	2	3	-	-	1	-	1	-
Cancer, Malignant Diseases - - - - -	93	-	-	-	1	1	-	7	23	31	21	9
Rheumatic Fever - - - - -	7	-	-	-	1	1	3	1	-	-	-	1
Meningitis - - - - -	12	1	7	2	-	1	-	-	1	-	-	-
Organic Heart Disease - - - - -	98	-	-	-	1	3	6	7	15	29	26	11
Bronchitis - - - - -	183	19	9	2	-	-	4	9	18	35	56	31
Pneumonia (all forms) - - - - -	195	42	38	6	1	10	14	16	17	22	19	10
Other Diseases of Respiratory Organs - - - - -	29	9	5	-	-	1	-	3	3	2	4	2
Diarrhœa and Enteritis (under 2 years) - - - - -	20	19	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	13	-	-	2	3	4	-	-	1	1	1	1
All Liver Diseases (not Malignant) - - - - -	12	-	-	-	-	-	-	1	2	2	3	4
Other Diseases of Digestive System (under 2 years) - - - - -	6	5	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	55	1	-	1	1	7	5	6	12	8	11	3
Puerperal Sepsis - - - - -	8	-	-	-	-	3	2	3	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	13	-	-	-	-	-	8	5	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	91	88	2	-	-	1	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	*65	3	12	4	-	9	7	9	9	3	6	2
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - - - -	357	37	10	8	-	7	14	33	39	56	80	73
Diseases Ill-defined or Unknown - - - - -	26	4	1	-	-	1	2	4	6	5	3	-
Total - - - - -	*1652	302	200	42	17	81	107	132	170	209	239	152

* Including 1 of unstated age.

EDINBURGH—February 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	20	9	10	1	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	3	-	-	-	-	-	-	-	1	-	2	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	28	-	1	-	1	4	7	6	7	2	-	-
Tuberculous Meningitis - - - - -	5	2	1	1	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	-	1	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	10	1	6	-	-	-	1	-	1	-	1	-
Cancer, Malignant Disease - - - - -	22	-	-	-	-	-	-	1	6	3	9	3
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Meningitis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Organic Heart Disease - - - - -	46	-	-	-	1	2	-	3	4	10	14	12
Bronchitis - - - - -	53	4	1	-	-	1	-	2	5	13	14	13
Pneumonia (all forms) - - - - -	36	7	9	-	-	-	2	3	1	2	6	6
Other Diseases of Respiratory Organs - - - - -	6	1	-	-	-	-	-	-	-	1	1	3
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	3	-	-	-	-	-	1	1	1	-	-	-
All Liver Diseases (not Malignant) - - - - -	3	-	-	-	-	-	1	-	-	-	1	1
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	19	-	-	-	-	1	-	3	3	5	4	3
Puerperal Sepsis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	4	-	-	-	-	-	3	1	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	22	21	-	-	1	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	14	2	1	-	-	-	1	-	5	3	1	1
Suicide - - - - -	3	-	-	-	-	1	1	-	-	1	-	-
Other Defined Diseases - - - - -	118	8	3	1	-	2	4	5	16	18	20	41
Diseases Ill-defined or Unknown - - - - -	5	-	-	-	-	-	-	-	-	-	2	3
Total - - - - -	430	57	35	3	4	12	22	25	50	60	76	86

DUNDEE—February 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	3	-	3	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	16	-	2	2	-	6	1	2	2	1	-	-
Tuberculous Meningitis - - - - -	6	-	5	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	4	1	-	1	1	-	-	1	-	-	-	-
Other Tuberculous Diseases - - - - -	4	-	1	1	-	2	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	21	-	-	-	1	-	1	1	5	5	5	3
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	7	2	1	1	-	-	1	1	-	1	-	-
Organic Heart Disease - - - - -	25	-	-	-	-	-	1	4	5	4	8	3
Bronchitis - - - - -	32	9	3	-	-	-	-	-	3	5	2	10
Pneumonia (all forms) - - - - -	26	5	9	-	-	-	-	2	3	-	4	3
Other Diseases of Respiratory Organs - - - - -	6	1	-	-	-	-	-	-	2	-	1	2
Diarrhoea and Enteritis (under 2 years) - - - - -	9	7	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	4	-	-	2	-	1	-	-	-	1	-	-
All Liver Diseases (not Malignant) - - - - -	4	-	-	-	-	-	-	1	1	1	1	-
Other Diseases of Digestive System (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	8	-	-	1	-	-	1	1	1	3	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	3	-	-	-	-	-	2	1	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	32	29	3	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	11	6	2	-	-	2	-	-	-	-	1	-
Suicide - - - - -	4	-	-	-	-	-	-	1	1	1	-	1
Other Defined Diseases - - - - -	53	8	3	-	1	1	1	4	4	12	10	9
Diseases Ill-defined or Unknown - - - - -	6	1	2	-	-	-	-	-	-	1	1	1
Total - - - - -	292	73	39	8	3	13	8	19	27	36	34	32

CAUSES OF DEATH (corrected for Transfers).

ABERDEEN—February 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	5	3	2	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	6	1	1	4	-	-	-	-	-	-	-	-
Influenza - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	17	-	1	-	-	4	6	1	1	2	2	-
Tuberculous Meningitis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	4	-	3	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	8	-	1	-	3	2	-	1	-	-	1	-
Cancer, Malignant Disease - - - - -	15	-	-	-	-	-	2	1	4	3	3	2
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	26	-	-	1	-	2	1	2	1	7	4	8
Bronchitis - - - - -	24	3	-	-	-	-	-	-	-	7	6	8
Pneumonia (all forms) - - - - -	25	5	5	2	-	-	1	3	2	1	4	2
Other Diseases of Respiratory Organs - - - - -	2	-	1	-	-	1	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	4	-	-	-	1	-	-	-	-	1	1	1
Other Diseases of Digestive System (under 2 years) - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	8	-	-	-	1	-	1	2	2	1	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	3	-	-	-	-	1	1	1	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	8	8	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	8	-	-	-	-	2	1	1	1	-	2	1
Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Defined Diseases - - - - -	77	10	3	1	2	1	1	4	6	6	15	28
Diseases Ill-defined or Unknown - - - - -	5	-	1	-	-	-	-	-	1	-	1	2
Total - - - - -	261	35	24	8	8	14	16	16	19	29	40	52

PAISLEY—February 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	7	-	1	-	-	-	1	4	-	1	-	-
Tuberculous Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	3	-	2	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - - - - -	4	-	-	-	-	-	-	-	1	1	1	1
Rheumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - -	3	1	-	-	1	-	-	1	-	-	-	-
Organic Heart Disease - - - - -	12	-	-	-	-	-	1	-	-	5	5	1
Bronchitis - - - - -	15	4	1	-	-	-	-	-	-	3	5	2
Pneumonia (all forms) - - - - -	8	2	2	-	-	1	1	-	1	1	-	-
Other Diseases of Respiratory Organs - - - - -	3	-	1	-	-	1	-	-	1	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	-	1	1	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	4	-	-	-	-	1	-	2	-	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	9	9	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	-	-	-	-	-	-	-	3	-	-	-
Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Defined Diseases - - - - -	26	-	1	1	-	-	2	1	5	2	5	9
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Total - - - - -	111	19	9	2	2	5	7	10	12	15	16	14

LEITH—February 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	10	7	3	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	7	1	1	1	-	-	1	2	-	1	-	-
Tuberculous Meningitis - - - - -	4	-	2	2	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	7	-	-	-	-	-	-	1	1	2	2	1
Rheumatic Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	13	-	-	-	-	-	-	3	3	3	1	3
Bronchitis - - - - -	12	1	2	-	-	-	-	-	2	1	3	3
Pneumonia (all forms) - - - - -	5	1	1	-	-	-	-	-	1	1	1	-
Other Diseases of Respiratory Organs - - - - -	3	-	-	-	-	-	-	1	-	-	2	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Disease of Digestive System (under 2 years) - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	3	-	-	-	-	1	2	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	7	7	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	7	4	-	-	-	-	-	-	1	1	-	1
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Defined Diseases - - - - -	21	1	1	-	-	-	-	1	3	3	6	6
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	110	25	12	3	1	3	3	8	11	12	18	14

GREENOCK—February 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	5	2	2	1	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	11	-	-	-	-	3	3	-	4	1	-	-
Tuberculous Meningitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	4	1	1	1	-	-	1	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	1	-	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	8	-	-	-	-	-	-	1	-	5	2	-
Rheumatic Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	7	-	-	-	-	-	-	-	-	3	4	-
Bronchitis - - - - -	15	3	1	-	-	-	-	-	-	4	1	6
Pneumonia (all forms) - - - - -	13	3	4	-	-	1	-	-	2	2	-	1
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	-	1	2	-	-	-	-
Puerperal Sepsis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	3	-	-	-	-	-	1	1	1	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	12	12	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	7	1	-	-	-	4	-	-	-	-	-	2
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	22	2	1	2	-	-	-	1	3	-	8	5
Diseases Ill-defined or Unknown - - - - -	2	1	-	-	-	-	-	-	-	-	1	-
Total - - - - -	127	30	10	5	1	10	7	6	10	17	17	14

PERTH—February 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	5	-	-	-	-	-	3	2	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	6	-	-	-	-	-	-	-	1	2	3	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	-	-	1	1	-	1	-	-	-	-	-
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	1	-	-	-	-
Bronchitis - - - - -	7	-	-	-	-	-	-	-	1	-	3	-
Pneumonia (all forms) - - - - -	4	1	2	-	-	-	-	1	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	1	-	-	-	-	1	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	13	1	-	1	-	-	-	-	-	2	4	-
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Total - - - - -	55	9	3	2	2	2	5	4	2	5	12	9

COATBRIDGE—February 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	4	-	-	-	-	1	-	1	2	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	1	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	1	-	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	6	-	-	-	-	-	-	-	1	2	3	-
Bronchitis - - - - -	6	3	-	-	-	-	-	-	-	2	1	-
Pneumonia (all forms) - - - - -	5	2	1	-	-	-	-	-	2	-	-	-
Other Diseases of Respiratory Organs - - - - -	3	1	1	-	-	-	-	-	-	1	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	1	1	-	-	-
Puerperal Sepsis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	-	-	1	-	-	1	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	14	3	1	-	-	1	2	-	2	2	-	3
Diseases Ill-defined or Unknown - - - - -	3	-	-	-	-	-	-	-	-	2	1	-
Total - - - - -	62	13	9	-	1	3	3	3	10	9	8	3

MOTHERWELL—February 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	9	3	6	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	4	-	1	-	-	1	1	-	-	1	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	1	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - - - - -	5	-	-	-	-	-	-	1	1	1	-	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	-	-	-	-	-	-	1	-	2	-	-
Bronchitis - - - - -	5	2	-	-	-	-	-	-	1	-	2	-
Pneumonia (all forms) - - - - -	6	1	2	1	-	-	2	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	1	1	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	1	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	6	2	-	-	-	-	-	-	-	-	2	2
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Total - - - - -	61	19	14	1	-	2	4	5	3	5	4	4

KIRKCALDY—February 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	1	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	2	-	1	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	3	-	1	1	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	1	-	-	-	1	-
Rheumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	8	-	-	-	-	1	-	-	-	3	2	2
Bronchitis - - - - -	6	3	-	-	1	-	-	-	-	-	2	-
Pneumonia (all forms) - - - - -	8	-	-	-	-	-	3	-	1	4	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - - - -	10	1	-	-	-	-	-	-	-	2	2	5
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	53	9	3	1	2	4	6	1	3	9	7	8

HAMILTON—February 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	1	-	1	-	-	-	-	-	-	-	-
Influenza - - - - -	2	-	-	-	-	-	-	-	-	1	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	8	-	-	-	-	2	3	1	2	-	-	-
Tuberculous Meningitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	1	-	-	-	-	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Bronchitis - - - - -	6	3	1	-	-	-	-	-	2	-	-	-
Pneumonia (all forms) - - - - -	4	1	1	-	-	-	-	1	-	-	1	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	-	2	-	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	-	-	1	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	12	3	1	-	-	-	-	2	2	1	1	22
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Total - - - - -	58	14	8	2	-	6	5	5	8	3	3	4

CLYDEBANK—February 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	5	2	3	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	5	1	1	-	1	1	-	-	1	-	-	-
Tuberculous Meningitis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	1	-	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	5	2	-	-	-	-	-	1	3	-	-	11
Bronchitis - - - - -	5	2	-	-	-	-	-	1	1	1	-	-
Pneumonia (all forms) - - - - -	5	2	-	-	-	-	-	1	1	1	-	11
Other Diseases of Respiratory Organs - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	8	8	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	-	-	1	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	8	2	-	-	-	-	-	-	-	1	5	-
Diseases Ill-defined or Unknown - - - - -	2	1	-	-	-	-	-	-	-	1	-	-
Total - - - - -	59	22	8	1	1	1	-	3	10	5	6	22

KILMARNOCK—February 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	1	-	1	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	-	1	-	-	-	-	1	-	-	-	-
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Bronchitis - - - - -	7	-	1	1	-	-	-	1	-	1	2	1
Pneumonia (all forms) - - - - -	6	1	2	-	-	-	-	1	-	1	-	1
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhilitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	16	-	-	-	-	-	1	2	1	4	5	3
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	42	2	5	3	-	2	1	6	2	7	9	5

FALKIRK—February 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	5	2	3	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	2	-	-	-	-	-	-	-	-	-	2	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	5	-	-	-	-	1	1	2	1	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Rheumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	6	-	-	-	-	1	-	2	-	1	1	1
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	-	2	-
Pneumonia (all forms) - - - - -	3	-	1	-	-	-	-	-	1	1	-	-
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	-	-	-	-	1	-	1
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	-	-	1	-	1	-	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	4	1	-	-	1	-	1	-	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	11	-	1	-	-	-	1	2	2	2	2	1
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	56	11	7	-	1	3	3	8	5	7	7	4

AYR—February 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	7	-	-	-	-	-	3	2	-	1	1	-
Tuberculous Meningitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Tuberculous Diseases - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	6	-	-	-	-	-	-	1	-	4	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	7	-	-	-	-	1	-	1	-	-	3	2
Bronchitis - - - - -	8	2	-	-	-	-	-	-	-	1	4	1
Pneumonia (all forms) - - - - -	3	-	1	-	-	-	-	-	-	-	2	-
Other Diseases of Respiratory Organs - - - - -	2	1	-	-	-	-	-	-	1	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	5	-	-	-	-	-	-	2	-	-	3	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	14	-	-	-	-	1	-	1	-	1	4	7
Diseases Ill-defined or Unknown - - - - -	3	1	-	-	-	1	-	-	1	-	-	-
Total - - - - -	60	7	1	-	-	3	4	7	3	7	18	10

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of FEBRUARY 1913.

OBSERVERS.	BARO-METER.		AIR TEMPERATURE.						HYGROMETER.				RAIN, AND OTHER FORMS OF PRECIPITATION.		WIND DIRECTIONS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	Mean at Station and 32°. Mean at Sea-Level and 32°.		Height of Station above Sea-level.	Mean of			Mean of A and B (Mean Temperature).	Difference from Average.	Absolute Maximum and Minimum.			Mean at 9 A.M. and 9 P.M.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Number of Days.	Total Fall.	Difference from Average.	Number of Observations at 9 A.M. and 9 P.M.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
				Maximum (A).	Minimum (B).	Day of Month.			Maximum.	Day of Month.	Minimum.								Day of Month.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
																				N	NE	E	SE	S	SW	W	NW	Calm or Variable.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
GLASGOW, Medical Officer of Health, Glasgow.	feet.	inch.	inch.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	inch.	inch.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

* At King's College, at 7 A.M. and 6 P.M. † At 9 A.M. only.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN SIXTEEN OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

MARCH 1913.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., Ltd., Bellevue.
To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

During the month of March 1913 there were registered in the Sixteen Principal Towns of Scotland, those towns which at the date of the 1911 Census had populations of over 30,000, the births of 4986 living children, of whom 2555 were male and 2431 female. Compared with the corresponding numbers in February, the male children are 180 more, the female 220 more, and the total 400 more. The equivalent annual birth-rate is 26·0 per thousand of the estimated aggregate population of these towns, and is 0·5 less than that of February, and 2·1 less than that of January. In the towns the birth-rate of the month ranged from 33·3 in Hamilton, 32·0 in Greenock, and 31·1 in Clydebank, to 19·5 in Edinburgh, 19·5 in Perth, and 21·8 in Kirkcaldy. In Coatbridge the birth-rate of the month was 29·6; in Motherwell, 29·3; in Glasgow, 28·1; in Falkirk, 26·1; in Aberdeen, 25·3; in Paisley, 25·3; in Leith, 24·0; in Ayr, 23·8; in Dundee, 23·2; and in Kilmarnock, 23·1.

Of the 4986 children, 347, or 7·0 per cent., were illegitimate. These illegitimate children are 25 fewer than in February, and the illegitimate rate is 1·1 less than in that month. This rate for the month varied from 12·6 in Aberdeen, 11·8 in Kilmarnock, and 9·4 in Edinburgh, to 0·9 in Clydebank, 1·3 in Falkirk, and 2·4 in Leith. In Glasgow this rate was 6·9, and in Dundee, 6·7.

Marriages registered in these towns during the month numbered 1495, and are 554 more than those registered in February. The equivalent annual marriage-rate is 7·8 per thousand, and is 2·4 more than it was in February. This rate was highest

in Glasgow, 8·9; Hamilton, 8·9; Edinburgh, 8·4; and Paisley, 8·1; and lowest in Coatbridge, 4·1; Falkirk, 4·6; and Clydebank, 5·8.

Deaths registered during the month numbered 3530, those of males numbering 1750, and of females 1780. Compared with the returns of February the total deaths are 11 fewer, and the female deaths 58 fewer, but the male deaths are 47 more. Of these deaths 187 were of persons whose usual residences were outwith these towns, but on the other hand the deaths of 176 residents of these towns were registered elsewhere in Scotland, and the difference between these figures, 11, falls to be deducted from the registered deaths in order to obtain the corrected number, which is found to be 3519. The uncorrected death-rate of the month is 18·4 per thousand, and the corrected death-rate 18·3 per thousand. The former is 2·0, and the latter 1·8, less than the corresponding February rate.

The corrected death-rate of the month in the towns ranged from 21·1 in Leith, 20·9 in Aberdeen, and 20·2 in Greenock, to 12·6 in Kilmarnock, 13·4 in Perth, and 13·5 in Clydebank. In Glasgow it was 19·5; in Dundee, 18·2; in Coatbridge, 17·9; in Edinburgh, 16·7; in Ayr, 15·9; in Paisley, 15·7; in Motherwell, 15·5; in Hamilton, 15·3; in Falkirk, 14·9; and in Kirkcaldy, 14·1. The effects of correction are to raise the death-rate in Clydebank by 3·0, in Motherwell by 1·4, in Leith by 1·2, in Kirkcaldy by 0·9, in Aberdeen by 0·8, and in Coatbridge by 0·5, and to lower the death-rate by 2·4 in Ayr, 1·7 in Perth, 1·1 in Edinburgh, 0·6 in Falkirk, and 0·2 in Dundee.

Of the deaths registered in these towns during the month, 1120, or 31·8 per cent., were of children of less than five years old, and 864, or 24·6 per cent., of persons of over sixty-five, the former being 86 more, but the latter 63 fewer than in the previous month.

Deaths of children of less than one year old numbered 688, and are equal to an infantile mortality rate of 135 per thousand births. These deaths are 41 more than in February, but this rate is 5 less than in that month. In the towns the infantile mortality rate of the month varied from 183 in Aberdeen, 168 in Leith, and 166 in Dundee, to 56 in Kilmarnock, 78 in Ayr, and 81 in Motherwell. In Hamilton the infantile mortality rate of the month was 157; in Greenock, 138; in Falkirk, 137; in Glasgow, 136; in Edinburgh, 125; in Coatbridge, 110; in Kirkcaldy, 106; in Clydebank, 102; in Perth, 94; and in Paisley, 90.

Deaths from the principal epidemic diseases, namely smallpox, measles, scarlet fever, diphtheria, whooping-cough, enteric fever, and the diarrhoeas of childhood, numbered 386. They are 75 more than in the previous month, and equal to an annual death-rate from these causes of 2·0 per thousand, which is 0·2 more than that of February. This rate varied from 3·4 in Leith, 3·0 in Falkirk, and 2·6 in Glasgow, to 0·3 in Perth, 0·3 in Kilmarnock, and 0·6 in Kirkcaldy. In Aberdeen this rate was 2·2; in Greenock, 2·0; in Motherwell, 2·0; in Clydebank, 1·4; in Edinburgh, 1·2; in Hamilton, 1·2; in Dundee, 1·1; in Coatbridge, 1·1; in Paisley, 1·0; and in Ayr, 1·0.

Deaths from measles numbered 28; from scarlet fever, 19; from diphtheria, including those certified as due to croup, 36; from whooping-cough, 221; from enteric fever, 9; and from the diarrhoeas of childhood, 73. Compared with the returns of the previous month deaths from the diarrhoeas of childhood are 31 more; from whooping-cough, 25 more; from scarlet fever, 9 more; from measles, 7 more; from diphtheria, 2 more; and from enteric fever, 1 more.

There were no deaths from either smallpox or typhus fever registered in these towns during the month.

Deaths from influenza numbered 14 ; from malignant disease, 195 ; from heart disease, 278 ; from puerperal septic conditions, 10 ; and from violent causes, 113, of which 10 were attributed to suicide.

Deaths from pneumonia numbered 394, and constituted 11·2 per cent. of the total of the month ; they are 42 more than in the previous month, and are equal to an annual death-rate from this cause of 2·1 per thousand. Deaths from bronchitis numbered 308, and constituted 8·8 per cent. of the total of the month ; they are 78 fewer than in the previous month, and are equal to an annual death-rate of 1·6 per thousand.

Deaths from all forms of tuberculous disease numbered 417, and constituted 11·8 per cent. of the total of the month ; they are 10 more than in the previous month, and are equal to an annual death-rate of 2·2 per thousand. Of these deaths 266 were ascribed to phthisis, a number which is 4 less than in February, and which is equal to an annual death-rate from this cause of 1·4 per thousand. The death-rate of the month from phthisis was highest in Glasgow, 1·7 ; Paisley, 1·7 ; Dundee, 1·4 ; and Coatbridge, 1·4 ; and lowest in Kilmarnock, 0·3 ; Perth, 0·7 ; Greenock, 0·9 ; and Motherwell, 0·9.

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. WATT, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

MARCH 1913.

Mean barometric pressure, 29·619 ins.; less than the average of 1856–1905 by 0·195 in.

Mean temperature, 41°·1 ; greater by 0°·8.

Mean daily range of temperature, 11°·7 ; greater by 0°·1.

Rain, number of days, 22 ; greater by 6 days.

Rain, depth in inches, 4·58 ; greater by 2·13 ins.

Wind, direction of : an 8 days' excess of winds from between S. and W.

Hence the month was characterised by a very low mean pressure ; a slightly high mean temperature, with a normal mean daily range ; a very high mean rainfall ; and a large excess of south-westerly winds.

The mean pressure was 29·619 ins., or 0·195 in. below the normal. The barometer was unsteady throughout the month with considerable fluctuations at times. On 18th and 19th a rapid fall took place, exceeding 1 inch in 24 hours, with an almost equally rapid recovery. At Leith, at sea-level, readings above 30 ins. occurred only on 1st, from 8th to 10th, and from 24th to 26th, the extremes there being 30·279 ins. on 25th and 28·364 ins. on 19th. The range for the month was thus considerable.

The mean temperature was 41°·1, or 0°·8 above the normal, the excess being equally well-marked by day and by night. The departures at the individual towns ranged from an excess of 2°·2 at Paisley to a defect of 0°·3 at Leith. In many districts mild weather was experienced during the first week or so, but thereafter there were various incursions of cold, and the mean temperature of the third week

was much below the normal, with lowest readings for the month on 18th. At Aberdeen the maximum occurred on 25th, but very generally the 30th or 31st was the warmest day. As regards the chief towns, the extremes were 58° at Paisley on 30th, and 24° at that place and also at Greenock on 18th.

The mean rainfall was 4·58 ins., or 87 per cent. above the normal. Edinburgh, Paisley and Perth had more than twice their normal amounts, and the other towns an excess ranging from 30 per cent. at Aberdeen to 90 per cent. at Dundee. At Perth the month was the wettest March for at least the last fifty years, and at Greenock the aggregate of 8·86 ins. has been exceeded during the last forty years only in March 1903, when the total was more than 12 ins. In the west rain fell on every day until 16th, whilst the most general falls occurred on 6th and 18th, Greenock having about 1 inch on each of these days. In the east there were heavy falls on 22nd, largely accounted for by melted snow, as much as 0·82 in. at Leith.

The weather was at times of a very stormy character, with winds generally from south-west, but a north-easterly gale on 17th and an easterly gale on the night of 22nd. Severe snowstorms occurred in various districts on 6th; from 15th to 17th; and on 21st and 22nd. At the beginning of the month considerable damage resulted from flooding.

Thunderstorms occurred in the west on 5th; in the west and on the Borders on 14th; and at Glasgow on 16th.

TABLE I.—ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES
in the Principal Towns, MARCH 1913.

TOWNS.	POPULATION.		BIRTHS.					MARRIAGES.	DEATHS.					
	Census 1911.	Estimated to middle of 1913.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.	Transferred In.*	Transferred Out.*	Corrected for Transfers.
GLASGOW, . . .	1,008,487	1,021,500	1278	1161	2439	2270	169	770	876	816	1692	61	59	1694
EDINBURGH, . . .	320,769	320,800	245	286	531	481	50	229	229	255	484	27	57	454
DUNDEE, . . .	165,004	165,900	164	162	326	304	22	84	113	146	259	7	10	256
ABERDEEN, . . .	163,891	162,700	166	184	350	306	44	88	132	146	278	26	15	289
PAISLEY, . . .	84,455	85,600	96	88	184	171	13	59	55	59	114	4	4	114
LEITH, . . .	80,601	80,500	93	71	164	160	4	42	69	67	136	11	3	144
GREENOCK, . . .	75,140	77,800	112	99	211	204	7	40	71	68	139	3	9	133
PERTH, . . .	35,854	35,100	34	24	58	54	4	20	17	23	45	1	6	40
TOTAL . . . (EIGHT TOWNS)	1,934,201	1,949,900	2188	2075	4263	3950	313	1332	1562	1585	3147	140	163	3124
COATBRIDGE, . . .	43,286	43,400	62	47	109	105	4	15	32	32	64	5	3	66
MOTHERWELL, . . .	40,380	41,000	39	63	102	99	3	25	18	31	49	5	0	54
KIRKCALDY, . . .	39,601	40,000	42	32	74	70	4	22	21	24	45	4	1	48
HAMILTON, . . .	33,644	38,600	60	49	109	102	7	29	26	24	50	4	4	50
CJYDEBANK, . . .	37,548	42,800	48	65	113	112	1	21	17	21	38	12	1	49
KILMARNOCK, . . .	34,728	34,700	35	33	68	60	8	19	22	15	37	3	3	37
FALKIRK, . . .	33,574	35,600	46	33	79	78	1	14	22	25	47	2	4	45
AYR, . . .	32,986	34,200	35	34	69	68	6	18	30	23	53	1	8	46
TOTAL . . . (SIXTEEN TOWNS)	2,234,948	2,260,200	2555	2431	4986	4639	347	1495	1750	1780	3530	176	187	3519

* Deaths "Transferred In" are those of residents registered elsewhere in Scotland and those "Transferred Out" are of non-residents registered in the towns.

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES
in the Principal Towns, MARCH 1913.

TOWNS.	Birth- Rate per 1000 of Popu- lation.	Illegiti- mate Birth- Rate per 100 Births.	Marriage- Rate per 1000 of Popu- lation.	DEATH-RATES PER 1000 OF POPULATION FROM						DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.		Principal Epidemic Diseases.	Tuber- culosis.	Phthisis.	All Re- spiratory Diseases.	Number.	Rate per 1000 Births.
				Uncor- rected.	Cor- rected.						
GLASGOW, . .	28.1	6.9	8.9	19.5	19.5	2.6	2.4	1.7	4.2	332	136
EDINBURGH, . .	19.5	9.4	8.4	17.8	16.7	1.2	1.7	1.0	3.7	71	125
DUNDEE, . . .	23.2	6.7	6.0	18.4	18.2	1.1	2.7	1.4	4.7	59	166
ABERDEEN, . .	25.3	12.6	6.4	20.1	20.9	2.2	1.4	1.1	4.4	64	183
PAISLEY, . . .	25.3	7.1	8.1	15.7	15.7	1.0	2.3	1.7	2.6	17	90
LEITH,	24.0	2.4	6.2	19.9	21.1	3.4	2.5	1.2	3.7	30	168
GREENOCK, . .	32.0	3.3	6.1	21.1	20.2	2.0	2.4	0.9	2.6	28	138
PERTH,	19.5	6.9	6.7	15.1	13.4	0.3	1.0	0.7	2.3	6	94
TOTAL . . . (EIGHT TOWNS)	25.8	7.2	8.1	19.0	18.9	2.1	2.2	1.5	4.0	607	140
COATBRIDGE, .	29.6	3.7	4.1	17.4	17.9	1.1	2.2	1.4	3.3	13	110
MOTHERWELL, .	29.3	2.9	7.2	14.1	15.5	2.0	1.4	0.9	4.3	9	81
KIRKCALDY, . .	21.8	5.4	6.5	13.2	14.1	0.6	2.6	1.2	2.6	9	106
HAMILTON, . . .	33.3	6.4	8.9	15.3	15.3	1.2	2.1	0.9	4.6	17	157
CLYDEBANK, . .	31.1	0.9	5.8	10.5	13.5	1.4	1.9	1.1	3.0	12	102
KILMARNOCK, .	23.1	11.8	6.4	12.6	12.6	0.3	0.7	0.3	1.4	4	56
FALKIRK, . . .	26.1	1.3	4.6	15.5	14.9	3.0	1.7	1.0	4.3	11	137
AYR,	23.8	8.7	6.2	18.3	15.9	1.0	1.4	1.0	4.5	6	78
TOTAL . . . (SIXTEEN TOWNS)	26.0	7.0	7.8	18.4	18.3	2.0	2.2	1.4	3.9	688	135

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR MARCH 1913, and for
the Corresponding Month of the Preceding Ten Years, in EIGHT of the
PRINCIPAL TOWNS.

MONTH.	Birth- Rate.	Illegitimate Birth- rate per 100 Births.	Marriage- Rate.	Death- Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature.
					Smallpox.	Measles.	Scarlet Fever.	Whooping- Cough.	Diphtheria and Croup.	Enteric Fever.	Diarrhoea (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
MAR. 1913, .	25.8	7.3	8.1	18.9	0	24	18	205	35	5	64	140	41° 1
MAR. 1912, .	26.2	7.2	4.9	17.1	0	171	30	32	31	8	43	124	43° 4
MAR. 1911, .	28.7	7.9	5.5	18.3	0	14	18	146	24	6	42	123	40° 6
MAR. 1910, .	28.0	7.1	6.6	18.5	0	193	20	37	31	9	49	137	43° 3
MAR. 1909, .	30.7	7.3	5.7	23.9	0	7	26	262	39	13	44	153	37° 3
MAR. 1908, .	28.9	6.6	6.5	21.1	1	209	21	94	17	5	-	146	39° 3
MAR. 1907, .	27.6	7.5	5.7	21.1	0	25	3	133	31	16	-	136	43° 1
MAR. 1906, .	29.7	7.3	5.5	19.6	0	113	17	50	29	10	-	127	39° 6
MAR. 1905, .	31.6	6.7	5.5	19.1	0	32	6	117	24	8	-	129	42° 8
MAR. 1904, .	30.9	6.8	5.9	22.8	20	95	13	114	18	17	-	149	39° 3
MAR. 1903, .	31.2	6.6	6.2	19.7	0	51	18	137	18	14	-	134	42° 1

In Columns 5-13 for 1913, deaths and death-rates have been corrected for non-resident deaths.

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—March 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	9	-	-	1	1	2	4	1	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	28	5	19	3	-	-	1	-	-	-	-	-
Scarlet Fever - - - - -	19	1	11	4	2	1	-	-	-	-	-	-
Whooping-cough - - - - -	221	102	113	6	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	36	4	21	8	2	1	-	-	-	-	-	-
Influenza - - - - -	14	-	-	-	-	-	-	-	1	1	6	6
Erysipelas - - - - -	6	1	-	-	-	-	1	2	1	1	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	266	2	7	3	12	58	64	54	35	23	8	-
Tuberculous Meningitis - - - - -	59	12	29	9	6	2	1	-	-	-	-	-
Abdominal Tuberculosis - - - - -	43	8	20	6	2	3	-	3	1	-	-	-
Other Tuberculous Diseases - - - - -	49	4	12	6	9	8	7	2	-	1	-	-
Cancer, Malignant Disease - - - - -	195	-	-	-	-	1	2	18	38	57	55	24
Rheumatic Fever - - - - -	12	-	1	1	2	3	2	-	1	-	2	-
Meningitis - - - - -	46	12	22	4	2	1	1	-	1	2	1	-
Organic Heart Disease - - - - -	278	1	-	3	6	8	10	25	52	58	75	40
Bronchitis - - - - -	308	44	18	-	-	2	7	11	28	70	74	54
Pneumonia (all forms) - - - - -	394	88	84	3	2	19	19	28	34	42	46	29
Other Diseases of Respiratory Organs - - - - -	46	9	7	-	-	-	2	6	4	7	5	6
Diarrhœa and Enteritis (under 2 years) - - - - -	73	62	11	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	14	-	1	-	2	5	1	2	1	2	-	-
All Liver Diseases (not Malignant) - - - - -	16	-	-	-	-	-	-	2	7	4	1	2
Other Diseases of Digestive System (under 2 years) - - - - -	15	14	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	107	-	3	-	2	7	10	12	17	26	25	5
Puerperal Sepsis - - - - -	10	-	-	-	-	2	3	5	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	24	-	-	-	-	5	11	8	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	219	218	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	103	10	11	7	3	8	8	21	16	4	6	9
Suicide - - - - -	10	-	-	-	-	-	2	2	4	-	1	1
Other Defined Diseases - - - - -	819	82	34	8	6	18	33	56	95	130	167	190
Diseases Ill-defined or Unknown - - - - -	80	9	6	1	1	3	1	6	15	12	16	10
Total - - - - -	3519	688	432	73	60	157	190	264	351	440	488	376

GLASGOW—March 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	4	-	-	-	-	-	3	1	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	19	4	14	1	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	10	-	7	1	2	-	-	-	-	-	-	-
Whooping-cough - - - - -	144	67	73	4	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	19	3	8	7	-	1	-	-	-	-	-	-
Influenza - - - - -	6	-	-	-	-	-	-	-	1	-	3	2
Erysipelas - - - - -	4	1	-	-	-	-	1	1	1	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	151	-	5	1	7	29	39	31	22	13	4	-
Tuberculous Meningitis - - - - -	28	6	13	3	3	2	1	-	-	-	-	-
Abdominal Tuberculosis - - - - -	15	2	8	4	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	18	1	6	3	1	4	3	-	-	-	-	-
Cancer, Malignant Disease - - - - -	94	-	-	-	-	1	2	11	20	26	25	9
Rheumatic Fever - - - - -	3	-	-	-	1	-	2	-	-	-	-	-
Meningitis - - - - -	23	6	12	3	1	-	-	-	-	-	1	-
Organic Heart Disease - - - - -	111	-	-	1	5	4	5	14	19	25	27	11
Bronchitis - - - - -	156	21	6	-	-	1	5	7	18	36	40	22
Pneumonia (all forms) - - - - -	184	40	44	1	2	8	8	14	21	20	14	12
Other Diseases of Respiratory Organs - - - - -	20	4	5	-	-	-	1	2	1	5	1	1
Diarrhœa and Enteritis (under 2 years) - - - - -	32	27	5	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	8	-	1	-	2	2	1	1	-	1	-	-
All Liver Diseases (not Malignant) - - - - -	11	-	-	-	-	-	-	2	4	4	-	1
Other Diseases of Digestive System (under 2 years) - - - - -	5	5	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	55	-	3	-	1	3	8	7	10	9	12	2
Puerperal Sepsis - - - - -	8	-	-	-	-	2	1	5	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	12	-	-	-	-	2	5	5	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	101	100	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	47	2	5	4	-	4	3	10	9	3	4	3
Suicide - - - - -	5	-	-	-	-	-	2	-	3	-	-	-
Other Defined Diseases - - - - -	357	37	19	4	3	6	12	24	38	62	84	68
Diseases Ill-defined or Unknown - - - - -	44	6	2	-	1	1	1	4	8	5	9	7
Total - - - - -	1694	332	237	37	29	71	103	139	175	209	224	138

EDINBURGH—March 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	4	-	2	2	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	21	11	10	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	3	-	-	-	-	-	-	-	-	-	-	3
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	26	1	-	-	-	6	4	5	4	4	2	-
Tuberculous Meningitis - - - - -	10	3	2	4	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	6	1	2	-	2	1	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	5	-	-	-	1	3	-	-	-	1	-	-
Cancer, Malignant Disease - - - - -	31	-	-	-	-	-	-	3	5	13	4	6
Rheumatic Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Meningitis - - - - -	8	2	3	1	1	-	-	-	-	1	-	-
Organic Heart Disease - - - - -	40	-	-	-	-	1	1	2	11	7	12	6
Bronchitis - - - - -	40	5	-	-	-	-	1	2	4	10	6	12
Pneumonia (all forms) - - - - -	56	10	3	1	-	3	5	3	4	10	13	4
Other Diseases of Respiratory Organs - - - - -	5	2	-	-	-	-	1	-	-	-	1	1
Diarrhoea and Enteritis (under 2 years) - - - - -	7	4	3	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	4	-	-	-	-	2	-	-	1	1	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	18	-	-	-	-	-	2	1	1	8	4	2
Puerperal Sepsis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	4	-	-	-	-	1	2	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	22	22	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	13	1	-	1	1	2	2	1	-	-	2	3
Suicide - - - - -	2	-	-	-	-	-	-	1	-	-	-	1
Other Defined Diseases - - - - -	121	8	1	1	1	1	6	6	17	21	29	30
Diseases Ill-defined or Unknown - - - - -	2	-	1	-	-	-	-	-	1	-	-	-
Total - - - - -	454	71	27	12	7	20	25	25	49	77	73	68

DUNDEE—March 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	20	-	-	-	2	3	6	5	3	1	-	-
Tuberculous Meningitis - - - - -	5	1	4	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	6	2	3	-	-	-	-	1	-	-	-	-
Other Tuberculous Diseases - - - - -	7	1	2	1	3	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	13	-	-	-	-	-	-	1	5	5	2	-
Rheumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	28	-	-	-	1	-	1	2	4	7	9	4
Bronchitis - - - - -	31	5	8	-	-	-	-	1	2	5	6	4
Pneumonia (all forms) - - - - -	30	8	7	-	-	1	-	2	3	3	2	4
Other Diseases of Respiratory Organs - - - - -	5	1	-	-	-	-	-	-	-	2	1	1
Diarrhoea and Enteritis (under 2 years) - - - - -	12	12	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	-	2	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	6	-	-	-	-	1	-	-	-	2	3	-
Puerperal Sepsis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	19	19	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	4	2	1	-	-	1	-	-	-	-	-	-
Suicide - - - - -	2	-	-	-	-	-	-	-	1	-	1	-
Other Defined Diseases - - - - -	51	5	-	-	-	2	3	5	9	7	7	13
Diseases Ill-defined or Unknown - - - - -	5	-	1	-	-	-	-	-	2	-	1	1
Total - - - - -	256	59	29	1	6	9	11	19	31	32	32	27

CAUSES OF DEATH (corrected for Transfers).

ABERDEEN—March 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Whooping-cough - - - - -	9	3	5	1	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	11	1	8	-	2	-	-	-	-	-	-	-
Influenza - - - - -	3	-	-	-	-	-	-	-	-	1	1	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	15	-	1	-	1	5	3	-	1	3	1	-
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	3	-	1	-	-	1	-	-	1	-	-	-
Other Tuberculous Diseases - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	16	-	-	-	-	-	-	1	3	3	7	2
Rheumatic Fever - - - - -	2	-	-	-	-	1	-	-	1	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	29	1	-	-	-	-	2	2	3	5	7	9
Bronchitis - - - - -	22	5	-	-	-	1	-	-	-	5	5	6
Pneumonia (all forms) - - - - -	34	11	7	1	-	2	1	2	1	1	4	4
Other Diseases of Respiratory Organs - - - - -	5	1	1	-	-	-	-	-	1	-	-	2
Diarrhoea and Enteritis (under 2 years) - - - - -	6	5	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	-	-	-	1	1
Other Diseases of Digestive System (under 2 years) - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	11	-	-	-	1	-	-	1	3	4	2	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	16	16	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	14	1	2	1	1	1	1	2	3	-	-	2
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	78	15	4	1	1	1	3	5	4	9	10	25
Diseases Ill-defined or Unknown - - - - -	3	1	-	-	-	-	-	-	-	1	1	-
Total - - - - -	289	64	32	5	7	13	11	13	21	32	39	52

PAISLEY—March 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	12	-	-	-	-	5	2	4	-	1	-	-
Tuberculous Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	3	-	2	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	8	-	-	-	-	-	-	-	-	2	5	1
Rheumatic Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	9	-	-	-	-	1	-	2	-	2	2	2
Bronchitis - - - - -	6	3	-	-	-	-	-	-	1	-	2	-
Pneumonia (all forms) - - - - -	11	2	2	-	-	1	1	1	2	1	1	-
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	-	-	2	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	5	5	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	-	1	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	39	1	2	1	-	1	-	8	3	3	7	13
Diseases Ill-defined or Unknown - - - - -	3	-	-	-	-	-	-	-	1	1	1	-
Total - - - - -	114	17	10	2	2	9	3	17	8	11	19	16

LEITH—March 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	18	10	8	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	8	-	1	-	-	3	1	3	-	-	-	-
Tuberculous Meningitis - - - - -	5	-	4	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	3	1	1	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - - - - -	10	-	-	-	-	-	-	1	1	3	4	1
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Meningitis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Organic Heart Disease - - - - -	14	-	-	1	-	2	-	1	4	2	3	1
Bronchitis - - - - -	8	-	-	-	-	-	-	-	-	1	5	2
Pneumonia (all forms) - - - - -	15	4	5	-	-	-	-	1	3	-	2	-
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	-	-	-	-	-	2	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	-	-	-	2	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	7	7	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	5	2	-	1	-	-	-	1	-	1	-	-
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - - - -	34	3	-	-	-	1	2	1	5	9	7	6
Diseases Ill-defined or Unknown - - - - -	3	-	-	-	-	-	-	-	1	1	1	-
Total - - - - -	144	30	21	4	-	6	4	9	17	17	26	10

GREENOCK—March 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	10	1	9	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	6	1	-	-	-	-	3	-	1	-	1	-
Tuberculous Meningitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	-	1	-	-	-	-	1	-	-	-	-
Other Tuberculous Diseases - - - - -	6	1	2	-	1	1	-	1	-	-	-	-
Cancer, Malignant Disease - - - - -	7	-	-	-	-	-	-	1	1	1	3	1
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Meningitis - - - - -	5	1	2	-	-	-	1	-	-	1	-	-
Organic Heart Disease - - - - -	11	-	-	-	-	-	-	-	3	3	3	2
Bronchitis - - - - -	6	2	2	-	-	-	-	-	-	2	-	-
Pneumonia (all forms) - - - - -	9	3	1	-	-	1	2	1	-	-	1	-
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	-	-	1	1	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	1	-	-	-	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	-	2	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	11	11	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	7	2	2	-	-	-	-	3	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	30	2	4	-	1	-	1	1	7	4	3	7
Diseases Ill-defined or Unknown - - - - -	9	2	2	1	-	2	-	1	-	-	-	1
Total - - - - -	133	28	28	1	2	5	9	11	13	11	13	12

PERTH—March 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	2	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	6	-	-	-	-	-	-	1	1	3	1	1
Bronchitis - - - - -	6	-	-	-	-	-	-	1	2	3	-	-
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	17	1	1	-	-	-	2	2	5	1	5	-
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	40	6	1	1	1	-	2	2	4	8	8	7

COATBRIDGE—March 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	5	-	-	-	1	2	2	-	-	-	-	-
Tuberculous Meningitis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	1	-	1	-
Rheumatic Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	10	-	-	-	-	-	-	1	1	5	3	3
Bronchitis - - - - -	6	2	-	-	-	-	-	1	2	-	-	1
Pneumonia (all forms) - - - - -	6	-	2	-	-	2	1	-	1	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	7	7	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	-	-	-	-	1	-	1	-	-	-	1
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	17	1	1	1	-	1	1	1	2	2	3	4
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Total - - - - -	66	13	8	1	2	3	5	4	5	7	8	10

MOTHERWELL—March 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	6	2	4	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	1	-	1	-	-	-	1	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	-	-	-	-	2	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	1	-	1	1
Rheumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	9	-	1	-	-	-	-	-	-	5	2	1
Pneumonia (all forms) - - - - -	6	1	2	-	-	1	-	2	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	2	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	-	-	-	-	-	-	2	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	10	2	-	-	-	-	1	-	2	-	3	2
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	1	-	1	-
Total - - - - -	54	9	8	1	-	5	4	5	5	6	7	4

KIRKCALDY—March 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	4	-	-	1	1	1	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	-	1	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	-	1	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	5	-	-	1	-	-	-	-	1	2	1	-
Bronchitis - - - - -	3	-	-	-	-	-	-	-	1	-	-	2
Pneumonia (all forms) - - - - -	5	1	1	-	-	-	-	-	-	1	2	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	-	-	-	-	-	1	2	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	10	-	1	-	-	-	-	1	-	1	3	4
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Total - - - - -	48	9	3	3	1	2	3	5	3	5	8	6

HAMILTON—March 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	2	-	1	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	-	1	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	1	-	1	-	-
Bronchitis - - - - -	4	1	-	-	-	-	1	-	-	2	-	-
Pneumonia (all forms) - - - - -	9	3	1	-	-	-	-	1	-	-	3	1
Other Diseases of Respiratory Organs - - - - -	2	-	1	-	-	-	-	-	-	-	-	1
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	7	7	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	9	1	-	-	-	1	-	-	-	1	2	4
Diseases Ill-defined or Unknown - - - - -	3	-	-	-	-	-	-	-	1	1	-	1
Total - - - - -	50	17	4	1	1	3	1	4	1	5	6	7

CLYDEBANK—March 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	4	-	-	-	-	1	1	2	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	-	-	-	-	-	-	-	1	1	1	-
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	-	2	-
Pneumonia (all forms) - - - - -	8	2	3	-	-	-	-	-	-	2	-	1
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	1	-	1	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	11	2	-	-	-	-	1	1	3	1	1	2
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Total - - - - -	49	12	9	-	2	1	3	4	5	5	5	3

KILMARNOCK—March 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	-	1	-	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	-	-	-	-	-	1	1	-	1	-	-
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - - - -	3	-	1	-	-	-	-	-	-	2	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	5	-	-	-	-	-	-	1	1	2	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	14	1	-	-	-	2	3	1	2	2	2	1
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Total - - - - -	37	4	2	1	-	3	4	3	4	9	4	3

FALKIRK—March 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	2	-	-	-	-	2	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	3	-	2	1	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	3	1	1	1	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	-	-	1	2	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	-	1	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	-	-	-	-	-	-	-	2	-	1	-
Bronchitis - - - - -	4	-	-	-	-	-	-	-	-	-	1	3
Pneumonia (all forms) - - - - -	8	1	3	-	-	-	1	1	-	-	2	-
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	8	2	1	-	-	1	-	-	1	1	1	1
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	45	11	8	2	-	3	1	3	5	2	6	4

AYR—March 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	1	-	-	2	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	1	-	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - - - -	4	-	-	-	-	-	-	-	2	-	1	1
Bronchitis - - - - -	4	-	1	-	-	-	-	1	-	-	1	1
Pneumonia (all forms) - - - - -	9	2	2	-	-	-	-	-	-	1	2	2
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	13	1	-	-	-	1	-	-	-	2	4	5
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	-	1	1	-
Total - - - - -	46	6	5	1	-	4	1	1	5	4	10	9

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of MARCH 1913.

OBSERVERS.	Height of Station above Sea-level.	BARO- METER.		AIR TEMPERATURE.						HYGROMETER.				RAIN, AND OTHER FORMS OF PRE- CIPITATION.		WIND DIRECTIONS.												
		Mean at Station and 32°.	Mean at Sea-Level and 32°.	Mean of	Mean of A and B (Mean Tem- perature).			Absolute Maximum and Minimum.			Mean at 9 A.M. and 9 P.M.	Number of Days.	Total Fall.	Difference from Average.	Number of Observations at 9 A.M. and 9 P.M.													
					Maximum (A).	Minimum (B).	Day of Month.	Maximum.	Day of Month.	Minimum.					Day of Month.	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	N	NE	E	SE	S	SW	W	NW	Calm or Variable.
GLASGOW, Medical Officer of Health, Glasgow.	54	29.574	29.635	47.7	36.8	42.3	+1.2	56	30th	25	18th	41.1	2.4	.209	81	22	4.29	+1.86	1	3	3	8	3	17	14	6	7	
EDINBURGH, Professor R. A. SAMPSON, F.R.S., Royal Observatory.	441	29.142	29.637	45.4	35.0	40.2	+0.3	53	31st	25	18th	39.6	2.4	.197	81	23	3.21	+1.74	2	1	1	5	14	25	10	3	1	
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.426	29.610	46.5	34.3	40.4	+0.8	54	31st	25	18th	39.2	1.3	.214	89	20	3.58	+1.70	2	3	4	3	2	39	5	4	0	
ABERDEEN,* The Meteorological Office.	90	29.469	29.571	46.8	35.0	40.9	+0.8	54	25th	29	18th	40.0	1.7	.213	86	17	3.03	+0.70	2	0	2	6	15	21	8	6	2	
PAISLEY, DONALD MACLEAN, F.R.A.S., The Coats Observatory.	107	29.513	29.634	48.3	36.7	42.5	+2.2	58	30th	24	18th	41.5	2.4	.213	82	23	5.85	+3.10	4	3	6	2	9	21	16	1	0	
LEITH,† JAMES BOLAM, Navigation School.	76	29.540	29.626	46.8	36.0	41.4	-0.3	55	31st	27	18th	41.7	2.7	.209	80	26	2.75	+1.09	4	0	4	2	4	16	30	2	0	
GREENOCK, DANIEL MACALISTER, C.E., Greenock Waterworks.	233	29.368	29.637	46.4	34.1	40.3	+0.1	56	30th	24	18th	40.7	1.8	.217	86	23	8.86	+4.13	0	2	2	13	0	15	24	6	0	
PERTH, ALEX. M. RODGER, The Museum.	85	29.509	29.605	47.8	34.6	41.2	+1.4	56	30th	25	18th	39.5	2.4	.196	81	22	5.04	+2.70	4	3	6	6	5	22	12	3	1	
Means	156	29.443	29.619	47.0	35.3	41.1	+0.8	40.4	2.1	.209	83	22	4.58	+2.13	2	2	4	6	6	22	15	4	1	
North Latitude.—Glasgow, 55° 51'; Edinburgh, 55° 55'; Dundee, 56° 28'; Aberdeen, 57° 9'; Paisley, 55° 51'; Leith, 55° 58'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 11'. West Longitude.—Glasgow, 4° 13'; Edinburgh, 3° 11'; Dundee, 2° 57'; Aberdeen, 2° 7'; Paisley, 4° 27'; Leith, 3° 8'; Greenock, 4° 46'; Perth, 3° 25'; Mean, 3° 32'.																												

* At King's College, at 7 A.M. and 6 P.M. † At 9 A.M. only.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN SIXTEEN OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

APRIL 1913.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., Ltd., Bellevue.
To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

During the month of April 1913 there were registered in the Sixteen Principal Towns of Scotland, those towns which at the date of the 1911 Census had populations of over 30,000, the births of 5447 living children, of whom 2767 were male and 2680 female. Compared with the number registered in March, the male children are 212 more, the female children are 249 more, and the total is 461 more. The equivalent annual birth-rate is 29·3 per thousand of the estimated aggregate population of these towns, and is 3·3 above that of March, 2·8 above that of February, and 1·2 above that of January. In the towns the birth-rate of the month ranged from 39·6 in Greenock, 39·3 in Coatbridge, 35·6 in Hamilton, and 35·0 in Clydebank, to 21·2 in Edinburgh, 23·6 in Perth, and 25·3 in Aberdeen. In Motherwell it was 33·6; in Glasgow, 32·0; in Kilmarnock, 30·2; in Ayr, 29·2; in Paisley, 28·2; in Leith, 27·4; in Falkirk, 26·3; in Dundee, 25·6; and in Kirkcaldy, 25·5.

Of the 5447 children registered, 345, or 6·3 per cent., were illegitimate. These illegitimate children are 2 fewer than in March, and 27 fewer than in February. The illegitimate rate is 0·7 less than in March, and 1·8 less than in February. This rate for the month ranged from 9·8 in Edinburgh, Aberdeen, and Ayr, and 8·1 in Kilmarnock, to 0·8 in Clydebank, 2·7 in Motherwell, and 2·9 in Coatbridge. In Glasgow this rate was 6·0, and in Dundee, 7·4.

Marriages registered in these towns during the month numbered 1741; they are 246 more than in March, and 800 more than in February. The equivalent

annual marriage-rate is 9·4 per thousand, which is 1·6 more than in March, and 4·0 more than in February. This rate for the month was highest in Dundee, 11·3; Ayr, 11·1; and Glasgow, 10·2; and lowest in Clydebank, 5·1; Coatbridge, 5·3; and Falkirk, 5·5.

Deaths registered in these towns during the month numbered 3205, those of males being 1652, and of females 1553. Compared with the corresponding figure of March, deaths of males are 98 fewer, those of females are 227 fewer, and the total is 325 less. Of these deaths, 168 were of persons whose usual residences were outwith these towns, but on the other hand there were 184 deaths of residents of these towns registered elsewhere in Scotland, and the difference between these numbers, 16, falls to be added in order to get the corrected number, which is thus found to be 3221. The uncorrected death-rate of the month is 17·3 per thousand, and the corrected death-rate of the month 17·4 per thousand. The former is 1·1 less, and the latter 0·9 less, than the corresponding figure of March. The corrected death-rate is 2·7 below that of February, and 1·6 below that of January.

The corrected death-rate of the month ranged from 19·6 in Greenock, 18·9 in Dundee, 18·4 in Glasgow, and 18·3 in Paisley, to 12·8 in Clydebank, 13·4 in Motherwell, and 14·4 in Kilmarnock. In Aberdeen it was 17·9; in Coatbridge, 17·1; in Leith, 15·8; in Falkirk, 15·7; in Hamilton, 15·5; in Edinburgh, 15·3; in Perth, 15·3; in Ayr, 15·3; and in Kirkcaldy, 15·2. The effect of correction is to raise the death-rate of Hamilton by 1·9, of Leith by 1·7, of Clydebank by 1·4, of Falkirk by 1·4, of Kirkcaldy by 1·2, of Paisley by 1·0, and of Glasgow, Dundee, Aberdeen, and Motherwell by less than 1, but to lower the death-rate of Ayr by 1·8, of Perth by 1·7, of Edinburgh by 1·1, and of Greenock, Kilmarnock, and Coatbridge by less than 1.

Of the deaths of residents of these towns registered during the month, 992, or 30·8 per cent., were of children of less than five years old, and 824, or 25·6 per cent., of persons of sixty-five and over. The former are 128, and the latter 40, fewer than in the previous month.

Deaths of children of less than one year old numbered 585, and are equal to an infantile mortality rate of 111 per thousand births. These deaths are 103 fewer than in March, and this rate is 24 less than in that month. In the towns the infantile mortality rate of the month ranged from 166 in Leith, 150 in Kirkcaldy, and 138 in Dundee, to 33 in Perth, 55 in Ayr, and 79 in Clydebank. In Paisley, it was 128; in Aberdeen, 125; in Hamilton, 123; in Falkirk, 117; in Greenock, 116; in Coatbridge, 114; in Glasgow, 111; in Motherwell, 104; in Kilmarnock, 86; and in Edinburgh, 81.

Deaths from the principal epidemic diseases, namely smallpox, measles, scarlet fever, diphtheria, whooping-cough, enteric fever, and the diarrhoeas of childhood, numbered 339, and are 47 fewer than in the previous month. The equivalent annual death-rate from these causes is 1·8 per thousand, which is 0·2 below that of the previous month, and which varied from 2·8 in Aberdeen, 2·7 in Greenock, and 2·7 in Falkirk, to 0 in Kilmarnock, 0·3 in Perth, and 0·4 in Ayr. In Glasgow this rate was 2·2; in Motherwell, 2·1; in Leith, 2·1; in Paisley, 1·3; in Hamilton, 1·3; in Dundee, 1·2; in Kirkcaldy, 1·2; in Edinburgh, 1·1; in Clydebank, 0·9; and in Coatbridge, 0·8.

Deaths from measles numbered 66; from scarlet fever, 13; from diphtheria, including those certified as due to croup, 30; from whooping-cough, 166; from enteric fever, 12; and from the diarrhoeas of childhood, 52. Compared with the numbers in the previous month, deaths from whooping-cough are 55 fewer, from the

diarrhœas of childhood, 21 fewer, and from scarlet fever and diphtheria, each 6 fewer; but those from enteric fever are 3 more, and from measles, 38 more. There were no deaths from smallpox registered in these towns during the month.

One death from typhus fever was registered; it occurred in Glasgow.

Deaths from influenza numbered 14; from malignant disease, 196; from heart disease, 264; from puerperal septic conditions, 9; and from violent causes, 136, of which 10 were ascribed to suicide.

Deaths from pneumonia numbered 292, and constituted 9·1 per cent. of the total of the month; they are 102 fewer than in March, and are equal to an annual death-rate of 1·6 per thousand. Deaths from bronchitis numbered 239, and constituted 7·4 per cent. of the total; they are 69 fewer than in March, and are equal to an annual death-rate of 1·3 per thousand.

Deaths from all forms of tuberculous disease numbered 405, and constituted 12·6 per cent. of the total; they are 12 fewer than in the previous month, and are equal to an annual death-rate of 2·2 per thousand. Of these deaths, 264 were ascribed to phthisis, a number which is 2 less than in March, and which is equal to an annual death-rate of 1·4 per thousand. The death-rate of the month from phthisis ranged from 1·9 in Greenock, 1·9 in Hamilton, and 1·8 in Kilmarnock, to 0·8 in Coatbridge, 0·9 in Kirkcaldy, and 1·0 in Falkirk. In Dundee the death-rate from phthisis was 1·7; in Paisley, 1·7; in Glasgow, 1·4; in Edinburgh, 1·4; in Perth, 1·4; in Ayr, 1·4; in Aberdeen, 1·3; in Motherwell, 1·2; in Leith, 1·1; and in Clydebank, 1·1.

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. WATT, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

APRIL 1913.

Mean barometric pressure, 29·781 ins.; less than the average of 1856–1905 by 0·112 in.

Mean temperature, 44°·8; being the normal.

Mean daily range of temperature, 14°·0; being the normal.

Rain, number of days, 17; greater by 3 days.

Rain, depth in inches, 2·98; greater by 0·89 in.

Wind, direction of: a 5 days' excess of winds from between SE. and SW.

Hence the month was characterised by a very low mean pressure; a mean temperature equal to the normal, with a normal mean daily range; a high mean rainfall; and a large excess of winds from between SE. and SW.

The mean pressure was 29·781 ins., or 0·112 in. below the normal. The barometer was on the whole rather unsteady with considerable fluctuations about 11th, 15th, and from 24th to 26th. At Leith, at sea-level, the extremes were 30·469 ins. on 4th and 28·892 ins. on the evening of 26th, and pressure there was above 30 ins. from 3rd to 10th, on 12th and 13th, and on 22nd and 23rd.

The mean temperature was 44°·8, or exactly the normal, both days and nights being of average temperature. At the individual towns the differences ranged from

an excess of 1°·1 at Paisley to a deficiency of 0°·7 at Dundee. With winds as a rule from a south-westerly quarter, rather mild weather was experienced during the first week or so, though one or two of the nights were cold ; but for fully two weeks thereafter temperature was decidedly below the normal, especially from 11th to 13th. Towards the end of the month milder conditions again prevailed. As regards the chief towns, the extremes were 67° at Paisley on 8th, and 27° at Perth on 5th.

The mean rainfall was 2·98 ins., or 43 per cent. above the normal, the excess being largely accounted for by heavy rainfalls in the west where Paisley had twice the normal amount. In the east Dundee and Perth differed but little from the normal and the other towns had a moderate excess. At Dundee no rain fell during the first ten days and but little elsewhere. On 11th snow yielded fairly heavy rainfall equivalents, and somewhat heavy rainfalls were general on 15th and 18th. From 19th to 23rd another fine spell occurred, whilst from 24th onwards conditions were very unsettled, with about 1 inch at Greenock on 26th and 29th and 0·62 in. at Aberdeen on 28th, with nearly half an inch on the following day.

Wind force was as a rule moderate, but gales or high winds were experienced about 11th, 15th, and 26th. On 11th a snowstorm of exceptional severity for the time of year occurred very generally.

Hail was not infrequent, and in East Lothian and some other eastern districts a severe hailstorm occurred on 17th accompanied by thunder and lightning.

TABLE I.—ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES
in the Principal Towns, APRIL 1913.

TOWNS.	POPULATION.		BIRTHS.						MARRIAGES.	DEATHS.					
	Census 1911.	Estimated to middle of 1913.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.	Males.		Females.	Total.	Ins.	Outs.	Total Corrected.	
GLASGOW, . . .	1,008,487	1,021,500	1353	1330	2683	2521	162	853	809	719	1528	71	58	1541	
EDINBURGH, . . .	320,318	320,300	275	284	559	504	55	260	226	206	432	27	57	402	
DUNDEE,	165,004	165,900	170	179	349	323	26	154	103	148	251	9	3	257	
ABERDEEN, . . .	163,891	162,700	184	154	338	305	33	111	112	120	232	19	12	239	
PAISLEY,	84,455	85,600	109	89	198	190	8	63	56	66	122	11	4	129	
LEITH,	80,488	80,400	99	82	181	171	10	61	55	38	93	12	1	104	
GREENOCK, . . .	75,140	77,800	137	116	253	240	13	44	69	61	130	4	9	125	
PERTH,	35,854	35,100	34	34	68	64	4	24	24	25	49	0	5	44	
TOTAL (EIGHT TOWNS)	1,933,637	1,949,300	2361	2268	4629	4318	311	1570	1454	1383	2837	153	149	2841	
COATBRIDGE, . .	43,286	43,400	73	67	140	136	4	19	41	22	63	4	6	61	
MOTHERWELL, . .	40,380	41,000	49	64	113	110	3	23	26	17	43	2	0	45	
KIRKCALDY, . . .	39,601	40,000	46	38	84	81	3	23	19	27	46	4	0	50	
HAMILTON,	38,644	38,600	57	56	113	108	5	21	23	20	43	7	1	49	
CLYDEBANK, . . .	37,548	42,800	58	65	123	122	1	18	20	20	40	7	2	45	
KILMARNOCK, . .	34,728	34,700	49	37	86	79	7	20	25	18	43	1	3	41	
FALKIRK,	33,574	35,600	32	45	77	74	3	16	25	17	42	4	0	46	
AYR,	32,986	34,200	42	40	82	74	8	31	19	29	48	2	7	43	
TOTAL (SIXTEEN TOWNS)	2,234,284	2,259,600	2767	2680	5447	5102	345	1741	1652	1553	3205	184	168	3221	

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES
in the Principal Towns, APRIL 1913.

TOWNS.	Birth-Rate per 1000 of Popu- lation.	Illegiti- mate Birth- Rate per 100 Births.	Marriage- Rate per 1000 of Popu- lation.	DEATH-RATES PER 1000 OF POPULATION FROM						DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.		Principal Epidemic Diseases.	Tuber- culosis.	Phthisis.	All Re- spiratory Diseases.	Number.	Rate per 1000 Births.
				Uncor- rected.	Cor- rected.						
GLASGOW, .	32·0	6·0	10·2	18·2	18·4	2·2	2·2	1·4	3·6	299	111
EDINBURGH, .	21·2	9·8	9·9	16·4	15·3	1·1	2·0	1·4	2·7	44	81
DUNDEE, .	25·6	7·4	11·3	18·4	18·9	1·2	2·4	1·7	3·7	47	133
ABERDEEN, .	25·3	9·8	8·3	17·4	17·9	2·3	1·9	1·3	2·6	42	125
PAISLEY, .	28·2	4·0	9·0	17·3	18·3	1·3	2·7	1·7	3·0	23	128
LEITH, .	27·4	5·5	9·2	14·1	15·8	2·1	2·0	1·1	2·0	28	166
GREENOCK, .	39·6	5·1	6·9	20·4	19·6	2·7	3·0	1·9	4·7	23	116
PERTH, .	23·6	5·9	8·3	17·0	15·3	0·3	1·4	1·4	2·8	2	33
TOTAL . (EIGHT TOWNS)	28·9	6·7	9·8	17·7	17·7	1·9	2·2	1·4	3·3	508	113
COATBRIDGE, .	39·3	2·9	5·3	17·7	17·1	0·8	1·7	0·8	3·1	13	114
MOTHERWELL, .	33·6	2·7	6·8	12·8	13·4	2·1	2·4	1·2	0·9	11	104
KIRKCALDY, .	25·5	3·6	7·0	14·0	15·2	1·2	2·4	0·9	2·7	12	150
HAMILTON, .	35·6	4·4	6·6	13·6	15·5	1·3	2·5	1·9	3·2	13	123
CLYDEBANK, .	35·0	0·8	5·1	11·4	12·8	0·9	2·3	1·1	1·1	9	79
KILMARNOCK, .	30·2	8·1	7·0	15·1	14·4	0·0	2·1	1·8	2·1	6	86
FALKIRK, .	26·3	3·9	5·5	14·3	15·7	2·7	1·4	1·0	1·7	9	117
AYR, .	29·2	9·8	11·1	17·1	15·3	0·4	1·4	1·4	1·8	4	55
TOTAL . (SIXTEEN TOWNS)	29·3	6·3	9·4	17·3	17·4	1·8	2·2	1·4	3·2	585	111

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR APRIL 1913, and for
the Corresponding Month of the Preceding Ten Years, in EIGHT of the
PRINCIPAL TOWNS.

MONTH.	Birth-Rate.	Illegitimate Birth- rate per 100 Births.	Marriage-Rate.	Death-Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature.
					Smallpox.	Measles.	Scarlet Fever.	Whooping- Cough.	Diphtheria and Croup.	Enteric Fever.	Diarrhoea (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
APR. 1913, .	28·9	6·7	9·8	17·7	0	61	13	150	28	9	48	113	44°·8
APR. 1912, .	30·3	7·1	10·7	17·7	0	151	18	41	21	2	33	119	47°·4
APR. 1911, .	26·4	7·0	9·5	18·2	0	33	9	183	25	4	31	123	45°·4
APR. 1910, .	29·4	6·9	7·9	19·5	0	254	21	27	23	2	69	140	43°·3
APR. 1909, .	31·1	6·9	8·3	19·5	0	17	17	224	29	16	61	135	45°·7
APR. 1908, .	32·1	7·1	10·0	19·9	0	147	20	74	22	3	-	144	42°·1
APR. 1907, .	32·4	6·9	11·6	22·2	0	45	9	224	19	17	-	147	44°·8
APR. 1906, .	31·7	6·4	10·6	19·8	0	83	7	67	22	6	-	125	44°·3
APR. 1905, .	30·4	6·5	8·8	17·9	0	75	6	115	19	8	-	126	42°·9
APR. 1904, .	31·3	7·2	8·5	21·0	18	90	11	94	16	18	-	141	46°·4
APR. 1903, .	33·5	5·9	9·1	18·8	0	37	9	103	14	17	-	131	42°·4

In Columns 5-13 for 1913, deaths and death-rates have been corrected for non-resident deaths.

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—April 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	12	-	1	1	1	1	3	2	1	1	1	-
Typhus Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	66	16	44	4	1	1	-	-	-	-	-	-
Scarlet Fever - - - - -	13	-	9	2	2	-	-	-	-	-	-	-
Whooping-cough - - - - -	166	70	93	3	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	30	6	18	5	-	1	-	-	-	-	-	-
Influenza - - - - -	14	-	-	-	-	-	-	-	1	2	6	5
Erysipelas - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	264	1	9	4	12	62	60	56	34	18	8	-
Tuberculous Meningitis - - - - -	49	11	28	6	1	3	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	51	5	22	14	7	1	-	1	1	-	-	-
Other Tuberculous Diseases - - - - -	41	6	8	7	3	4	5	2	2	2	2	-
Cancer, Malignant Disease - - - - -	196	-	1	-	-	1	6	17	34	63	51	23
Rheumatic Fever - - - - -	8	-	-	3	-	3	2	-	-	-	-	-
Meningitis - - - - -	40	16	13	5	2	-	2	1	1	-	-	-
Organic Heart Disease - - - - -	264	1	1	1	5	9	13	21	37	66	71	39
Bronchitis - - - - -	239	25	23	1	1	2	2	8	13	43	70	51
Pneumonia (all forms) - - - - -	292	48	66	7	4	13	19	23	31	32	35	14
Other Diseases of Respiratory Organs - - - - -	54	11	7	2	-	2	-	3	6	8	9	6
Diarrhoea and Enteritis (under 2 years) - - - - -	52	45	7	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	9	-	-	1	2	3	1	2	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	25	-	-	-	-	-	1	1	7	8	6	2
Other Diseases of Digestive System (under 2 years) - - - - -	8	8	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	99	-	2	2	-	2	10	13	23	21	14	12
Puerperal Sepsis - - - - -	9	-	-	-	-	2	4	3	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	21	-	-	-	-	4	10	6	1	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	216	212	3	1	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	126	12	20	6	2	11	12	16	15	13	15	4
Suicide - - - - -	10	-	-	-	-	-	1	1	4	1	1	2
Other Defined Diseases - - - - -	768	82	26	9	9	15	27	43	77	133	170	177
Diseases Ill-defined or Unknown - - - - -	77	9	6	-	-	-	3	5	10	14	17	13
Total - - - - -	3221	585	407	84	52	141	181	224	298	425	476	348

GLASGOW—April 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	4	-	1	1	1	-	1	-	-	-	-	-
Typhus Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	33	7	24	2	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	8	-	7	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	94	41	51	2	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	15	3	11	1	-	-	-	-	-	-	-	-
Influenza - - - - -	4	-	-	-	-	-	-	-	1	-	1	2
Erysipelas - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	118	1	1	2	7	24	31	23	20	5	4	-
Tuberculous Meningitis - - - - -	23	5	12	5	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	28	3	9	10	4	-	-	1	1	-	-	-
Other Tuberculous Diseases - - - - -	18	3	2	3	2	2	1	2	1	1	1	-
Cancer, Malignant Disease - - - - -	71	-	-	-	-	1	2	8	8	27	19	6
Rheumatic Fever - - - - -	3	-	-	2	-	-	1	-	-	-	-	-
Meningitis - - - - -	21	9	8	1	1	-	-	1	1	-	-	-
Organic Heart Disease - - - - -	106	-	1	1	1	2	7	11	16	28	29	10
Bronchitis - - - - -	114	12	11	-	1	1	1	6	8	19	36	19
Pneumonia (all forms) - - - - -	160	26	38	7	2	4	12	11	17	24	14	5
Other Diseases of Respiratory Organs - - - - -	30	8	6	2	-	1	-	-	3	5	3	2
Diarrhoea and Enteritis (under 2 years) - - - - -	30	26	4	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	5	-	-	1	1	1	-	2	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	13	-	-	-	-	-	1	1	3	4	3	1
Other Diseases of Digestive System (under 2 years) - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	54	-	1	1	-	2	6	8	8	12	8	8
Puerperal Sepsis - - - - -	6	-	-	-	-	2	3	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	13	-	-	-	-	3	5	4	1	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	106	103	2	1	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	59	5	14	2	2	5	4	8	10	5	4	-
Suicide - - - - -	3	-	-	-	-	-	-	-	1	-	1	1
Other Defined Diseases - - - - -	359	37	14	6	3	9	15	20	39	57	81	78
Diseases Ill-defined or Unknown - - - - -	37	5	4	-	-	-	2	2	5	8	7	4
Total - - - - -	1541	299	221	51	26	58	92	109	143	195	211	136

EDINBURGH—April 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	24	10	14	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	6	-	-	-	-	-	-	-	-	1	3	2
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	38	-	2	-	-	10	7	8	6	4	1	-
Tuberculous Meningitis - - - - -	6	1	5	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	-	1	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	7	-	2	1	1	-	2	-	-	-	1	-
Cancer, Malignant Disease - - - - -	36	-	-	-	-	-	2	4	7	14	4	5
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	1	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	49	1	-	-	1	1	4	2	4	17	11	8
Bronchitis - - - - -	25	2	1	-	-	-	-	-	1	3	7	11
Pneumonia (all forms) - - - - -	37	3	7	-	-	3	-	5	2	4	9	4
Other Diseases of Respiratory Organs - - - - -	9	1	1	-	-	-	-	-	3	-	3	1
Diarrhoea and Enteritis (under 2 years) - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	7	-	-	-	-	-	-	-	2	2	2	1
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	14	-	-	-	-	-	1	2	4	1	4	2
Puerperal Sepsis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	-	2	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	13	13	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	18	-	2	2	-	-	1	2	3	4	2	2
Suicide - - - - -	2	-	-	-	-	-	-	-	2	-	-	-
Other Defined Diseases - - - - -	89	9	1	1	1	1	-	4	13	22	18	19
Diseases Ill-defined or Unknown - - - - -	8	-	-	-	-	-	-	1	-	1	4	2
Total - - - - -	402	44	38	5	5	15	19	30	47	73	69	57

DUNDEE—April 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	2	-	1	-	-	1	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	4	-	3	1	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	23	-	2	-	-	6	6	6	-	2	1	-
Tuberculous Meningitis - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	3	-	2	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	4	-	2	1	-	-	-	-	1	-	-	-
Cancer, Malignant Disease - - - - -	25	-	1	-	-	-	-	2	6	5	9	2
Rheumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	19	-	-	-	1	-	-	1	3	4	6	4
Bronchitis - - - - -	27	2	3	-	-	-	-	-	2	4	10	6
Pneumonia (all forms) - - - - -	18	2	4	-	-	2	-	1	2	1	3	3
Other Diseases of Respiratory Organs - - - - -	5	-	-	-	-	-	-	1	-	1	2	1
Diarrhoea and Enteritis (under 2 years) - - - - -	8	8	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	7	-	1	-	-	-	-	-	3	2	-	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	22	21	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	11	5	-	-	-	-	-	2	-	1	3	-
Suicide - - - - -	2	-	-	-	-	-	1	-	-	1	-	-
Other Defined Diseases - - - - -	61	7	2	-	1	-	2	1	4	13	16	15
Diseases Ill-defined or Unknown - - - - -	7	-	1	-	-	-	-	1	-	-	3	2
Total - - - - -	257	47	26	2	3	11	9	16	21	34	54	34

ABERDEEN—April 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	24	8	14	2	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	3	-	1	-	2	-	-	-	-	-	-	-
Whooping-cough - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	5	-	3	1	-	1	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	18	-	-	-	1	8	4	2	2	1	-	-
Tuberculous Meningitis - - - - -	3	-	1	1	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	4	-	2	1	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	22	-	-	-	-	-	-	2	5	4	8	-
Rheumatic Fever - - - - -	2	-	-	-	-	2	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	23	-	-	-	-	-	-	3	2	4	4	1
Bronchitis - - - - -	14	1	2	-	-	-	-	-	-	3	6	-
Pneumonia (all forms) - - - - -	18	5	6	-	1	-	1	1	1	-	1	-
Other Diseases of Respiratory Organs - - - - -	3	-	-	-	-	-	-	-	-	1	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	5	-	-	-	-	-	1	-	2	2	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	11	11	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	8	-	3	1	-	-	1	1	-	1	-	-
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - - - -	63	12	3	-	1	-	2	3	2	9	10	2
Diseases Ill-defined or Unknown - - - - -	3	1	1	-	-	-	-	-	-	-	-	-
Total - - - - -	239	42	38	6	5	13	10	14	14	25	29	4

PAISLEY—April 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	7	3	4	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	12	-	1	-	-	4	1	3	1	2	-	-
Tuberculous Meningitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	5	1	1	3	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	8	-	-	-	-	-	-	-	3	2	2	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	1	-	-	1	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	10	-	-	-	-	1	-	1	3	2	2	1
Bronchitis - - - - -	12	4	-	-	-	-	-	1	-	2	4	1
Pneumonia (all forms) - - - - -	8	3	2	-	-	-	1	1	1	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	1	-	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	42	1	2	1	-	1	2	5	5	4	13	8
Diseases Ill-defined or Unknown - - - - -	5	1	-	-	-	-	-	-	2	-	1	1
Total - - - - -	129	23	11	4	1	8	4	12	17	14	23	12

LEITH—April 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	11	6	4	1	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	7	-	-	-	1	2	1	3	-	-	-	-
Tuberculous Meningitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	4	1	1	-	-	2	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	5	-	-	-	-	-	-	-	1	1	2	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	8	-	-	-	-	-	-	1	2	-	5	-
Bronchitis - - - - -	6	1	-	-	-	-	-	-	-	2	-	3
Pneumonia (all forms) - - - - -	7	2	2	-	-	-	-	-	1	1	1	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	4	-	-	-	-	-	1	-	2	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	7	7	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	8	2	-	-	-	-	-	1	1	1	3	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	27	5	-	-	-	-	-	4	1	8	4	5
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Total - - - - -	104	28	8	3	1	4	3	9	9	13	17	9

GREENOCK—April 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	12	3	9	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	12	-	1	-	-	-	1	5	2	2	1	-
Tuberculous Meningitis - - - - -	3	-	3	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	3	1	-	2	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	6	-	-	-	-	-	1	-	1	2	1	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	-	1	1	-	-	1	-	-	-	-	-
Organic Heart Disease - - - - -	8	-	-	-	1	-	-	1	2	1	2	1
Bronchitis - - - - -	12	1	2	-	-	-	1	1	1	-	-	6
Pneumonia (all forms) - - - - -	16	3	4	-	-	1	1	-	4	-	3	-
Other Diseases of Respiratory Organs - - - - -	2	1	-	-	-	-	-	-	-	1	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	12	12	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	6	-	-	-	-	2	1	1	-	-	1	1
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	20	-	1	-	2	-	1	-	2	5	5	4
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	1	-	-	-	-	1
Total - - - - -	125	23	23	3	4	3	9	9	12	12	13	14

CAUSES OF DEATH (corrected for Transfers).

PERTH—April 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	4	-	-	-	-	1	3	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	1	-	-	2	-
Rheumatic Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	5	-	-	-	-	-	-	-	1	1	3	-
Bronchitis - - - - -	4	-	-	-	-	-	-	-	-	2	1	1
Pneumonia (all forms) - - - - -	4	-	-	-	1	1	1	-	-	-	1	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	1	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	18	-	1	-	-	2	-	-	2	2	2	9
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	44	2	2	1	1	4	4	2	4	5	9	10

COATBRIDGE—April 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	1	1	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	1	1	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	5	-	-	-	-	-	1	1	-	-	3	-
Bronchitis - - - - -	4	-	-	-	-	-	-	-	-	3	1	-
Pneumonia (all forms) - - - - -	7	1	2	-	-	1	-	-	1	1	1	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	8	8	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	6	-	1	-	-	2	2	-	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	15	2	-	-	-	-	2	2	2	3	1	3
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	1	1	-	-	-
Total - - - - -	61	13	6	-	1	4	6	4	7	10	7	3

MOTHERWELL—April 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	7	3	4	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	4	-	-	-	1	-	1	-	1	-	1	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	-	1	-	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	1	-	-	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Constitutional Debility and Malformation, including Pre-mature Birth - - - - -	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	13	1	1	-	-	1	-	2	3	-	2	3
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	45	11	9	-	2	1	2	4	6	2	4	4

KIRKCALDY—April 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	1	-	1	-	-	1	-	-	-
Tuberculous Meningitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	-	2	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	-	-	1	1	-	1	-	-	-	-	-
Organic Heart Disease - - - - -	7	-	-	-	-	-	-	-	2	3	-	2
Bronchitis - - - - -	7	2	3	1	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - - - -	2	-	-	-	-	-	-	-	1	-	1	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Constitutional Debility and Malformation, including Pre-mature Birth - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	9	3	-	-	-	-	-	-	1	1	1	3
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Total - - - - -	50	12	7	4	1	2	3	-	5	7	4	5

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	4	2	2	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	6	-	1	1	-	-	1	2	-	1	-	-
Tuberculous Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Rheumatic Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Hisease - - - - -	2	-	-	-	-	-	-	-	-	1	1	-
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	-	2	-
Pneumonia (all forms) - - - - -	5	2	1	-	-	-	-	2	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	3	1	-	-	-	-	-	1	-	-	1	-
Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	1	-	-	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	10	1	-	1	-	1	2	-	1	1	2	-
Diseases Ill-defined or Unknown - - - - -	4	-	-	-	-	-	-	-	1	1	1	-
Total - - - - -	49	13	5	2	-	1	5	5	2	7	7	-

CLYDEBANK—April 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	4	-	-	-	-	1	1	1	-	1	-	-
Tuberculous Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	1	1	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	8	-	-	-	1	3	-	-	-	-	4	-
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	1	-	-
Pneumonia (all forms) - - - - -	2	-	-	-	-	-	1	-	-	-	1	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	-	-	-	-	2	1	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	7	1	-	-	-	-	1	-	-	2	1	-
Diseases Ill-defined or Unknown - - - - -	2	1	-	-	-	-	-	-	-	1	-	-
Total - - - - -	45	9	3	1	1	8	5	1	1	6	7	-

KILMARNOCK—April 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	5	-	-	-	-	3	1	1	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	1	1	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	-	-	-	-	1	1	-	-	-	-	1
Bronchitis - - - - -	5	-	-	-	-	-	-	-	1	2	2	-
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	-	-	-	2	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	12	2	2	-	-	-	-	1	1	1	4	1
Diseases Ill-defined or Unknown - - - - -	3	-	-	-	-	-	-	-	-	2	1	-
Total - - - - -	41	6	2	-	-	5	3	3	5	7	8	2

FALKIRK—April 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	4	1	3	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	-	-	2	1	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	4	-	-	-	-	-	-	-	1	2	-	1
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	5	1	-	-	-	1	1	-	1	1	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	-	-	1	-	-	1	1	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	14	1	-	-	-	-	-	1	1	2	6	3
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Total - - - - -	46	9	6	2	-	1	2	4	4	5	8	5

CAUSES OF DEATH (corrected for Transfers).

AYR—April 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	4	-	1	-	1	1	1	-	-	-	-	-
Tuberculous Meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease	7	-	-	-	-	-	1	-	-	2	-	4
Rheumatic Fever - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease	6	-	-	-	-	1	-	-	1	2	1	1
Bronchitis - - -	4	-	1	-	-	1	-	-	-	1	-	1
Pneumonia (all forms)	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - -	3	-	-	-	-	-	-	1	-	1	1	-
Puerperal Sepsis - - -	2	-	-	-	-	-	1	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre mature Birth - - -	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - -	1	-	-	-	-	-	-	-	-	-	-	1
Other Defined Diseases - - -	9	-	-	-	-	-	-	-	-	3	4	2
Diseases Ill-defined or Unknown - -	1	-	-	-	-	-	-	-	-	1	-	-
Total - - -	43	4	2	-	1	3	5	2	1	10	6	9

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of APRIL 1913.

OBSERVERS.	Height of Station above Sea-level.	BARO- METER.		AIR TEMPERATURE.							HYGROMETER.				RAIN, AND OTHER FORMS OF PRE- CIPITATION.		WIND DIRECTIONS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
				Mean of		Absolute Maximum and Minimum.			Difference from Average.	Mean at 9 A.M. and 9 P.M.		Depression of Wet Bulb.	Vapour Pressure.	Humidity.			Number of Days.	Total Fall.		Difference from Average.		Number of Observations at 9 A.M. and 9 P.M.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		Maximum (A).	Minimum (B).	Mean of A and B (Mean Tem- perature).	Day of Month.	Minimum.	Day of Month.	Dry Bulb.		inch.	per cent.				inch.	inch.		N	NE	E	SE	S	SW	W	NW	Calm or Variable.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
		inch.	inch.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

* At King's College, at 7 A.M. and 6 P.M.
† At 9 A.M. only.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN SIXTEEN OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

MAY 1913.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., Ltd., Bellevue.
To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

During the month of May 1913 there were registered in the Sixteen Principal Towns of Scotland, those towns which at the date of the 1911 Census had populations of over 30,000, the births of 5298 living children, of whom 2721 were male and 2577 female. Compared with the number registered in April, the male children are 46 less, the female children 103 less, and the total is 149 less. The equivalent annual birth-rate is 27·6 per thousand of the estimated aggregate population, and is 1·7 below that of April, but 1·6 above that of March. In the towns the birth-rate of the month varied from 40·6 in Hamilton, 40·2 in Motherwell, 35·3 in Coatbridge, and 34·7 in Greenock, to 21·7 in Edinburgh, 22·1 in Ayr, and 22·8 in Perth. In Kilmarnock it was 28·9; in Paisley, 28·8; in Clydebank, 28·7; in Glasgow, 28·4; in Leith, 28·4; in Dundee, 27·8; in Kirkcaldy, 27·7; in Falkirk, 27·4; and in Aberdeen, 23·4.

Of the 5298 children registered, 350, or 6·6 per cent., were illegitimate. These illegitimate children are 5 more than registered in April, and 3 more than registered in March. The illegitimate rate is 0·3 more than in April, but is 0·4 less than in March. This rate for the month ranged from 11·8 in Kilmarnock, 10·8 in Aberdeen, 8·7 in Dundee, and 8·1 in Edinburgh, to 0·7 in Motherwell, 1·1 in Kirkcaldy, and 2·3 in Hamilton.

Marriages registered in these towns during the month numbered 666; they are 1075 fewer than in April, and 829 fewer than in March. The equivalent

annual marriage-rate is 3·5 per thousand, which is 5·9 less than that of April, and 4·3 less than that of March. In the towns the marriage-rate of the month varied from 4·6 in Glasgow, 4·5 in Ayr, 3·5 in Aberdeen, and 3·1 in Edinburgh, to 1·0 in Leith, 1·2 in Kirkcaldy, and 1·4 in Kilmarnock.

Deaths registered in these towns during the month numbered 3205, 1634 being of males, and 1571 of females. Compared with the returns of April, the total deaths are of the same number, the male deaths being 18 fewer, and the female deaths 18 more than in that month. Of these deaths, 198 were of persons whose usual residences were outwith these towns, but on the other hand there were registered elsewhere in Scotland, the deaths of 157 persons whose usual residences were within these towns, and the difference, 41, falls to be deducted to get the corrected number, which is thus found to be 3164, and is 57 less than in April. The uncorrected death-rate is 16·7 per thousand, and the corrected death-rate 16·5. The former is 0·6 less, and the latter 0·9 less, than the corresponding rate of April. The corrected death-rate of the month is 1·8 less than in March, and 3·6 less than in February.

The corrected death-rate of the month varied from 21·9 in Aberdeen, 18·0 in Hamilton, and 17·8 in Perth, to 9·2 in Kilmarnock, 10·2 in Falkirk, and 11·6 in Clydebank. In Glasgow it was 17·2; in Paisley, 16·9; in Greenock, 16·7; in Dundee, 16·6; in Kirkcaldy, 16·2; in Leith, 16·0; in Motherwell, 15·8; in Coatbridge, 14·9; in Edinburgh, 14·1; and in Ayr, 12·1. The effect of correction is to raise the death-rate of Leith by 2·1, of Clydebank by 2·0, of Motherwell by 1·7, and of Paisley, Coatbridge, Kirkcaldy, and Hamilton, each by less than 1, while it lowered the death-rate in Ayr by 2·4; in Perth by 1·7; in Kilmarnock by 1·7; in Edinburgh by 1·2; and in Glasgow, Dundee, Aberdeen, Greenock, and Falkirk by less than 1.

Of the deaths of residents of these towns registered during the month, 1102, or 34·8 per cent., were of children of less than five years old, and 662, or 20·9 per cent., were of persons of over sixty-five. The former are 110 more, but the latter are 162 fewer, than in April.

Deaths of children of less than one year old numbered 595, and are equal to an infantile mortality rate of 116 per thousand births. These deaths are 10 more than in April, and this rate is 5 more than in that month. The infantile mortality rate of the month varied in these towns from 232 in Aberdeen, 206 in Perth, 136 in Dundee, and 126 in Leith, to 38 in Falkirk, 59 in Clydebank, and 68 in Greenock. In Motherwell it was 117; in Paisley, 113; in Glasgow, 111; in Kirkcaldy, 110; in Coatbridge, 108; in Edinburgh, 106; in Hamilton, 83; in Kilmarnock, 83; and in Ayr, 81.

Deaths from the principal epidemic diseases, namely, smallpox, measles, scarlet fever, whooping-cough, diphtheria, enteric fever, and the diarrhœas of childhood, numbered 453, and are 114 more than in April. The equivalent annual death-rate from these causes is 2·4 per thousand, which is 0·6 higher than in the previous month, and which varied from 6·3 in Aberdeen, 3·2 in Motherwell, 2·6 in Glasgow, and 2·3 in Dundee, to 0 in Kilmarnock, and 0·8 in Coatbridge and Clydebank. In Falkirk this rate was 2·0; in Greenock, 1·8; in Hamilton, 1·8; in Paisley, 1·7; in Perth, 1·7; in Leith, 1·6; in Kirkcaldy, 1·5; in Edinburgh, 1·3; and in Ayr 1·0.

Deaths from measles numbered 148, 65 being registered in Glasgow, and 66 in Aberdeen; from scarlet fever, 22; from whooping-cough, 169, 89 being registered in Glasgow, and 25 in Edinburgh; from diphtheria, 34; from enteric fever, 9; and from the diarrhœas of childhood, 71. Compared with the numbers in the previous month, deaths from measles are 82 more, from the diarrhœas of childhood 19 more,

from scarlet fever 9 more, from diphtheria 4 more, and from whooping-cough 3 more, but the deaths from enteric fever are 3 fewer.

Deaths from influenza numbered 5; from malignant disease, 230; from heart disease, 261; from puerperal septic conditions, 6; and from violent causes, 130, 13 of them being ascribed to suicide.

Deaths from pneumonia numbered 293, and constituted 9·3 per cent. of the total deaths of the month; they are 1 more than in April, and are equal to an annual death-rate from this cause of 1·5 per thousand. Deaths from bronchitis numbered 177, and constituted 5·6 per cent. of the total of the month; they are 62 fewer than in April, and are equal to an annual death-rate of 0·9 per thousand.

Deaths from all forms of tuberculous disease numbered 416, and constituted 13·1 per cent. of the total deaths of the month; they are 11 more than in April, and are equal to an annual death-rate from these causes of 2·2 per thousand. Of these deaths, 266 were ascribed to phthisis, a number which is 2 more than in April, and which is equal to an annual death-rate of 1·4 per thousand. The death-rate of the month from phthisis varied from 2·1 in Greenock, 2·0 in Motherwell, and 1·9 in Leith, to 0·3 in Kirkcaldy, 0·6 in Dundee, and 0·6 in Clydebank. In Paisley this death-rate was 1·7; in Kilmarnock, 1·7; in Glasgow, 1·6; in Coatbridge, 1·4; in Aberdeen, 1·2; in Hamilton, 1·2; in Edinburgh, 1·1; in Ayr, 1·0; in Perth, 0·7; and in Falkirk, 0·7.

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. WATT, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

MAY 1913.

Mean barometric pressure, 29·848 ins.; less than the average of 1856–1905 by 0·100 in.

Mean temperature, 50°·0; greater by 0°·6.

Mean daily range of temperature, 13°·5; less by 1°·5.

Rain, number of days, 18; greater by 4 days.

Rain, depth in inches, 2·99; greater by 0·82 in.

Wind, direction of: a 2 days' excess of winds from SE. and a 2 days' excess of winds from SW.

Hence the month was characterised by a low mean pressure; a slightly high mean temperature, with a low mean daily range; a rather high mean rainfall; and an excess of winds from both SE. and SW.

The mean pressure was 29·848 ins., or 0·100 in. below the normal. Pressure movements were on the whole moderate, the most important fluctuations occurring about the middle and towards the end of the month. At Leith, at sea-level, the extremes were 30·370 ins. on 14th and 29·460 ins. on 3rd, and pressure there was above 30 ins. from 12th to 16th, and from 24th to 27th.

The mean temperature was 50°·0, or 0°·6 above the normal, the small excess being due entirely to a rather high night temperature, for the days were fractionally

below the average. At the individual towns the differences ranged from an excess of 1°·1 at Edinburgh to practically the normal at Dundee and Greenock. For the first three weeks or so temperature was rather below the normal, except for a day or two about the middle of the month, but during the last week there was a decided recovery, and some fairly high readings were recorded both by day and by night. As regards the chief towns, the extremes were 75° at Glasgow on 30th, and 33° at Perth on 2nd.

The mean rainfall was 2·99 ins., or 38 per cent. above the normal. Edinburgh and Leith had a slight shortage, but the other towns an excess ranging up to 90 per cent. at Dundee. In some eastern districts north of the Firth of Tay there was a very large excess, Lednathie near Kirriemuir having about three and a half times the normal. Over a considerable part of the counties of Perth, Forfar, Kincardine, and Aberdeen extremely heavy falls occurred from 6th to 9th, with as much as 3½ ins. at Ardvorlich on Loch Earn on 6th; more than 2 ins. at Aberfeldy and elsewhere on one or more days; many records of more than 1 inch on each of four consecutive days; and a four days' total of about 7½ ins. at Lednathie, and of about 6½ ins. near Aberfeldy and at Ardvorlich. Outside this period moderate falls occurred in the west from 17th to 22nd, whilst in the east after the 11th there were many rainless days with moderate falls about 22nd and on 30th.

The heavy rainfalls from 6th to 9th caused destructive flooding in Perthshire and Forfarshire.

Thunderstorms occurred in the west on 4th and on one or two later days; in the east on the afternoon of 30th.

TABLE I.—ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES
in the Principal Towns, MAY 1913.

TOWNS.	POPULATION.		BIRTHS.					MARRIAGES.	DEATHS.					
	Census 1911.	Estimated to middle of 1913.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.	Ins.	Outs.	Total Corrected.
GLASGOW, . . .	1,008,487	1,021,500	1253	1208	2461	2291	170	398	775	738	1513	52	75	1490
EDINBURGH, . . .	320,769	320,800	297	292	589	541	48	84	207	209	416	24	56	384
DUNDEE, . . .	165,004	165,900	204	188	392	358	34	29	118	120	238	9	13	234
ABERDEEN, . . .	163,891	162,700	165	158	323	288	35	49	145	159	304	14	16	302
PAISLEY, . . .	84,455	85,600	121	88	209	201	8	17	47	71	118	7	2	123
LEITH, . . .	80,601	80,500	91	103	194	188	6	7	52	43	95	16	2	109
GREENOCK, . . .	75,140	77,800	119	110	229	220	9	17	64	48	112	2	4	110
PERTH, . . .	35,854	35,100	37	31	68	64	4	9	33	25	58	2	7	53
TOTAL . . . (EIGHT TOWNS)	1,934,201	1,949,900	2287	2178	4465	4151	314	610	1441	1413	2854	126	175	2805
COATBRIDGE, . . .	43,286	43,400	71	59	130	122	8	7	25	28	53	4	2	55
MOTHERWELL, . . .	40,380	41,000	69	71	140	139	1	7	28	21	49	6	0	55
KIRKCALDY, . . .	39,601	40,000	55	39	94	93	1	4	29	23	52	3	0	55
HAMILTON, . . .	38,644	38,600	64	69	133	130	3	9	27	29	56	3	0	59
CLYDEBANK, . . .	37,548	42,800	51	53	104	99	5	7	20	15	35	9	2	42
KILMARNOCK, . . .	34,728	34,700	44	41	85	75	10	4	16	16	32	3	8	27
FALKIRK, . . .	33,574	35,600	43	40	83	80	3	5	19	13	32	2	3	31
AYR, . . .	32,986	34,200	37	27	64	59	5	13	29	13	42	1	8	35
TOTAL . . . (SIXTEEN TOWNS)	2,234,948	2,260,200	2721	2577	5298	4948	350	666	1634	1571	3205	157	198	3164

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES
in the Principal Towns, MAY 1913.

TOWNS.	Birth- Rate per 1000 of Popu- lation.	Illegiti- mate Birth- Rate per 100 Births.	Marriage- Rate per 1000 of Popu- lation.	DEATH-RATES PER 1000 OF POPULATION FROM						DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.		Principal Epidemic Diseases.	Tuber- culosis.	Phthisis.	All Re- spiratory Diseases.	Number.	Rate per 1000 Births.
				Uncor- rected.	Cor- rected.						
GLASGOW, . . .	28·4	6·9	4·6	17·5	17·2	2·6	2·4	1·6	2·9	272	111
EDINBURGH, . .	21·7	8·1	3·1	15·3	14·1	1·3	1·6	1·1	1·8	59	106
DUNDEE, . . .	27·8	8·7	2·1	16·9	16·6	2·3	1·1	0·6	2·8	48	136
ABERDEEN, . .	23·4	10·8	3·5	22·0	21·9	6·3	2·1	1·2	3·3	80	232
PAISLEY, . . .	28·8	3·8	2·3	16·2	16·9	1·7	2·8	1·7	2·8	21	113
LEITH,	28·4	3·1	1·0	13·9	16·0	1·6	2·6	1·9	3·4	22	126
GREENOCK, . .	34·7	3·9	2·6	17·0	16·7	1·8	2·9	2·1	2·9	14	68
PERTH,	22·8	5·9	3·0	19·5	17·8	1·7	1·3	0·7	1·3	13	206
TOTAL . (EIGHT TOWNS)	27·0	7·0	3·7	17·3	17·0	2·5	2·2	1·4	2·7	529	122
COATBRIDGE, .	35·3	6·2	1·9	14·4	14·9	0·8	2·4	1·4	3·3	13	108
MOTHERWELL, .	40·2	0·7	2·0	14·1	15·8	3·2	2·6	2·0	2·3	13	117
KIRKCALDY, . .	27·7	1·1	1·2	15·3	16·2	1·5	3·5	0·3	1·2	9	110
HAMILTON, . . .	40·6	2·3	2·7	17·1	18·0	1·8	2·1	1·2	4·0	9	83
CLYDEBANK, . .	28·7	4·8	1·9	9·6	11·6	0·8	1·7	0·6	2·8	7	59
KILMARNOCK, .	28·9	11·8	1·4	10·9	9·2	0·0	2·0	1·7	0·7	6	88
FALKIRK, . . .	27·4	3·6	1·7	10·6	10·2	2·0	1·3	0·7	2·0	3	38
AYR,	22·1	7·8	4·5	14·5	12·1	1·0	1·7	1·0	1·4	6	81
TOTAL . (SIXTEEN TOWNS)	27·6	6·6	3·5	16·7	16·5	2·4	2·2	1·4	2·7	595	116

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR MAY 1913, and for
the Corresponding Month of the Preceding Ten Years, in EIGHT of the
PRINCIPAL TOWNS.

MONTH.	Birth- Rate.	Illegitimate Birth- rate per 100 Births.	Marriage- Rate.	Death- Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature.
					Smallpox.	Measles.	Scarlet Fever.	Whooping- Cough.	Diphtheria and Croup.	Enteric Fever.	Diarrhoea (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
MAY 1913, .	27·0	7·0	3·7	17·0	0	144	22	148	30	8	64	122	50°·0
MAY 1912, .	27·5	8·3	3·5	16·4	0	86	14	48	22	7	45	108	51°·0
MAY 1911, .	29·7	7·4	4·5	17·5	1	50	17	186	16	7	33	134	53°·2
MAY 1910, .	29·6	7·6	4·6	16·7	0	184	20	36	14	3	43	111	49°·9
MAY 1909, .	29·0	6·9	4·2	17·7	0	25	20	153	23	2	50	121	50°·1
MAY 1908, .	29·4	6·7	4·0	16·9	0	80	15	60	14	3	-	120	52°·0
MAY 1907, .	30·9	6·4	3·7	20·1	0	36	13	192	15	11	-	123	48°·0
MAY 1906, .	30·8	6·9	3·7	19·1	0	82	12	82	21	5	-	126	48°·2
MAY 1905, .	34·0	6·8	4·6	19·6	0	132	10	122	22	11	-	133	50°·6
MAY 1904, .	31·5	6·6	4·3	18·8	10	69	17	114	12	8	-	121	49°·0
MAY 1903, .	32·3	6·3	3·9	17·7	0	40	17	111	20	16	-	124	49°·5

In Columns 5-13 for 1913, deaths and death-rates have been corrected for non-resident deaths.

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—May 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	9	1	-	-	1	2	2	3	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	148	39	99	9	-	1	-	-	-	-	-	-
Scarlet Fever - - - - -	22	-	16	3	-	1	1	1	-	-	-	-
Whooping-cough - - - - -	169	73	92	4	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	34	3	26	4	-	-	-	1	-	-	-	-
Influenza - - - - -	5	1	-	-	-	-	-	-	-	-	3	1
Erysipelas - - - - -	8	-	1	-	-	-	2	1	4	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	266	2	9	10	11	60	61	52	41	18	2	-
Tuberculous Meningitis - - - - -	70	13	35	14	4	4	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	41	6	21	3	2	5	3	-	-	1	-	-
Other Tuberculous Diseases - - - - -	39	1	10	6	1	7	2	7	3	2	-	-
Cancer, Malignant Disease - - - - -	230	-	1	1	-	1	6	12	46	84	56	23
Rheumatic Fever - - - - -	14	-	-	2	2	5	3	1	1	-	-	-
Meningitis - - - - -	31	12	9	3	1	2	1	2	1	-	-	-
Organic Heart Disease - - - - -	261	1	-	3	1	9	14	24	41	59	77	32
Bronchitis - - - - -	177	20	15	-	1	3	3	3	26	39	36	31
Pneumonia (all forms) - - - - -	293	60	82	4	2	10	20	25	22	33	23	12
Other Diseases of Respiratory Organs - - - - -	43	6	5	-	5	-	1	3	4	6	7	6
Diarrhoea and Enteritis (under 2 years) - - - - -	71	62	9	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	12	-	1	1	1	4	2	1	-	1	1	-
All Liver Diseases (not Malignant) - - - - -	19	-	-	-	-	-	2	1	8	2	5	1
Other Diseases of Digestive System (under 2 years) - - - - -	26	19	7	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	97	2	2	2	1	2	8	13	25	17	20	5
Puerperal Sepsis - - - - -	6	-	-	-	-	-	3	3	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	19	-	-	-	-	5	8	5	1	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	201	190	8	-	2	-	1	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	117	11	19	5	2	15	17	8	15	15	6	4
Suicide - - - - -	13	-	-	-	-	1	2	3	3	2	2	-
Other Defined Diseases - - - - -	660	66	35	7	4	16	24	52	72	96	140	148
Diseases Ill-defined or Unknown - - - - -	63	7	5	-	-	-	1	7	8	14	10	11
Total - - - - -	3164	595	507	81	41	153	187	228	321	389	388	274

GLASGOW—May 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	3	-	-	-	-	1	-	2	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	65	10	50	4	-	1	-	-	-	-	-	-
Scarlet Fever - - - - -	15	-	10	2	-	1	1	1	-	-	-	-
Whooping-cough - - - - -	89	38	49	2	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	12	-	9	2	-	-	-	1	-	-	-	-
Influenza - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	6	-	1	-	-	-	2	-	3	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	139	-	4	5	7	31	30	32	24	5	1	-
Tuberculous Meningitis - - - - -	30	3	18	6	2	1	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	17	3	8	1	1	2	1	-	-	1	-	-
Other Tuberculous Diseases - - - - -	24	1	3	6	1	2	2	5	2	2	-	-
Cancer, Malignant Disease - - - - -	95	-	-	1	-	-	3	4	18	39	23	7
Rheumatic Fever - - - - -	7	-	-	-	2	1	2	1	1	-	-	-
Meningitis - - - - -	15	6	5	1	1	1	1	-	-	-	-	-
Organic Heart Disease - - - - -	105	1	-	1	1	5	8	14	17	25	21	12
Bronchitis - - - - -	89	11	9	-	1	1	2	2	17	14	17	15
Pneumonia (all forms) - - - - -	141	27	46	2	-	3	7	12	14	15	11	4
Other Diseases of Respiratory Organs - - - - -	22	2	3	-	3	-	1	2	2	3	4	2
Diarrhoea and Enteritis (under 2 years) - - - - -	39	33	6	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	4	-	-	-	-	2	1	1	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	5	-	-	-	-	-	1	-	3	-	1	-
Other Diseases of Digestive System (under 2 years) - - - - -	9	5	4	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	49	-	1	-	-	1	6	7	12	11	9	2
Puerperal Sepsis - - - - -	5	-	-	-	-	-	3	2	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	11	-	-	-	-	3	6	1	1	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	99	95	3	-	1	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	55	4	9	2	2	7	8	5	9	4	4	-
Suicide - - - - -	8	-	-	-	-	1	2	1	2	1	1	-
Other Defined Diseases - - - - -	293	27	15	1	2	9	10	24	38	45	70	5
Diseases Ill-defined or Unknown - - - - -	38	5	2	-	-	-	1	5	4	8	7	-
Total - - - - -	1490	272	255	36	24	73	98	122	167	173	169	10

EDINBURGH—May 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	25	9	16	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	2	-	-	-	-	-	-	-	-	-	1	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	31	-	-	1	-	5	11	5	3	5	1	-
Tuberculous Meningitis - - - - -	6	3	2	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	-	-	-	1	1	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	4	-	-	-	-	2	-	2	-	-	-	-
Cancer, Malignant Disease - - - - -	38	-	-	-	-	1	-	1	4	18	9	5
Rheumatic Fever - - - - -	2	-	-	1	-	-	1	-	-	-	-	-
Meningitis - - - - -	2	-	-	-	-	1	-	-	1	-	-	-
Organic Heart Disease - - - - -	45	-	-	-	-	1	-	5	10	12	14	3
Bronchitis - - - - -	14	1	-	-	-	-	-	-	1	3	7	2
Pneumonia (all forms) - - - - -	27	6	4	-	-	1	1	5	-	5	1	4
Other Diseases of Respiratory Organs - - - - -	9	2	2	-	-	-	-	1	-	1	1	2
Diarrhoea and Enteritis (under 2 years) - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	2	-	-	-	1	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	12	-	1	-	-	-	-	-	2	4	4	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	3	-	-	-	-	-	1	2	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	18	17	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	19	2	1	1	-	3	2	1	2	4	2	1
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Defined Diseases - - - - -	108	14	7	-	1	3	4	6	11	19	18	25
Diseases Ill-defined or Unknown - - - - -	3	-	-	-	-	-	-	-	-	1	-	2
Total - - - - -	384	59	38	4	3	20	20	28	34	74	58	46

DUNDEE—May 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	2	1	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	9	2	7	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	5	-	5	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	9	1	1	-	1	1	-	1	3	1	-	-
Tuberculous Meningitis - - - - -	5	2	2	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	13	-	-	-	-	-	-	-	5	5	2	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	4	-	1	1	-	-	-	2	-	-	-	-
Organic Heart Disease - - - - -	26	-	-	1	-	1	-	-	5	7	8	4
Bronchitis - - - - -	16	1	2	-	-	-	1	-	-	6	3	3
Pneumonia (all forms) - - - - -	20	4	9	-	-	-	1	2	1	2	1	-
Other Diseases of Respiratory Organs - - - - -	4	-	-	-	1	-	-	-	1	1	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	13	10	3	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	2	-	-	1	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	7	-	-	1	-	-	1	2	1	1	1	-
Puerperal Sepsis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	21	21	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	8	3	-	2	-	-	-	1	-	1	-	1
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - - - -	56	1	1	1	-	1	1	3	8	5	16	19
Diseases Ill-defined or Unknown - - - - -	5	-	-	-	-	-	-	-	2	1	1	1
Total - - - - -	234	48	33	9	2	4	6	13	26	30	34	29

ABERDEEN—May 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	66	27	34	5	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	11	4	7	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	7	-	5	2	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	17	1	1	-	1	5	4	2	1	2	-	-
Tuberculous Meningitis - - - - -	9	3	3	-	-	3	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	1	-	-	-	-	-	1	-	-	-
Cancer, Malignant Disease - - - - -	21	-	-	-	-	-	3	-	5	4	7	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	26	-	-	1	-	2	1	1	1	6	10	4
Bronchitis - - - - -	10	4	1	-	-	-	-	-	1	2	1	1
Pneumonia (all forms) - - - - -	33	9	11	-	-	1	3	-	1	2	3	3
Other Diseases of Respiratory Organs - - - - -	3	-	-	-	-	-	-	-	1	-	1	1
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	5	-	-	-	-	-	-	1	1	1	2	-
Other Diseases of Digestive System (under 2 years) - - - - -	4	3	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	6	-	-	-	-	-	1	-	2	1	2	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	17	16	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	10	-	4	-	-	2	1	1	-	2	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	46	10	4	1	-	1	2	5	3	3	6	11
Diseases Ill-defined or Unknown - - - - -	2	-	1	-	-	-	-	-	-	1	-	-
Total - - - - -	302	80	76	9	1	15	15	10	17	24	33	22

PAISLEY—May 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	6	3	2	1	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	2	-	-	-	-	-	-	1	1	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	12	-	-	-	-	3	4	2	2	1	-	-
Tuberculous Meningitis - - - - -	4	-	2	1	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	3	-	1	1	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	9	-	-	-	-	-	-	1	1	4	2	1
Rheumatic Fever - - - - -	2	-	-	1	-	1	-	-	-	-	-	-
Meningitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	11	-	-	-	-	-	1	-	1	4	4	1
Bronchitis - - - - -	9	1	1	-	-	-	-	-	3	4	-	-
Pneumonia (all forms) - - - - -	10	4	2	-	-	-	-	-	1	2	1	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	-	2	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	1	1	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	9	6	2	-	-	-	1	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Suicide - - - - -	2	-	-	-	-	-	-	-	1	-	1	-
Other Defined Diseases - - - - -	25	2	-	1	-	1	-	4	4	3	5	5
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	123	21	17	6	3	8	6	8	16	18	13	7

LEITH—May 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	7	3	4	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	13	-	2	-	-	1	5	3	1	1	-	-
Tuberculous Meningitis - - - - -	4	1	1	2	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	9	-	1	-	-	-	-	2	2	1	2	1
Rheumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	8	-	-	-	-	-	-	-	-	1	6	1
Bronchitis - - - - -	7	-	-	-	-	-	-	-	1	3	3	-
Pneumonia (all forms) - - - - -	15	4	2	-	-	2	1	2	2	-	2	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	2	-	-	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	4	3	-	-	1	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	4	2	1	-	-	-	1	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	24	2	1	1	-	1	1	5	-	5	6	2
Diseases Ill-defined or Unknown - - - - -	3	2	-	-	-	-	-	-	1	-	-	-
Total - - - - -	109	22	15	3	1	5	8	12	8	11	19	5

GREENOCK—May 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	7	4	3	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	14	-	1	-	-	4	3	3	2	1	-	-
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	3	-	2	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	9	-	-	-	-	-	-	-	3	3	1	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	9	-	-	-	-	-	-	1	1	1	6	-
Bronchitis - - - - -	7	-	1	-	-	1	-	1	-	1	1	2
Pneumonia (all forms) - - - - -	12	1	4	1	2	-	-	1	1	-	2	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	-	-	-	1	-	1	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	4	-	-	-	-	-	2	-	1	1	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	24	-	2	-	-	-	3	1	3	3	2	10
Diseases Ill-defined or Unknown - - - - -	3	-	-	-	-	-	-	-	1	-	-	2
Total - - - - -	110	14	16	2	2	6	8	8	14	10	13	17

PERTH—May 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	1	-	1	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	5	-	-	-	-	-	-	-	1	1	3	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	4	-	-	-	-	-	-	-	1	1	-	2
Bronchitis - - - - -	3	-	-	-	-	-	-	-	-	-	1	2
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	-	-	-	2	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	1	-	-	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	1	-	-	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	17	3	-	-	-	-	1	1	1	3	4	4
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Total - - - - -	53	13	3	-	-	3	2	2	5	6	10	9

COATBRIDGE—May 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	5	-	-	-	1	2	1	1	-	-	-	-
Tuberculous Meningitis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	-	-	1	-	-	1	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	6	-	-	-	-	-	-	-	1	3	2	-
Rheumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	4	-	-	-	-	-	-	-	1	1	2	-
Bronchitis - - - - -	4	1	-	-	-	-	-	-	-	-	-	3
Pneumonia (all forms) - - - - -	7	-	2	-	-	-	3	1	-	1	-	-
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	2	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	7	7	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	4	-	1	-	-	-	2	-	-	1	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	4	1	-	-	-	-	-	-	-	2	1	-
Diseases Ill-defined or Unknown - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Total - - - - -	55	13	7	1	1	4	7	2	4	8	5	3

MOTHERWELL—May 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	9	4	5	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	7	-	-	1	-	3	-	1	1	1	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	4	-	-	-	-	-	-	-	2	2	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	2	-	-	-	-	-	1	-	1	-	-	-
Bronchitis - - - - -	3	-	-	-	-	-	-	-	1	1	1	-
Pneumonia (all forms) - - - - -	5	-	-	-	-	-	2	1	1	-	1	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	12	2	1	1	-	-	1	1	-	2	3	1
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	55	13	9	2	-	3	5	3	8	6	5	1

KIRKCALDY—May 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Tuberculous Meningitis - - - - -	4	-	3	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	7	1	6	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	7	-	-	-	-	-	-	-	1	2	3	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	5	-	-	-	-	-	-	1	1	-	2	1
Bronchitis - - - - -	2	-	-	-	-	1	-	-	-	1	-	-
Pneumonia (all forms) - - - - -	2	1	-	1	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	4	-	-	-	-	-	-	2	1	-	-	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	1	-	-	-	-	-	1
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - - - -	9	-	-	-	-	-	-	-	1	1	1	6
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	55	9	12	2	-	2	-	4	5	5	6	10

HAMILTON—May 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	4	-	-	2	-	-	1	-	1	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	2	1	-	-	-
Rheumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Organic Heart Hisease - - - - -	4	-	-	-	-	-	1	2	-	-	1	-
Bronchitis - - - - -	7	1	-	-	-	-	-	-	2	1	1	2
Pneumonia (all forms) - - - - -	6	-	2	-	-	2	-	1	-	1	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	1	-	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	-	-	2	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	-	-	-	1	1	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	10	-	1	-	-	-	1	-	-	1	2	5
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	-	1	1	-
Total - - - - -	59	9	10	3	-	3	3	8	5	5	6	7

CLYDEBANK—May 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	1	1	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	2	-	-	1	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	4	-	-	-	-	-	-	-	-	1	1	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	-	-	-	-	-	1	-	-	-	-	2
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	8	2	-	-	-	1	1	-	-	1	1	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	3	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	1	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	1	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	10	1	1	1	-	-	-	1	2	3	-	1
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Total - - - - -	42	7	4	2	2	3	2	2	3	9	3	5

KILMARNOCK—May 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	5	-	-	1	-	1	1	-	2	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	4	-	-	-	-	-	-	2	-	1	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	-	-	1	1
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	-	1	-	-	1	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	7	1	1	-	-	-	-	1	-	1	1	2
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	27	6	1	1	-	1	3	3	2	3	3	4

FALKIRK—May 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	-	1	1	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	5	-	-	-	-	-	-	-	2	1	1	1
Bronchitis - - - - -	3	-	1	-	-	-	-	-	-	1	1	-
Pneumonia (all forms) - - - - -	2	-	-	-	-	-	1	-	1	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	6	1	1	-	-	-	-	-	1	-	1	2
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Total - - - - -	31	3	8	1	-	-	2	2	4	2	4	5

AYR—May 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	2	-	-	-	1	-	-
Tuberculous Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	2	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	2	-	-	-	-	-	1	-	-	-	1	-
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Pneumonia (all forms) - - - - -	3	1	-	-	-	-	-	-	-	2	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	1	-	1	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	1	-	-	1	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	9	1	-	-	1	-	-	-	-	-	4	3
Diseases Ill-defined or Unknown - - - - -	3	-	1	-	-	-	-	-	-	1	1	-
Total - - - - -	35	6	3	-	2	3	2	1	3	5	7	3

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of MAY 1913.

OBSERVERS.	Height of Station above Sea-level.	BARO- METER.		AIR TEMPERATURE.							HYGROMETER.				RAIN, AND OTHER FORMS OF PRE- CIPITATION.		WIND DIRECTIONS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
				Mean of		Difference from Average.		Absolute Maximum and Minimum.			Mean at 9 A.M. and 9 P.M.		Number of Days.	Total Fall.	Difference from Average.	Number of Observations at 9 A.M. and 9 P.M.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
		Maximum (A).	Minimum (B).	Maximum.	Day of Month.	Minimum.	Day of Month.	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	N				NE	E	SE	S	SW	W	NW	Calm or Variable.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
		inch.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

* At King's College, at 7 A.M. and 6 P.M. † At 9 A.M. only.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN SIXTEEN OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

JUNE 1913.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., Ltd., Bellevue.
To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

During the month of June 1913 there were registered in the Sixteen Principal Towns of Scotland, those towns which at the date of the 1911 Census had populations of over 30,000, the births of 5164 living children, of whom 2652 were male and 2512 female. Compared with the numbers registered in May, the male children are 69 fewer, the female children 65 fewer, and the total children 134 fewer. The equivalent annual birth-rate is 27·8 per thousand of the estimated aggregate population of these towns, and is 0·2 above that of May, but 1·5 below that of April. In the towns the birth-rate of the month ranged from 33·4 in Coatbridge, 33·1 in Hamilton, 32·7 in Motherwell, and 32·5 in Clydebank, to 18·4 in Perth, 21·7 in Ayr, and 22·1 in Edinburgh. In Greenock it was 30·7; in Glasgow, 29·9; in Falkirk, 29·7; in Paisley, 29·2; in Kilmarnock, 28·8; in Leith, 28·2; in Kirkcaldy, 27·4; in Dundee, 25·3; and in Aberdeen, 24·1.

Of the 5164 children whose births were registered in these towns during the month, 378, or 7·3 per cent., were illegitimate. These illegitimate children are 28 more than registered in May, and 33 more than registered in April. The illegitimate rate is 0·7 more than in May, and 1·0 more than in April. This rate for the month varied from 15·2 in Aberdeen, where 49 of the 322 children registered were illegitimate, 9·6 in Dundee, and 9·5 in Edinburgh, to 0·9 in Clydebank, 2·4 in Kilmarnock, and 2·7 in Motherwell.

Marriages registered in these towns during the month numbered 2410; they

are 1744 more than in May, and 669 more than in April. The equivalent annual marriage-rate is 13·0 per thousand, which is 9·5 above that of May, and 3·6 above that of April. In the towns the marriage-rate of the month varied from 18·0 in Perth, 16·1 in Kilmarnock, 15·7 in Edinburgh, and 14·6 in Ayr, to 5·7 in Clydebank, 7·9 in Coatbridge, 8·1 in Paisley, and 9·1 in Greenock.

Deaths registered in these towns during the month numbered 2770, 1426 being of males, and 1344 of females. Compared with the returns of May, the deaths of males are 208 fewer, of females 227 fewer, and the total deaths are 435 fewer. Of these deaths, 185 were of persons whose usual residences were outwith the town of registration; but, on the other hand, the deaths of 172 residents of these towns were registered elsewhere in Scotland during the month, and the difference, 13, falls to be deducted to get the corrected number of deaths, which is 2757, and is 407 less than in May, and 464 less than in April. The uncorrected death-rate of the month is 14·9, and the corrected death-rate is also 14·9. The uncorrected death-rate of the month is 1·8 less than that of May, and 2·4 less than that of April. The corrected death-rate of the month is 1·6 less than that of May, and 2·5 less than that of April.

The corrected death-rate of the month in the sixteen towns ranged from 21·5 in Hamilton, 18·9 in Greenock, and 16·1 in Kirkcaldy, to 9·1 in Clydebank, and 12·5 in Paisley, Perth, and Ayr. In Glasgow, the corrected death-rate of the month was 15·6; in Aberdeen, 15·4; in Dundee, 15·2; in Motherwell, 14·3; in Leith, 13·5; in Edinburgh, 13·1; in Kilmarnock, 13·0; in Coatbridge, 12·9; and in Falkirk, 12·6. The effect of correction is found to raise the death-rate of Clydebank by 2·8, of Hamilton by 2·6, of Kilmarnock by 2·1, of Leith by 2·0, of Kirkcaldy by 1·8, of Motherwell by 1·2, of Coatbridge by 1·1, and of Paisley by less than 1, and lower the death-rate of Ayr by 3·2, of Edinburgh by 1·2, of Falkirk by 1·1, and of Glasgow, Dundee, Aberdeen, Greenock, and Perth by less than 1.

Of the deaths of residents of these towns registered during the month, 871, or 31·6 per cent., were of children of less than five years old, and 612, or 22·2 per cent., were of persons of over sixty-five. The former are 231, and the latter 50, fewer than in May.

Deaths of children of less than one year old numbered 490, and are 105 fewer than in May. The infantile mortality rate is 96 per thousand births, which is 20 lower than in May, and 15 lower than in April. This rate in the towns varied from 139 in Greenock, 137 in Kirkcaldy, and 124 in Dundee, to 56 in Kilmarnock and Ayr, and 65 in Falkirk. In Aberdeen it was 102; in Glasgow, 98; in Coatbridge, 95; in Paisley, 94; in Hamilton, 94; in Motherwell, 93; in Edinburgh, 77; in Leith, 76; in Clydebank, 70; and in Perth, 67.

Deaths from the principal epidemic diseases, namely, smallpox, measles, scarlet fever, whooping-cough, diphtheria, enteric fever, and the diarrhœas of childhood, numbered 348, and are 105 fewer than in May, but 9 more than in April. The equivalent annual death-rate from these causes is 1·9 per thousand, which is 0·5 lower than in May, but 0·1 higher than in April. In the towns this rate varied from 4·5 in Aberdeen, where deaths from measles were relatively numerous, 4·4 in Hamilton, where deaths from whooping-cough and measles were relatively numerous, 2·4 in Kirkcaldy, and 2·3 in Greenock, to 0·2 in Leith, 0·3 in Perth, 0·4 in Kilmarnock, and 0·6 in Coatbridge and Clydebank. In Glasgow this rate was 2·1, and in Edinburgh 1·0.

There were no deaths from small-pox registered during the month. Deaths from measles numbered 150, 85 of them being in Glasgow, 40 in Aberdeen, and 14 in Dundee; from scarlet fever, 20; from whooping-cough, 101, 54 of them being in

Glasgow ; from diphtheria, 27, of which 11 were in Glasgow, and 7 in Aberdeen ; from enteric fever, 5 ; and from the diarrhœas of childhood, 45. Compared with the returns of May, deaths from whooping-cough are 68 fewer, from the diarrhœas of childhood 26 fewer, from diphtheria 7 fewer, from enteric fever 4 fewer, and from scarlet fever 2 fewer ; but those from measles are 2 more.

Deaths from influenza numbered 3 ; from malignant disease, 185 ; from heart disease, 224 ; from puerperal septic conditions, 4 ; and from violent causes, 110, of which 5 were ascribed to suicide. One death from typhus fever was registered during the month in Greenock.

Deaths from pneumonia numbered 204, and constituted 7·4 per cent. of the total deaths of the month ; they are 89 fewer than in May, and equal to an annual death-rate from this cause of 1·1 per thousand. Deaths from bronchitis numbered 132, and constituted 4·8 per cent. of the total of the month ; they are 45 fewer than in May, and are equal to an annual death-rate from this cause of 0·7 per thousand. ■

Deaths from all forms of tuberculous disease numbered 364, and constituted 13·2 per cent. of the total deaths of the month ; they are 52 fewer than in May, and equal to an annual death-rate from these causes of 2·0 per thousand. Of these deaths, 227 were ascribed to phthisis—a number which is 39 less than in May, and which is equal to an annual death-rate from this cause of 1·2 per thousand. The death-rate of the month from phthisis in these towns ranged from 2·5 in Kilmarnock, 1·5 in Glasgow, and 1·4 in Greenock, to 0 in Ayr, 0·6 in Motherwell and Clydebank, and 0·7 in Paisley and Perth. In Hamilton, this rate was 1·3 ; in Leith, 1·2 ; in Dundee, 1·1 ; in Aberdeen, 1·1 ; in Coatbridge, 1·1 ; in Edinburgh, 1·0 ; in Falkirk, 1·0 ; and in Kirkcaldy, 0·9.

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. WATT, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

JUNE 1913.

Mean barometric pressure, 29·961 ins.; greater than the average of 1856–1905 by 0·012 in.

Mean temperature, 55°·7 ; greater by 0°·3.

Mean daily range of temperature, 14°·6 ; less by 0°·7.

Rain, number of days, 15 ; greater by 2 days.

Rain, depth in inches, 2·40 ; greater by 0·14 in.

Wind, direction of : a 3 days' excess of winds from S. and SW.

Hence the month was characterised by a slightly high mean pressure ; a fractionally high mean temperature, with a slightly low mean daily range ; a slightly high mean rainfall ; and an excess of winds from S. and SW.

The mean pressure was 29·961 ins., or 0·012 in. above the normal. Fluctuations were on the whole moderate, except from about 6th to 11th, and during the last few days of the month the barometer rose steadily. At Leith, at sea-level, pressure was above 30 ins. on 4th, from 13th to 17th, 20th to 22nd, and from 25th onwards, the extremes there being 30·357 in. on 30th and 29·332 in. on 10th.

The mean temperature was 55°·7, or 0°·3 above the normal, this fractional excess

being due entirely to a slightly high mean night temperature. At the individual towns the difference from the normal ranged from an excess of 1°·3 at Aberdeen to a defect of 0°·7 at Leith. Moderately high temperatures early in the month were followed by decidedly cold weather, with lowest readings for the month on 12th or 13th, and a mean temperature for the second week below the normal, in some districts by as much as 5°. About 16th there were one or two warm days; but thereafter there was a recurrence of rather cold weather, until near the end of the month, when temperature was again high. Highest readings occurred on 16th, 28th, or 29th, the extremes at the chief towns being 77° at Paisley and Perth on 16th, and 38° at Perth on 13th.

The mean rainfall was 2·40 ins., or 6 per cent. above the normal. Towards the north-west and in some western districts there was a very large excess, and at Glencarron the month was the wettest June on record. In some eastern districts, on the other hand, there was deficiency, and as regards the chief towns the variations ranged from an excess of 60 per cent. at Paisley to a shortage of 36 per cent. at Dundee. Heavy falls occurred in west and north-west on 2nd and from 6th to 9th, with 1·73 in. at Greenock on 9th. The month's totals were otherwise largely accounted for by heavy rains during thunderstorms, the most widespread occurrences being on 18th and 24th. From 10th to 17th and from 25th onwards, almost rainless weather was experienced in many districts, except for moderate falls on 27th.

Stormy weather of a south-westerly type was experienced from about 6th to 10th.

Severe thunderstorms occurred widely on 18th and 24th, with destructive flooding in several districts.

TABLE I.—ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES
in the Principal Towns, JUNE 1913.

TOWNS.	POPULATION.		BIRTHS.						MARRIAGES.	DEATHS.					
	Census 1911.	Estimated to middle of 1913.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.	Males.		Females.	Total.	Ins.	Outs.	Total Corrected.	
GLASGOW, . . .	1,008,487	1,021,500	1259	1249	2508	2342	166	1142	686	631	1317	60	69	1308	
EDINBURGH, . . .	320,769	320,800	304	277	581	526	55	412	176	199	375	26	55	346	
DUNDEE, . . .	165,004	165,900	168	177	345	312	33	148	112	100	212	7	12	207	
ABERDEEN, . . .	163,891	162,700	172	150	322	273	49	188	104	107	211	11	16	206	
PAISLEY, . . .	84,455	85,600	106	99	205	186	19	57	46	41	87	1	0	88	
LEITH, . . .	80,601	80,500	107	79	186	177	9	82	46	30	76	15	2	89	
GREENOCK, . . .	75,140	77,800	116	80	196	185	11	58	66	58	124	2	5	121	
PERTH, . . .	35,854	35,100	28	25	53	49	4	52	17	21	38	3	5	36	
TOTAL . . . (EIGHT TOWNS)	1,934,201	1,949,900	2260	2136	4396	4050	346	2139	1253	1187	2440	125	164	2401	
COATBRIDGE, . .	43,286	43,400	61	58	119	109	10	28	27	15	42	5	1	46	
MOTHERWELL, . .	40,380	41,000	50	60	110	107	3	31	21	23	44	4	0	48	
KIRKCALDY, . . .	39,601	40,000	49	41	90	84	6	31	23	24	47	7	1	53	
HAMILTON, . . .	38,644	38,600	52	53	105	101	4	42	26	34	60	10	2	68	
CLYDEBANK, . . .	37,548	42,800	60	54	114	113	1	20	12	10	22	10	0	32	
KILMARNOCK, . .	34,723	34,700	45	37	82	80	2	46	18	13	31	8	2	37	
FALKIRK, . . .	33,574	35,600	43	44	87	84	3	32	22	18	40	2	5	37	
AYR, . . .	32,986	34,200	32	29	61	58	3	41	24	20	44	1	10	35	
TOTAL . . . (SIXTEEN TOWNS)	2,234,948	2,260,200	2652	2512	5164	4786	378	2410	1426	1344	2770	172	185	2757	

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES
in the Principal Towns, JUNE 1913.

TOWNS.	Birth-Rate per 1000 of Popu- lation.	Illegiti- mate Birth- Rate per 100 Births.	Marriage- Rate per 1000 of Popu- lation.	DEATH-RATES PER 1000 OF POPULATION FROM						DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.		Principal Epidemic Diseases.	Tuber- culosis.	Phthisis.	All Re- spiratory Diseases.	Number.	Rate per 1000 Births.
				Uncor- rected.	Cor- rected.						
GLASGOW, . .	29·9	6·6	13·6	15·7	15·6	2·1	2·1	1·5	2·3	246	98
EDINBURGH, .	22·1	9·5	15·7	14·3	13·1	1·0	1·6	1·0	1·3	42	77
DUNDEE, . .	25·3	9·6	10·9	15·6	15·2	2·0	1·8	1·1	2·3	43	124
ABERDEEN, .	24·1	15·2	14·1	15·8	15·4	4·5	1·7	1·1	2·0	34	102
PAISLEY, . .	29·2	9·3	8·1	12·4	12·5	0·7	1·4	0·7	1·4	17	94
LEITH, . . .	28·2	4·8	12·4	11·5	13·5	0·2	2·6	1·2	1·7	13	76
GREENOCK, .	30·7	5·6	9·1	19·4	13·9	2·3	2·2	1·4	2·2	28	139
PERTH, . . .	18·4	7·5	18·0	13·2	12·5	0·3	1·4	0·7	2·4	4	67
TOTAL . . (EIGHT TOWNS)	27·5	7·9	13·4	15·2	15·0	2·0	2·0	1·3	2·0	427	98
COATBRIDGE, .	33·4	8·4	7·9	11·3	12·9	0·6	2·5	1·1	2·2	11	95
MOTHERWELL, .	32·7	2·7	9·2	13·1	14·3	1·2	1·5	0·6	2·4	10	93
KIRKCALDY, .	27·4	6·7	9·4	14·3	16·1	2·4	1·8	0·9	1·5	11	137
HAMILTON, . .	33·1	3·8	13·2	18·9	21·5	4·4	2·8	1·3	2·8	10	94
CLYDEBANK, .	32·5	0·9	5·7	6·3	9·1	0·6	0·9	0·6	0·9	8	70
KILMARNOCK, .	28·3	2·4	16·1	10·9	13·0	0·4	3·9	2·5	1·1	4	56
FALKIRK, . .	29·7	3·4	10·9	13·7	12·6	0·7	2·4	1·0	1·4	5	65
AYR,	21·7	4·9	14·6	15·7	12·5	0·7	0·7	0·0	2·9	4	56
TOTAL . . (SIXTEEN TOWNS)	27·8	7·3	13·0	14·9	14·9	1·9	2·0	1·2	2·0	490	96

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR JUNE 1913, and for
the Corresponding Month of the Preceding Ten Years, in EIGHT of the
PRINCIPAL TOWNS.

MONTH.	Birth-Rate.	Illegitimate Birth- rate per 100 Births.	Marriage-Rate.	Death-Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature.
					Smallpox.	Measles.	Scarlet Fever.	Whooping- Cough.	Diphtheria and Croup.	Enteric Fever.	Diarrhoea (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
JUNE 1913, .	27·5	7·9	13·4	15·0	0	141	20	83	24	4	41	98	55°·7
JUNE 1912, .	24·5	8·4	13·5	14·7	0	84	11	43	19	3	52	109	54°·6
JUNE 1911, .	27·9	8·2	14·8	14·5	0	58	9	127	17	3	43	95	56°·2
JUNE 1910, .	28·9	7·2	14·1	15·4	0	56	20	38	20	4	64	101	55°·8
JUNE 1909, .	30·1	7·6	14·2	15·9	0	29	14	80	21	6	50	98	54°·0
JUNE 1908, .	32·5	6·9	15·7	15·7	0	38	9	60	15	6	-	98	56°·1
JUNE 1907, .	29·3	7·7	14·4	17·5	0	25	3	175	12	7	-	119	52°·5
JUNE 1906, .	31·5	6·9	15·3	16·3	0	59	7	50	23	12	-	103	57°·6
JUNE 1905, .	32·2	6·7	14·6	16·8	0	84	6	109	10	9	-	109	56°·3
JUNE 1904, .	32·6	6·8	15·5	17·3	9	63	9	105	19	12	-	111	55°·0
JUNE 1903, .	35·1	5·8	16·1	19·1	0	36	20	99	14	10	-	129	54°·4

In Columns 5-13 for 1913, deaths and death-rates have been corrected for non-resident deaths.

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—June 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	5	-	1	1	-	1	-	1	1	-	-	-
Typhus Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	150	31	111	6	1	-	-	1	-	-	-	-
Scarlet Fever - - - - -	20	2	10	4	3	-	1	-	-	-	-	-
Whooping-cough - - - - -	101	48	50	3	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	27	3	16	6	1	1	-	-	-	-	-	-
Influenza - - - - -	3	-	1	-	-	-	-	1	-	-	-	-
Erysipelas - - - - -	6	1	-	-	-	-	1	-	-	2	2	-
Phthisis, Pulmonary Tuberculosis - - - - -	227	3	7	3	7	52	47	38	37	26	7	-
Tuberculous Meningitis - - - - -	53	10	24	14	1	1	-	1	1	1	-	-
Abdominal Tuberculosis - - - - -	37	5	16	6	1	5	1	1	1	-	1	-
Other Tuberculous Diseases - - - - -	47	4	7	3	7	6	7	4	3	2	4	-
Cancer, Malignant Disease - - - - -	185	-	-	1	-	1	8	20	43	45	43	224
Rheumatic Fever - - - - -	11	-	-	-	2	4	2	2	1	-	-	-
Meningitis - - - - -	34	10	15	4	3	-	-	-	2	-	-	-
Organic Heart Disease - - - - -	224	1	1	2	7	14	9	35	29	54	46	266
Bronchitis - - - - -	132	9	8	2	1	1	1	3	11	34	31	331
Pneumonia (all forms) - - - - -	204	42	52	10	2	16	3	14	18	22	14	111
Other Diseases of Respiratory Organs - - - - -	39	5	6	1	-	3	1	-	4	10	3	6
Diarrhoea and Enteritis (under 2 years) - - - - -	45	32	13	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	12	-	2	3	-	-	4	-	3	-	-	-
All Liver Diseases (not Malignant) - - - - -	25	-	1	-	-	-	1	4	5	6	4	44
Other Diseases of Digestive System (under 2 years) - - - - -	18	16	2	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	92	-	2	-	-	5	3	12	22	20	24	44
Puerperal Sepsis - - - - -	4	-	-	-	-	1	2	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	20	-	-	-	-	1	12	7	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	191	190	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	105	11	11	5	1	13	14	11	16	10	11	12
Suicide - - - - -	5	-	-	-	-	-	2	-	2	1	-	-
Other Defined Diseases - - - - -	658	57	21	11	5	14	31	62	56	108	136	1577
Diseases Ill-defined or Unknown - - - - -	76	10	3	-	4	4	7	5	12	11	11	19
Total - - - - -	2757	490	381	85	46	143	157	224	267	352	337	2755

GLASGOW—June 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	2	-	-	-	-	-	-	1	1	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	85	15	68	2	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	8	-	5	1	1	-	1	-	-	-	-	-
Whooping-cough - - - - -	54	26	27	1	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	11	1	7	1	1	1	-	-	-	-	-	-
Influenza - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	3	1	-	-	-	-	-	-	-	1	1	-
Phthisis, Pulmonary Tuberculosis - - - - -	123	1	2	2	5	29	20	19	26	16	3	-
Tuberculous Meningitis - - - - -	16	5	7	2	-	-	-	1	1	-	-	-
Abdominal Tuberculosis - - - - -	15	1	6	3	1	2	-	-	1	-	1	-
Other Tuberculous Diseases - - - - -	25	2	3	1	4	5	5	2	-	1	2	-
Cancer, Malignant Disease - - - - -	74	-	-	1	-	-	4	8	17	20	17	17
Rheumatic Fever - - - - -	2	-	-	-	-	1	-	1	-	-	-	-
Meningitis - - - - -	17	7	8	1	1	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	91	1	1	-	5	7	5	15	14	25	13	15
Bronchitis - - - - -	69	2	6	1	1	-	1	2	6	18	18	144
Pneumonia (all forms) - - - - -	107	23	29	5	1	7	2	7	10	11	6	66
Other Diseases of Respiratory Organs - - - - -	17	3	3	-	-	2	1	-	2	3	1	22
Diarrhoea and Enteritis (under 2 years) - - - - -	17	13	4	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	9	-	2	2	-	-	2	-	3	-	-	-
All Liver Diseases (not Malignant) - - - - -	10	-	1	-	-	-	-	3	2	3	-	11
Other Diseases of Digestive System (under 2 years) - - - - -	8	7	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	50	-	-	-	-	2	1	8	10	13	14	2
Puerperal Sepsis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	10	-	-	-	-	1	5	4	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	94	94	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	54	7	4	1	-	6	8	7	8	6	6	11
Suicide - - - - -	2	-	-	-	-	-	2	-	-	-	-	-
Other Defined Diseases - - - - -	286	31	9	6	3	6	15	26	29	43	53	65
Diseases Ill-defined or Unknown - - - - -	47	6	3	-	1	3	6	2	4	8	9	1
Total - - - - -	1308	246	197	30	24	72	79	106	134	168	144	108

EDINBURGH—June 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Interic Fever - - - - -	2	-	-	1	-	1	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	7	-	3	3	1	-	-	-	-	-	-	-
Whooping-cough - - - - -	11	6	4	1	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	25	1	-	-	-	6	6	6	3	2	1	-
Tuberculous Meningitis - - - - -	4	1	2	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	6	2	2	1	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	6	1	1	-	-	-	-	2	1	-	1	-
Cancer, Malignant Disease - - - - -	37	-	-	-	-	-	1	2	9	10	6	9
Rheumatic Fever - - - - -	2	-	-	-	1	-	-	-	1	-	-	-
Encephalitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	34	-	-	-	1	2	1	5	3	10	8	4
Bronchitis - - - - -	7	1	-	-	-	-	-	-	-	1	1	4
Pneumonia (all forms) - - - - -	18	4	2	2	-	-	-	2	1	2	2	3
Other Diseases of Respiratory Organs - - - - -	8	2	-	-	-	-	-	-	-	4	1	1
Diarrhoea and Enteritis (under 2 years) - - - - -	5	4	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	4	-	-	-	-	-	-	-	2	-	1	1
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	18	-	1	-	-	1	-	1	4	3	7	1
Uræmic Sepsis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	-	1	1	-	-	-	-
Constitutional Debility and Malformation, including Premature Birth - - - - -	14	14	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	13	1	3	-	-	2	2	2	2	-	1	-
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - - - -	113	5	1	2	-	1	4	10	5	22	30	33
Diseases Ill-defined or Unknown - - - - -	4	-	-	-	-	-	-	1	1	1	-	1
Total - - - - -	346	42	21	12	3	14	17	32	33	55	59	58

DUNDEE—June 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Interic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	14	5	9	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	3	1	1	-	1	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	3	1	1	1	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	15	-	2	-	1	2	3	1	3	2	1	-
Tuberculous Meningitis - - - - -	4	-	1	1	-	1	-	-	-	1	-	-
Abdominal Tuberculosis - - - - -	3	-	2	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	-	-	1	-	-	-	1	-	-	-
Cancer, Malignant Disease - - - - -	16	-	-	-	-	1	1	3	3	-	5	3
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Encephalitis - - - - -	3	-	1	-	1	-	-	-	1	-	-	-
Organic Heart Disease - - - - -	20	-	-	1	1	1	-	3	2	7	3	2
Bronchitis - - - - -	8	2	1	-	-	-	-	-	-	3	1	1
Pneumonia (all forms) - - - - -	18	5	3	-	1	1	-	1	1	3	2	1
Other Diseases of Respiratory Organs - - - - -	6	-	-	-	-	-	-	-	2	2	1	1
Diarrhoea and Enteritis (under 2 years) - - - - -	7	6	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	4	3	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	4	-	-	-	-	1	-	-	1	2	-	-
Uræmic Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	-	2	-	-	-	-	-
Constitutional Debility and Malformation, including Premature Birth - - - - -	11	10	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	5	1	1	-	-	1	1	-	-	1	-	-
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - - - -	49	7	4	1	-	-	2	6	5	10	10	4
Diseases Ill-defined or Unknown - - - - -	7	2	-	-	2	-	-	-	1	-	1	1
Total - - - - -	207	43	29	5	8	8	9	15	21	32	24	13

ABERDEEN—June 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	40	8	28	3	-	-	-	1	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	8	3	5	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	7	1	4	2	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	2	-	-	-	-	-	1	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	15	-	1	-	-	5	4	3	1	-	1	-
Tuberculous Meningitis - - - - -	5	-	1	4	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - - - - -	10	-	-	-	-	-	-	-	4	3	1	22
Rheumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	17	-	-	-	-	-	-	4	2	1	5	55
Bronchitis - - - - -	8	2	-	-	-	-	-	-	-	2	2	22
Pneumonia (all forms) - - - - -	19	2	8	1	-	4	-	2	1	-	1	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	5	3	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	3	-	-	-	-	-	1	-	-	-	1	11
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	7	-	-	-	-	-	1	2	2	1	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	10	10	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	-	1	-	-	-	-	-	1	-	1	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	38	3	3	-	-	2	2	3	1	4	4	166
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	-	-	1	11
Total - - - - -	206	34	54	11	-	12	10	16	12	12	18	277

PAISLEY—June 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	5	1	-	-	1	-	1	-	1	1	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	3	1	-	-	1	-	-	-	-	1	-	-
Cancer, Malignant Disease - - - - -	10	-	-	-	-	-	-	-	5	1	3	11
Rheumatic Fever - - - - -	3	-	-	-	1	1	1	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	8	-	-	-	-	1	-	1	1	2	3	-
Bronchitis - - - - -	6	1	-	1	-	1	-	-	1	1	-	1
Pneumonia (all forms) - - - - -	3	-	1	-	-	-	-	-	-	2	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	1	1	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	8	8	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	-	-	2	-	-	-	-	-	-	1	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	24	1	3	-	1	-	-	1	3	-	8	7
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	1	-	1	-	-
Total - - - - -	88	17	8	3	4	4	3	5	11	9	15	9

LEITH—June 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Phthisis, Pulmonary Tuberculosis - - - - -	8	-	-	-	-	2	1	3	1	1	-	-
Tuberculous Meningitis - - - - -	6	1	3	2	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	-	1	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - - - - -	5	-	-	-	-	-	-	1	-	3	1	-
Rheumatic Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Meningitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	9	-	-	-	-	1	-	1	1	2	4	-
Bronchitis - - - - -	6	-	-	-	-	-	-	-	1	2	2	1
Pneumonia (all forms) - - - - -	4	-	1	1	-	-	-	-	2	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	2	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	10	10	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	-	-	1	-	-	-	-	1	-	1	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	23	1	1	-	-	-	2	2	2	5	3	7
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	1	1	-	-
Total - - - - -	89	13	8	6	-	3	7	7	11	14	12	8

GREENOCK—June 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	7	5	1	1	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	9	-	1	-	-	2	3	1	-	2	-	-
Tuberculous Meningitis - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	9	-	-	-	-	-	1	1	2	3	2	-
Rheumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - -	4	-	3	-	-	-	-	-	1	-	-	-
Organic Heart Disease - - - - -	8	-	-	-	-	-	-	3	-	2	-	3
Bronchitis - - - - -	6	1	1	-	-	-	-	-	1	3	-	-
Pneumonia (all forms) - - - - -	8	1	3	-	-	2	-	-	-	1	1	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	6	4	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	-	-	-	1	1
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	1	-	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	11	11	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	1	-	-	-	-	-	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	34	3	-	-	-	2	2	5	2	6	7	7
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	1	-	-	1
Total - - - - -	121	28	16	2	-	7	7	12	9	17	11	12

PERTH—June 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	1	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	-	-	-	-	1	-	-	1	-	-	1
Bronchitis - - - - -	4	-	-	-	-	-	-	-	1	1	-	2
Pneumonia (all forms) - - - - -	3	-	1	1	-	-	-	-	-	1	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	13	-	-	-	-	-	1	1	1	3	3	4
Diseases Ill-defined or Unknown - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Total - - - - -	36	4	4	1	-	3	3	1	3	6	4	7

COATBRIDGE—June 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	4	-	-	1	-	-	2	-	-	1	-	-
Tuberculous Meningitis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	-	-	-	-	-	-	1	-	1	-
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	1	1	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	4	-	-	-	-	-	-	-	1	-	1	2
Bronchitis - - - - -	5	-	-	-	-	-	-	1	-	-	1	3
Pneumonia (all forms) - - - - -	3	1	1	-	-	-	-	-	1	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	5	1	1	-	1	1	-	-	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	7	1	-	-	-	-	-	1	3	1	1	-
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	46	11	6	3	1	1	2	3	8	2	4	5

MOTHERWELL—June 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	4	2	2	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	1	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	3	-	2	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	4	-	-	-	-	-	1	1	1	-	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	-	-	-	-	-	-	1	2	-	-	-
Bronchitis - - - - -	3	-	-	-	-	-	-	-	-	-	2	1
Pneumonia (all forms) - - - - -	3	2	-	-	-	-	-	1	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	-	-	-	-	1	-	1
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	-	-	2	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	1	-	1	-	-	-	-	-	-	1	-
Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Defined Diseases - - - - -	12	-	-	-	-	-	1	1	1	4	4	1
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	48	10	4	2	-	1	3	4	4	6	11	3

KIRKCALDY—June 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	5	2	3	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	-	2	-	-	1	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	3	1	1	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	1	-	1	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	5	-	-	-	-	-	-	1	-	1	1	2
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - - - -	4	1	1	-	-	1	1	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	-	-	-	-	-	1	1	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	13	-	-	1	1	-	-	1	1	2	2	5
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Total - - - - -	53	11	8	1	1	2	5	4	4	4	5	8

CAUSES OF DEATH (corrected for Transfers).

HAMILTON—June 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	5	-	4	-	1	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	8	2	6	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	4	-	-	-	-	-	1	2	-	-	1	-
Tuberculous Meningitis - - - - -	2	-	-	2	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	3	-	2	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	1	-	1	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	12	-	-	-	-	1	1	1	1	3	4	1
Bronchitis - - - - -	4	-	-	-	-	-	-	-	1	1	1	1
Pneumonia (all forms) - - - - -	5	-	1	-	-	1	-	1	1	1	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	5	-	-	-	-	-	2	-	1	2	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	9	1	-	-	-	1	1	1	-	1	2	2
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	68	10	13	2	2	3	5	6	4	10	9	4

CLYDEBANK—June 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	1	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	1	-	1	-	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	-	1	-	1	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	2	1	-	-	-	-	-	-	1	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	1	-	1	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	10	2	-	-	-	1	1	1	2	1	-	2
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	32	8	4	1	1	4	3	3	3	2	-	3

KILMARNOCK—June 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	7	-	-	-	-	2	-	3	2	-	-	-
Tuberculous Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	-	1	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	1	-	1	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	-	1	1	-
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - - - -	2	-	-	-	-	-	-	-	-	1	1	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	12	2	-	1	-	1	-	-	1	1	5	1
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	1	-	-	1	-	-	-
Total - - - - -	37	4	2	1	-	6	-	4	5	4	9	2

FALKIRK—June 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	1	-	-	1	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	3	-	2	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	4	-	-	-	-	-	-	-	1	1	2	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	4	-	-	1	-	-	1	-	1	-	1	-
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	-	1	1
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - - -	2	-	-	-	-	1	-	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	1	-	-	-	1	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	6	-	-	-	-	-	-	1	-	2	2	1
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Total - - - - -	37	5	3	1	1	3	2	3	4	5	6	4

AYR—June 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	-	1	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	4	-	-	-	-	-	1	-	-	-	2	1
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	2	-	-
Pneumonia (all forms) - - - - -	4	2	1	-	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	9	-	-	-	-	-	-	2	-	3	2	2
Diseases Ill-defined or Unknown - - - - -	5	1	-	-	1	-	1	1	1	-	-	-
Total - - - - -	35	4	4	4	1	-	2	3	1	6	6	4

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of JUNE 1913.

OBSERVERS.	BARO-METER.		AIR TEMPERATURE.							HYGROMETER.				RAIN, AND OTHER FORMS OF PRECIPITATION.		WIND DIRECTIONS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
	Mean at Sea-Level and 32°.		Mean of		Mean of A and B (Mean Temperature).			Absolute Maximum and Minimum.				Mean at 9 A.M. and 9 P.M.		Total Fall.	Difference from Average.	Number of Observations at 9 A.M. and 9 P.M.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
	Mean at Station and 32°.	feet.	Maximum (A).	Minimum (B).	°	°	°	°	°	°	°	°	°			°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

* At King's College, at 7 A.M. and 6 P.M.

† At 9 A.M. only.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN SIXTEEN OF THE PRINCIPAL TOWNS OF
SCOTLAND;

WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

JULY 1913.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., Ltd., Bellevue.
To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

During the month of July 1913 there were registered in the Sixteen Principal Towns of Scotland, those towns which at the date of the 1911 Census had populations of over 30,000, the births of 5128 living children, of whom 2623 were male and 2505 female. Compared with the numbers registered in June, the male births are 29 fewer, the female 7 fewer, and the total 36 fewer. The equivalent annual birth-rate is 26·7 per thousand of the estimated aggregate population of these towns, and is 1·1 below the corresponding rate for June, and 0·9 below that for May. In these towns the birth-rate of the month ranged from 36·4 in Clydebank, 32·8 in Motherwell, 32·1 in Hamilton, and 32·0 in Coatbridge, to 21·1 in Edinburgh, 22·7 in Aberdeen, and 22·8 in Perth. In Greenock the birth-rate of the month was 31·2; in Paisley, 30·0; in Leith, 29·3; in Glasgow, 27·8; in Ayr, 26·9; in Kilmarnock, 26·5; in Falkirk, 25·8; in Kirkcaldy, 25·0; and in Dundee, 24·6.

Of the 5128 children whose births were registered during the month, 347, or 6·8 per cent., were illegitimate. These illegitimate children are 31 fewer than registered in June, and 3 fewer than registered in May. This illegitimate rate is 0·5 less than in June, but is 0·2 more than in May. The illegitimate rate of the month in these towns varied from 14·1 in Ayr, 10·2 in Aberdeen, and 8·4 in Dundee, to 2·3 in Clydebank, 2·5 in Coatbridge, and 2·6 in Motherwell. In Edinburgh this rate was 7·5 per cent.; in Glasgow, 7·3; in Hamilton, 6·7; in Kilmarnock, 6·4; in Falkirk, 5·1; in Leith, 5·0; in Greenock, 4·4; in Perth, 4·4; in Kirkcaldy, 3·5; and in Paisley, 2·8.

Marriages registered in these towns during the month numbered 2591, and are 181 more than in June, and 1925 more than in May. The equivalent annual

marriage-rate is 13·5 per thousand, which is 0·5 more than in June, and 10·0 more than in May. In the towns the marriage-rate of the month varied from 16·8 in Dundee, 15·1 in Glasgow, 13·9 in Edinburgh, and 13·5 in Kirkcaldy, to 6·6 in Falkirk, 7·3 in Leith, and 7·9 in Ayr. In Motherwell the marriage-rate of the month was 12·9; in Hamilton, 12·5; in Perth, 12·1; in Paisley, 12·0; in Aberdeen, 11·7; in Coatbridge, 11·7; in Clydebank, 9·4; in Greenock, 8·8; and in Kilmarnock, 8·8.

Deaths registered in these sixteen towns during the month numbered 2662, 1360 being of male persons, and 1302 of female. Compared with the returns of June the deaths of males are 66 fewer, and of females 42 fewer, while the total deaths are 108 fewer. Of these deaths, 207 were of persons whose usual residences were outwith the town of registration; but during the month there were registered elsewhere in Scotland the deaths of 185 persons whose usual residences were within these towns, and the difference, 22, falls to be deducted to get the corrected number of deaths of the month, which is found to be 2640, which is 117 less than the corresponding figure of June, and 524 less than that of May. The uncorrected death-rate of the month was 13·9, and the corrected death-rate 13·8; the former is 1·0 less than in June, and 2·8 less than in May; the latter, the corrected death-rate, is 1·1 less than in June, and 2·7 less than in May.

The corrected death-rate of the month in the sixteen towns varied from 17·2 in Ayr, 15·5 in Dundee, and 15·3 in Aberdeen, to 10·6 in Leith, 11·1 in Perth, and 11·5 in Kirkcaldy and Kilmarnock. In Greenock, the corrected death-rate of the month was 15·2; in Glasgow, 14·4; in Coatbridge, 13·6; in Paisley, 13·1; in Edinburgh, 12·2; in Hamilton, 12·2; in Motherwell, 12·1; in Clydebank, 11·6; and in Falkirk, 11·6. The effect of correction is found to raise the death-rate in Kirkcaldy by 2·7, in Clydebank by 2·5, in Hamilton by 2·4, in Motherwell by 1·8, in Kilmarnock by 1·3, and in Paisley, Leith, Coatbridge, and Falkirk by quantities less than 1; while it lowered the rate in Ayr by 3·8, in Perth by 2·0, and in Glasgow, Edinburgh, Dundee, Aberdeen, and Greenock by quantities less than 1.

Of the deaths of the residents of these towns registered during the month, 777, or 29·4 per cent., were of children of less than five years old, and 608, or 23·0 per cent., were of persons of over sixty-five. The former are 94, and the latter 4, fewer than in June.

Deaths of children of less than one year old numbered 437, and are 53 fewer than in June, and 158 fewer than in May. The equivalent infantile mortality rate is 86 per thousand births, which rate is 10 less than in June, and 30 less than in May. In the towns this rate is found to vary from 127 in Falkirk, 118 in Dundee, 108 in Clydebank, and 102 in Aberdeen, to 32 in Perth, 34 in Leith, and 38 in Greenock. In Motherwell this rate was 99; in Ayr, 97; in Glasgow, 90; in Hamilton, 82; in Paisley, 80; in Edinburgh, 79; in Kirkcaldy, 72; in Kilmarnock, 67; and in Coatbridge, 50.

Deaths from the principal epidemic diseases, namely, measles, scarlet fever, diphtheria and croup, whooping-cough, enteric fever, and the diarrhoeas of childhood, numbered 292, and are 56 fewer than in June, and 161 fewer than in May. The equivalent annual death-rate from these causes is 1·5 per thousand, which is 0·4 less than in June, and 0·9 less than in May. In the sixteen towns this rate varied from 2·7 in Hamilton, 2·6 in Motherwell, 2·2 in Glasgow, and 2·0 in Aberdeen, to 0 in Leith, 0·3 in Greenock, Perth, Kilmarnock, Falkirk, and Ayr, and 0·6 in Edinburgh.

No deaths from small-pox were registered in these towns during the month. Deaths from measles numbered 109, 81 being in Glasgow, and 12 in Aberdeen. Deaths from scarlet fever numbered 19, 12 of them being in Glasgow. Deaths

from whooping-cough numbered 62, 39 of them being in Glasgow, and from diphtheria, 18, of which 9 were in Glasgow. There were 3 deaths from enteric fever, 2 being in Glasgow, and 1 in Greenock. Deaths from the diarrhœas of childhood numbered 81. Compared with the returns of the previous month, deaths from measles are 41 fewer, from whooping-cough 39 fewer, from diphtheria 9 fewer, from enteric fever 2 fewer, and from scarlet fever 1 fewer; but those from the diarrhœas of childhood are 36 more.

There were 3 deaths from typhus fever registered during the month, all being in Glasgow. Deaths from influenza numbered 4, from malignant disease 210, from heart disease 239, from puerperal septic conditions 6, and from violent causes 129, of which 20 were attributed to suicide.

Deaths from pneumonia numbered 200, and constituted 7·6 per cent. of the total deaths of the month; they are 4 fewer than in June, and are equal to an annual death-rate of 1·0 per thousand. Deaths from bronchitis numbered 114, and constituted 4·3 per cent. of the total; they are 18 fewer than in June, and are equal to an annual death-rate of 0·6 per thousand.

Deaths from all forms of tuberculous disease numbered 341, and constituted 12·9 per cent. of the total deaths of the month; they are 23 fewer than in June, and are equal to an annual death-rate of 1·8 per thousand. These deaths include 194 from phthisis, 67 from tuberculous meningitis, 38 from abdominal tuberculosis, and 42 from other tuberculous disease. The phthisis deaths of the month constitute 7·3 per cent. of the total deaths of the month, are equal to an annual death-rate of 1·0 per thousand, and are 33 fewer than in June. In the sixteen towns the monthly death-rate from phthisis varied from 2·3 in Falkirk, 1·4 in Greenock, and 1·1 in Glasgow and Aberdeen, to 0·3 in Coatbridge, Kirkcaldy, and Hamilton. In Edinburgh the phthisis death-rate of the month was 1·0 per thousand; in Dundee, 1·0; in Leith, 1·0; in Paisley, 0·8; in Clydebank, 0·8; in Perth, 0·7; in Kilmarnock, 0·7; in Ayr, 0·7; and in Motherwell, 0·6.

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. WATT, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

JULY 1913.

Mean barometric pressure, 30·055 ins.; greater than the average of 1856–1905 by 0·163 in.

Mean temperature, 58°·3; greater by 0°·2.

Mean daily range of temperature, 15°·1; greater by 0°·9.

Rain, number of days, 8; less by 8 days.

Rain, depth in inches, 0·96; less by 2·04 ins.

Wind, direction of: a 6 days' excess of winds from NW, N, and NE.

Hence the month was characterised by an abnormally high mean pressure; a fractionally high mean temperature, with a rather high mean daily range; an abnormally low mean rainfall; and a large excess of winds from a northerly quarter.

The mean pressure was 30·055 ins., or 0·163 in. above the normal, a level which has been appreciably exceeded in July during the last forty years only in 1885 and 1911. Moderate fluctuations early in the month were followed by a prolonged period during which Scotland was completely under the control of a high pressure area, extending westwards from the continent of Europe. At Leith, at sea-level, pressure was above 30 ins. from 1st to 4th, on 8th, and from 19th onwards, and the extremes

there were 30·395 ins. on 1st, and 29·789 ins. on 6th. The extreme range for the month was thus very small.

The mean temperature was 58°·3, or 0°·2 above the normal, the days being 0°·6 above, and the nights 0°·3 below, their respective averages. There was a moderate excess in the West, and a slight deficiency along the fringe of the East Coast, the differences from the normal at the individual towns ranging from an excess of 1°·3 at Perth and 1°·2 at Paisley to a deficiency of 0°·9 at Leith. Temperature was at first moderately high, but the second week was decidedly cold, and though there were thereafter some fairly warm days, light winds from North and East prevented any decided rise of temperature in the Eastern districts. Highest readings for the month occurred very generally on 2nd or 3rd, and here and there in the West towards the end of the month; and lowest readings from 7th to 9th, the extremes at the chief towns being 79° at Paisley on 3rd and 27th, and 38° at Perth on 7th.

The mean rainfall was 0·96 in., or 68 per cent. below the normal. In all parts of Scotland there was a remarkable shortage, and a drier July has been experienced during the last fifty years only in 1868 and 1878. A large part of the country had less than 1 in., considerable areas only about half an inch, and Braemar only about one quarter of an inch. Edinburgh, Leith, and Dundee had only about one fifth of the normal, and at Edinburgh during the last hundred years a smaller total for July than that of 0·46 in. has been recorded only in 1825 and 1868. The month's totals were largely accounted for on two or three days early in the month, and from 14th onwards there was an absolute drought in many districts. Perth had only 4 "rain days," Edinburgh only 5, and Dundee only 6.

A thunderstorm occurred in the West on 6th, and towards the North-East on 14th.

There were some very sunny days, but sunshine aggregates were below the normal in the East, though above it in the West.

TABLE I.—ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES
in the Principal Towns, JULY 1913.

TOWNS.	POPULATION.		BIRTHS.					MARRIAGES.	DEATHS.					
	Census 1911.	Estimated to middle of 1913.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.	Ins.	Outs.	Total Corrected.
GLASGOW, . . .	1,008,487	1,021,500	1234	1180	2414	2238	176	1305	662	600	1262	63	80	1245
EDINBURGH, . . .	320,769	320,800	298	275	573	530	43	379	151	205	356	22	45	333
DUNDEE, . . .	165,004	165,900	173	174	347	318	29	237	98	125	223	5	10	218
ABERDEEN, . . .	163,891	162,700	172	142	314	282	32	161	124	93	217	24	29	212
PAISLEY, . . .	84,455	85,600	111	107	218	212	6	87	38	55	93	6	4	95
LEITH, . . .	80,601	80,500	97	103	200	190	10	50	40	26	66	8	2	72
GREENOCK, . . .	75,140	77,800	97	109	206	197	9	58	58	44	102	5	7	100
PERTH, . . .	35,854	35,100	33	35	68	65	3	36	19	20	39	1	7	33
TOTAL . . . (EIGHT TOWNS)	1,934,201	1,949,900	2215	2125	4340	4032	308	2313	1190	1168	2358	134	184	2308
COATBRIDGE, . .	43,286	43,400	62	56	118	115	3	43	31	17	48	3	1	50
MOTHERWELL, . .	40,380	41,000	61	53	114	111	3	45	21	15	36	7	1	42
KIRKCALDY, . . .	39,601	40,000	41	44	85	82	3	46	15	15	30	9	0	39
HAMILTON, . . .	38,644	38,600	58	47	105	98	7	41	17	15	32	9	1	40
CLYDEBANK, . . .	37,548	42,800	69	63	132	129	3	34	23	10	33	10	1	42
KILMARNOCK, . .	34,728	34,700	36	42	78	73	5	26	17	13	30	7	3	34
FALKIRK, . . .	33,574	35,600	43	35	78	74	4	20	16	18	34	4	3	35
AYR, . . .	32,986	34,200	38	40	78	67	11	23	30	31	61	2	13	50
TOTAL . . . (SIXTEEN TOWNS)	2,234,948	2,260,200	2623	2505	5128	4781	347	2591	1360	1302	2662	185	207	2640

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES
in the Principal Towns, JULY 1913.

TOWNS.	Birth-Rate per 1000 of Popu- lation.	Illegiti- mate Birth- Rate per 100 Births.	Marriage- Rate per 1000 of Popu- lation.	DEATH-RATES PER 1000 OF POPULATION FROM						DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.		Principal Epidemic Diseases.	Tuber- culosis.	Phthisis.	All Re- spiratory Diseases.	Number.	Rate per 1000 Births.
				Uncor- rected.	Cor- rected.						
GLASGOW, . . .	27·8	7·3	15·1	14·6	14·4	2·2	2·0	1·1	1·9	218	90
EDINBURGH, . .	21·1	7·5	13·9	13·1	12·2	0·6	1·6	1·0	1·5	44	79
DUNDEE, . . .	24·6	8·4	16·8	15·8	15·5	1·2	1·6	1·0	2·5	42	118
ABERDEEN, . .	22·7	10·2	11·7	15·7	15·3	2·0	2·2	1·1	1·2	35	102
PAISLEY, . . .	30·0	2·8	12·0	12·8	13·1	1·0	1·2	0·8	1·7	15	80
LEITH,	29·3	5·0	7·3	9·7	10·6	0·0	1·0	1·0	1·8	6	34
GREENOCK, . .	31·2	4·4	8·8	15·5	15·2	0·3	2·1	1·4	2·4	8	38
PERTH,	22·8	4·4	12·1	13·1	11·1	0·3	1·3	0·7	1·3	2	32
TOTAL . (EIGHT TOWNS)	26·2	7·1	14·0	14·3	14·0	1·6	1·8	1·1	1·8	370	86
COATBRIDGE, . .	32·0	2·5	11·7	13·0	13·6	0·8	1·1	0·3	2·4	6	50
MOTHERWELL, .	32·8	2·6	12·9	10·3	12·1	2·6	1·1	0·6	2·6	11	99
KIRKCALDY, . .	25·0	3·5	13·5	8·8	11·5	1·5	0·6	0·3	1·5	6	72
HAMILTON, . . .	32·1	6·7	12·5	9·8	12·2	2·7	1·5	0·3	1·5	9	82
CLYDEBANK, . .	36·4	2·3	9·4	9·1	11·6	1·4	1·9	0·8	1·9	13	108
KILMARNOCK, .	26·5	6·4	8·8	10·2	11·5	0·3	1·0	0·7	1·4	5	67
FALKIRK, . . .	25·8	5·1	6·6	11·2	11·6	0·3	3·0	2·3	0·7	10	127
AYR,	26·9	14·1	7·9	21·0	17·2	0·3	2·1	0·7	2·8	7	97
TOTAL . (SIXTEEN TOWNS)	26·7	6·8	13·5	13·9	13·8	1·5	1·8	1·0	1·8	437	86

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR JULY 1913, and for
the Corresponding Month of the Preceding Ten Years, in EIGHT of the
PRINCIPAL TOWNS.

MONTH.	Birth-Rate.	Illegitimate Birth- rate per 100 Births.	Marriage-Rate.	Death-Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature.
					Smallpox.	Measles.	Scarlet Fever.	Whooping- Cough.	Diphtheria and Croup.	Enteric Fever.	Diarrhoea (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
JULY 1913, .	26 2	7·1	14·0	14·0	0	104	19	50	16	3	66	86	58°·3
JULY 1912, .	27·5	8·1	15·0	15·0	0	30	13	49	21	6	90	110	58°·1
JULY 1911, .	25·1	8·4	13·2	14·5	2	43	17	73	28	6	91	107	60°·6
JULY 1910, .	25·7	7·6	12·2	13·0	0	23	19	30	28	11	56	88	56°·7
JULY 1909, .	27·1	7·8	12·1	13·7	0	31	14	57	14	6	44	87	57°·0
JULY 1908, .	29·6	7·3	13·0	14·6	0	14	7	86	10	4	-	102	58°·6
JULY 1907, .	30·1	7·0	16·1	15·5	0	28	8	103	14	11	-	101	56°·5
JULY 1906, .	28·6	7·6	15·1	15·0	0	42	6	53	17	9	-	94	57°·4
JULY 1905, .	30·4	6·7	13·8	15·5	0	67	4	84	12	5	-	112	60°·5
JULY 1904, .	29·2	7·0	13·5	15·1	6	32	11	92	10	16	-	101	58°·2
JULY 1903, .	31·3	6·5	14·4	16·1	1	40	18	66	15	26	-	119	57°·0

In Columns 5-13 for 1913, deaths and death-rates have been corrected for non-resident deaths.

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—July 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	3	-	-	-	1	-	2	-	-	-	-	-
Typhus Fever - - - - -	3	-	-	-	-	-	-	2	1	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	109	27	76	6	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	19	1	12	3	1	2	-	-	-	-	-	-
Whooping-cough - - - - -	62	23	37	1	-	-	-	1	-	-	-	-
Diphtheria and Croup - - - - -	18	2	11	4	-	-	1	-	-	-	-	-
Influenza - - - - -	4	-	-	-	-	1	-	1	-	-	1	11
Erysipelas - - - - -	8	1	-	-	-	-	2	1	-	1	2	11
Phthisis, Pulmonary Tuberculosis - - - - -	194	1	6	5	14	42	37	41	28	14	6	-
Tuberculous Meningitis - - - - -	67	12	29	12	5	5	2	1	1	-	-	-
Abdominal Tuberculosis - - - - -	38	1	19	5	1	4	3	2	1	1	1	-
Other Tuberculous Diseases - - - - -	42	2	9	5	5	6	7	2	3	1	2	-
Cancer, Malignant Disease - - - - -	210	-	-	-	1	2	-	17	42	74	49	255
Rheumatic Fever - - - - -	10	-	1	-	1	1	4	1	-	2	-	-
Meningitis - - - - -	35	12	10	5	2	1	-	2	1	1	1	-
Organic Heart Disease - - - - -	239	-	-	2	6	10	13	22	41	40	72	333
Bronchitis - - - - -	114	19	9	-	2	-	4	4	12	27	25	122
Pneumonia (all forms) - - - - -	200	32	59	3	1	3	14	20	19	25	20	44
Other Diseases of Respiratory Organs - - - - -	37	4	1	1	-	1	3	5	4	4	10	44
Diarrhoea and Enteritis (under 2 years) - - - - -	81	65	16	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	13	-	-	4	-	4	1	2	-	2	-	-
All Liver Diseases (not Malignant) - - - - -	22	-	1	-	1	-	1	7	4	4	3	11
Other Diseases of Digestive System (under 2 years) - - - - -	18	17	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	64	-	4	2	-	2	5	5	14	16	13	33
Puerperal Sepsis - - - - -	6	-	-	-	-	2	4	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	15	-	-	-	-	5	7	3	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	158	155	2	1	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	109	6	11	10	3	20	11	13	9	11	7	8
Suicide - - - - -	20	-	-	-	-	4	2	7	3	2	2	-
Other Defined Diseases - - - - -	657	51	23	9	9	20	26	59	87	95	143	135
Diseases Ill-defined or Unknown - - - - -	65	6	3	1	-	2	3	8	7	11	17	7
Total - - - - -	2640	437	340	79	53	137	152	226	277	331	374	234

GLASGOW—July 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	2	-	-	-	-	-	2	-	-	-	-	-
Typhus Fever - - - - -	3	-	-	-	-	-	-	2	1	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	81	18	57	6	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	12	-	8	2	1	1	-	-	-	-	-	-
Whooping-cough - - - - -	39	14	24	1	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	9	1	6	2	-	-	-	-	-	-	-	-
Influenza - - - - -	2	-	-	-	-	-	-	1	-	-	1	-
Erysipelas - - - - -	3	-	-	-	-	-	-	1	-	-	2	-
Phthisis, Pulmonary Tuberculosis - - - - -	94	1	5	4	6	17	18	21	9	8	5	-
Tuberculous Meningitis - - - - -	37	8	16	6	3	2	1	-	1	-	-	-
Abdominal Tuberculosis - - - - -	19	-	12	2	1	1	2	-	1	-	-	-
Other Tuberculous Diseases - - - - -	21	1	3	2	4	4	4	1	2	-	-	-
Cancer, Malignant Disease - - - - -	92	-	-	-	1	-	-	10	19	31	21	10
Rheumatic Fever - - - - -	2	-	-	-	1	-	1	-	-	-	-	-
Meningitis - - - - -	23	9	6	4	1	-	-	2	-	1	-	-
Organic Heart Disease - - - - -	77	-	-	2	1	4	4	9	13	13	19	12
Bronchitis - - - - -	61	11	5	-	-	-	1	2	6	19	13	4
Pneumonia (all forms) - - - - -	88	12	27	2	1	-	6	8	11	15	3	3
Other Diseases of Respiratory Organs - - - - -	17	2	-	1	-	1	1	3	2	1	4	2
Diarrhoea and Enteritis (under 2 years) - - - - -	44	33	11	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	4	-	-	1	-	2	1	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	10	-	1	-	1	-	-	4	1	2	-	1
Other Diseases of Digestive System (under 2 years) - - - - -	8	7	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	33	-	1	1	-	2	1	2	9	10	6	1
Puerperal Sepsis - - - - -	4	-	-	-	-	2	2	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	6	-	-	-	-	1	5	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	76	74	2	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	49	2	7	5	1	11	5	5	2	4	3	4
Suicide - - - - -	4	-	-	-	-	1	-	1	1	1	-	-
Other Defined Diseases - - - - -	284	22	13	3	3	12	17	31	40	40	59	44
Diseases Ill-defined or Unknown - - - - -	41	3	3	-	-	1	1	5	4	7	14	3
Total - - - - -	1245	218	208	44	25	62	72	108	122	152	150	84

EDINBURGH—July 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	1	-	-	-	1	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	28	-	-	-	-	8	3	6	7	4	-	-
Tuberculous Meningitis - - - - -	7	1	4	1	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	4	-	1	-	-	1	1	-	1	-	-	-
Other Tuberculous Diseases - - - - -	4	-	2	1	-	-	-	-	-	1	-	-
Cancer, Malignant Disease - - - - -	35	-	-	-	-	-	-	3	12	8	7	5
Rheumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	47	-	-	-	1	2	2	5	8	8	15	6
Bronchitis - - - - -	14	2	1	-	1	-	-	-	1	4	4	1
Pneumonia (all forms) - - - - -	19	3	7	-	-	-	1	3	-	2	3	-
Other Diseases of Respiratory Organs - - - - -	7	1	-	-	-	-	1	1	-	-	2	2
Diarrhœa and Enteritis (under 2 years) - - - - -	6	6	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	3	-	-	1	-	1	-	1	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	3	-	-	-	-	-	-	-	1	2	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	9	-	-	-	-	-	-	-	3	-	5	1
Puerperal Sepsis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	2	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	16	15	-	1	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	13	-	-	3	-	1	2	-	1	3	1	2
Suicide - - - - -	2	-	-	-	-	-	-	1	-	1	-	-
Other Defined Diseases - - - - -	96	6	1	1	2	1	2	8	17	11	18	29
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	-	2	-	-
Total - - - - -	333	44	19	8	5	15	15	29	50	47	55	46

DUNDEE—July 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	8	3	5	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	14	-	-	-	2	3	3	3	-	-	-	-
Tuberculous Meningitis - - - - -	4	-	2	1	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	3	-	1	-	-	1	-	-	-	-	1	-
Cancer, Malignant Disease - - - - -	21	-	-	-	-	-	-	1	2	11	3	4
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Meningitis - - - - -	2	-	-	-	-	1	-	-	-	-	1	-
Organic Heart Disease - - - - -	23	-	-	-	1	-	1	2	5	4	7	3
Bronchitis - - - - -	9	3	1	-	-	-	-	1	1	-	2	1
Pneumonia (all forms) - - - - -	25	6	5	1	-	2	-	2	1	5	3	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Diarrhœa and Enteritis (under 2 years) - - - - -	7	5	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years) - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	6	-	-	-	-	-	2	1	-	2	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	17	17	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	7	3	1	-	2	-	1	-	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - - - -	54	2	-	2	1	2	-	6	6	9	9	17
Diseases Ill-defined or Unknown - - - - -	6	-	-	-	-	-	1	-	1	-	1	3
Total - - - - -	218	42	19	5	7	10	9	18	19	32	29	28

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	7-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	12	2	10	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	4	-	4	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	4	-	3	1	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	15	-	-	1	1	5	1	2	3	1	1	-
Tuberculous Meningitis - - - - -	7	2	2	1	-	-	1	1	-	-	-	-
Abdominal Tuberculosis - - - - -	4	-	1	1	-	1	-	-	-	-	1	-
Other Tuberculous Diseases - - - - -	4	1	-	1	-	-	1	1	-	-	-	-
Cancer, Malignant Disease - - - - -	13	-	-	-	-	1	-	1	1	4	4	-
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	33	-	-	-	-	1	3	1	5	2	14	-
Bronchitis - - - - -	4	-	-	-	-	-	-	-	-	-	2	-
Pneumonia (all forms) - - - - -	13	2	7	-	-	-	-	-	1	-	3	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	6	6	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	3	-	-	2	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	-	-	1	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	14	14	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	6	-	-	-	-	2	-	2	1	1	-	-
Suicide - - - - -	3	-	-	-	-	2	-	-	-	-	1	-
Other Defined Diseases - - - - -	56	7	3	1	-	3	2	1	4	10	14	10
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	1	-	-	-	-	1	-
Total - - - - -	212	35	32	9	1	18	8	9	15	20	41	24

PAISLEY—July 1913.

CAUSES OF DEATH.	All Ages.	Age.											
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	3	2	1	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	6	-	-	-	-	1	1	2	2	-	-	-	-
Tuberculous Meningitis - - - - -	2	-	-	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	9	-	-	-	-	-	-	-	1	5	2	11	-
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	1	-	-	-
Meningitis - - - - -	3	1	2	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	10	-	-	-	1	-	-	3	2	-	2	22	-
Bronchitis - - - - -	5	-	1	-	-	-	1	-	-	-	1	22	-
Pneumonia (all forms) - - - - -	7	2	2	-	-	-	1	-	1	-	1	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	3	2	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	1	1	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	1	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	5	5	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	4	-	1	-	-	1	-	-	-	-	1	1	-
Suicide - - - - -	2	-	-	-	-	1	-	1	-	-	-	-	-
Other Defined Diseases - - - - -	26	2	1	-	-	1	-	1	2	2	10	7	-
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
Total - - - - -	95	15	10	2	1	4	4	11	9	9	17	13	-

LEITH—July 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	7	-	-	-	-	2	2	2	-	1	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	7	-	-	-	-	-	-	1	-	4	2	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	10	-	-	-	1	-	-	-	-	4	4	1
Bronchitis - - - - -	2	-	-	-	-	-	1	-	1	-	-	-
Pneumonia (all forms) - - - - -	9	-	-	-	-	-	2	2	1	1	3	-
Other Diseases of Respiratory Organs - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	-	-	1	-	1	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	7	1	-	1	-	1	-	2	-	1	-	1
Suicide - - - - -	2	-	-	-	-	-	2	-	-	-	-	-
Other Defined Diseases - - - - -	17	-	-	-	1	-	1	1	4	3	5	2
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Total - - - - -	72	6	1	1	2	3	9	10	6	15	15	4

GREENOCK—July 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	9	-	-	-	-	1	3	2	3	-	-	-
Tuberculous Meningitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	3	-	-	1	1	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	8	-	-	-	-	-	-	-	1	1	4	2
Rheumatic Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Meningitis - - - - -	2	-	-	-	1	-	-	-	1	-	-	-
Organic Heart Disease - - - - -	9	-	-	-	-	1	2	1	-	2	2	1
Bronchitis - - - - -	5	-	-	-	-	-	-	1	-	3	1	-
Pneumonia (all forms) - - - - -	9	2	4	-	-	-	-	1	-	-	1	1
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	-	-	-	-	-	2	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	2	-	-	-	-	-	-	1	-	1	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	-	1	1	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	5	-	1	-	-	3	1	-	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Defined Diseases - - - - -	28	2	1	1	1	-	1	2	6	3	4	7
Diseases Ill-defined or Unknown - - - - -	2	-	-	1	-	-	-	-	-	1	-	-
Total - - - - -	100	8	7	6	4	7	9	9	12	11	16	11

PERTH—July 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	1	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	-	-	-	-	-	-	1	1	1	-	-
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	2	-	-	-	-	-	1	-	-	1	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Suicide - - - - -	3	-	-	-	-	-	-	2	1	-	-	-
Other Defined Diseases - - - - -	12	-	-	-	-	-	1	1	1	1	4	4
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Total - - - - -	33	2	-	2	-	1	4	5	7	3	5	4

COATBRIDGE—July 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	1	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	2	-	1	-
Rheumatic Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Meningitis - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	4	-	-	-	-	-	1	-	1	1	1	-
Bronchitis - - - - -	2	-	1	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	6	1	1	-	-	-	1	-	1	1	2	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Puerperal Sepsis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	4	-	-	-	-	-	-	2	1	-	1	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	13	-	-	-	-	-	-	2	-	8	1	2
Diseases Ill-defined or Unknown - - - - -	3	1	-	-	-	-	-	1	1	-	-	-
Total - - - - -	50	6	5	1	1	1	6	5	6	11	6	2

MOTHERWELL—July 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	1	-	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	1	-	2	-	-
Rheumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Bronchitis - - - - -	2	-	-	-	-	-	-	-	1	1	-	-
Pneumonia (all forms) - - - - -	4	-	-	-	-	-	1	1	2	-	-	-
Other Diseases of Respiratory Organs - - - - -	3	1	-	-	-	-	-	-	1	1	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	6	6	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	9	1	1	-	-	1	-	1	1	1	3	-
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	42	11	4	-	1	2	3	5	6	7	3	-

KIRKCALDY—July 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	-	2	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	9	-	-	-	-	-	-	-	4	-	5	-
Bronchitis - - - - -	2	-	-	-	-	-	-	-	1	-	-	1
Pneumonia (all forms) - - - - -	3	1	1	-	-	-	-	1	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	-	-	-	-	-	-	1	-	1	1	-
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - - - -	7	-	-	-	-	-	-	-	2	1	3	1
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	39	6	3	-	-	1	1	2	8	5	10	3

HAMILTON—July 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	1	-	-	1	1	-	-
Rheumatic Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - - - -	4	1	2	-	-	1	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	10	-	1	-	1	-	1	1	1	2	2	1
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Total - - - - -	40	9	13	-	1	2	4	1	2	4	3	1

CLYDEBANK—July 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	1	-	-	1	-	1	-	-	-	-
Tuberculous Meningitis - - - - -	3	-	1	-	-	2	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	1	1	-	-
Bronchitis - - - - -	2	1	-	-	-	-	1	-	-	-	-	-
Pneumonia (all forms) - - - - -	5	1	1	-	-	-	-	-	2	-	1	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	1	-	-	1	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	9	2	1	-	-	-	-	3	-	1	2	-
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	1	1	-	-
Total - - - - -	42	13	9	-	-	4	1	4	5	3	3	-

KILMARNOCK—July 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	-	-	2	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	4	-	-	-	-	-	-	-	-	2	2	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	4	-	-	-	1	1	-	-	-	1	-	1
Bronchitis - - - - -	2	1	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	-	-	-	1	1	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	14	2	1	-	-	-	-	1	2	1	2	5
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	34	5	2	1	1	1	1	3	3	5	5	7

FALKIRK—July 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	7	-	-	-	2	2	2	-	1	-	-	-
Tuberculous Meningitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	1	-	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	-	-	-	-	-	-	-	-	1	2	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	2	1	-	-	-	-	1	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	-	-	-	-	-	1	-	2	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - - - -	8	3	1	-	-	-	-	-	-	1	2	1
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Total - - - - -	35	10	3	-	2	2	4	1	4	2	5	2

AYR—July 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	1	1	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	1	-	-	-	-	-	-	-	1	-
Cancer, Malignant Disease - - - - -	6	-	-	-	-	-	-	-	1	3	1	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	-	-	-	-	1	-	-	1	-	1	-
Bronchitis - - - - -	2	-	-	-	1	-	-	-	-	-	1	-
Pneumonia (all forms) - - - - -	3	-	1	-	-	-	-	2	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	3	-	-	-	-	-	1	1	-	-	1	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	1	-	-	1	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	1	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	1	-	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	14	2	-	-	-	-	1	-	1	1	5	4
Diseases Ill-defined or Unknown - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Total - - - - -	50	7	5	-	2	4	2	6	3	5	11	5

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of JULY 1913.

OBSERVERS.	Height of Station above Sea-level.	BARO-METER.		AIR TEMPERATURE.						HYGROMETER.				RAIN, AND OTHER FORMS OF PRE- CIPITATION.		WIND DIRECTIONS.											
		Mean at Station and 32°.	Mean at Sea-Level and 32°.	Mean of	Minimum (B).		Difference from Average.	Maximum and Minimum.		Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Number of Days.	Total Fall.	Difference from Average.	Number of Observations at 9 A.M. and 9 P.M.										
					Maximum (A).	Minimum (B).		Day of Month.	Minimum.								Day of Month.	N	NE	E	SE	S	SW	W	NW	Calm or Variable.	
GLASGOW, Medical Officer of Health, Glasgow.	54	29.999	30.057	67.4	51.1	59.3	+0.5	76	3, 27	42	24th	57.3	5.1	.329	70	8	1.13	-1.86	2	3	13	0	2	3	22	2	15
EDINBURGH, Professor R. A. SAMPSON, F.R.S., Royal Observatory.	441	29.585	30.059	62.5	50.3	56.4	-0.3	75	2nd	42	7th	55.3	3.5	.342	78	5	0.46	-2.14	9	12	7	2	3	4	16	4	5
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.880	30.057	66.5	50.6	58.6	-0.1	76	2nd	40	7th	56.8	2.6	.386	83	6	0.60	-2.31	4	17	7	11	4	10	2	7	0
ABERDEEN,* The Meteorological Office.	90	29.942	30.042	62.6	50.6	56.6	-0.6	70	2nd	40	9th	56.4	3.2	.364	80	13	1.07	-1.83	13	4	6	6	9	2	2	17	3
PAISLEY, DONALD MACLEAN, F.R.A.S., The Coats Observatory.	107	29.949	30.065	68.8	50.9	59.9	+1.2	79	3, 27	43	7th	59.2	4.4	.373	74	11	1.56	-1.24	8	5	6	1	5	6	22	2	7
LEITH,† JAMES BOLAM, Navigation School.	76	29.975	30.057	63.6	51.6	57.6	-0.9	75	2nd	45	7, 9	58.1	3.9	.371	76	6	0.57	-2.36	4	12	22	0	0	2	12	6	4
GREENOCK, DANIEL MACALISTER, C.E., Greenock Waterworks.	233	29.790	30.049	65.9	49.8	57.9	+0.5	73	23rd	43	8th	57.1	3.7	.360	77	9	1.61	-2.27	0	9	3	9	0	1	14	26	0
PERTH, ALEX. M. RODGER, The Museum.	85	29.959	30.052	69.4	50.4	59.9	+1.3	78	2nd	38	7th	57.7	4.3	.355	74	4	0.70	-2.32	7	3	9	7	1	11	7	15	2
Means	156	29.885	30.055	65.8	50.7	58.3	+0.2	57.2	3.8	.360	77	8	0.96	-2.04	6	8	9	5	3	5	12	10	4
North Latitude.—Glasgow, 55° 51'; Edinburgh, 55° 55'; Dundee, 56° 28'; Aberdeen, 57° 9'; Paisley, 55° 51'; Leith, 55° 58'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 11'. West Longitude.—Glasgow, 4° 13'; Edinburgh, 3° 11'; Dundee, 2° 57'; Aberdeen, 2° 7'; Paisley, 4° 27'; Leith, 3° 8'; Greenock, 4° 46'; Perth, 3° 32'; Mean, 3° 32'.																											

North Latitude.—Glasgow, 55° 51'; Edinburgh, 55° 55'; Dundee, 56° 28'; Aberdeen, 57° 9'; Paisley, 55° 51'; Leith, 55° 58'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 11'.
West Longitude.—Glasgow, 4° 13'; Edinburgh, 3° 11'; Dundee, 2° 57'; Aberdeen, 2° 7'; Paisley, 4° 27'; Leith, 3° 8'; Greenock, 4° 46'; Perth, 3° 25'; Mean, 3° 32'.

* At King's College, at 7 A.M. and 6 P.M.

† At 9 A.M. only.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN SIXTEEN OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

AUGUST 1913.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., Ltd., Bellevue.
To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

During the month of August 1913 there were registered in the Sixteen Principal Towns of Scotland, those towns which at the date of the 1911 Census had populations of over 30,000, the births of 4596 living children, of whom 2318 were male, and 2278 female. Compared with the numbers registered in July, the male children are 305 fewer, the female children 227 fewer, and the total children 532 fewer. The equivalent annual birth-rate is 24·0 per thousand of the estimated aggregate population of these towns, and is 2·7 less than that of July, 3·8 less than that of June, and 3·6 less than that of May. In these towns the birth-rate of the month varied from 32·4 in Hamilton, 30·5 in Motherwell, and 27·6 in Greenock, to 14·4 in Perth, 17·4 in Kirkcaldy, and 18·7 in Edinburgh. In Ayr the birth-rate of the month was 26·9; in Coatbridge, 26·6; in Clydebank, 26·4; in Glasgow, 26·1; in Paisley, 23·1; in Dundee, 23·0; in Falkirk, 22·5; in Leith, 21·3; in Aberdeen, 21·1; and in Kilmarnock, 19·7.

Of the 4596 living children registered, 311, or 6·8 per cent., were illegitimate. These illegitimate children are 36 fewer than registered in July, 67 fewer than in June, and 39 fewer than in May. This illegitimate rate is the same as in July, but 0·5 less than in June, while it is 0·2 more than in May. In the sixteen towns this illegitimate rate varied from 11·6 in Perth, 11·5 in Ayr, and 9·6 in Aberdeen, to 1·9 in Motherwell, 2·1 in Clydebank, and 2·8 in Hamilton. In Dundee this rate was 8·6; in Kilmarnock, 8·6; in Leith, 8·3; in Edinburgh, 7·9; in Glasgow, 6·6; in Coatbridge, 5·1; in Kirkcaldy, 5·1; in Greenock, 4·9; in Paisley, 4·8; and in Falkirk, 4·4.

Marriages registered in these towns during the month numbered 1182; they

are 1409 fewer than those registered in July, and 1228 fewer than in June, but are 516 more than in May. The equivalent annual marriage-rate is 6·2 per thousand, which is 7·3 less than the marriage-rate of July, and 6·8 less than that of June, but is 2·7 more than that of May. In the towns the marriage-rate of the month varied from 11·5 in Kilmarnock, 11·1 in Paisley, 7·5 in Aberdeen, and 7·3 in Edinburgh, to 0·6 in Clydebank, and 2·8 in Ayr. In Glasgow the marriage-rate of the month was 6·5; in Dundee, 4·8; in Coatbridge, 4·3; in Greenock, 4·2; in Perth, 4·0; in Kirkcaldy, 3·8; in Hamilton, 3·7; in Falkirk, 3·6; in Leith, 3·5; and in Motherwell, 3·4.

Deaths registered in the sixteen towns during the month numbered 2578, 1321 being of male persons, and 1257 of female. Of these deaths, 199 were of persons whose usual residence was outwith the towns of registration, but during the month the deaths of 171 persons with usual residence in one or other of the towns were registered elsewhere in Scotland, and the difference, 28, falls to be deducted from the total to get the corrected number of deaths, which is thus found to be 2550, which number is 90 less than in July, 207 less than in June, and 614 less than in May. The uncorrected death-rate of the month is 13·4, and the corrected death-rate 13·3. The former is 0·5 less than in July, 1·5 less than in June, and 3·3 less than in May; the latter is 0·5 less than in July, 1·6 less than in June, and 3·2 less than in May.

The corrected death-rate of the month in the sixteen towns varied from 15·0 in Hamilton, 14·7 in Dundee, and 14·6 in Glasgow, to 8·1 in Kilmarnock, 8·3 in Motherwell, 9·4 in Clydebank, and 9·8 in Leith. In Coatbridge the corrected death-rate of the month was 13·8; in Paisley, 13·5; in Ayr, 13·1; in Greenock, 12·9; in Perth, 12·4; in Edinburgh, 12·2; in Aberdeen, 12·2; in Kirkcaldy, 10·0; and in Falkirk, 9·9. The effect of correction is to raise the death-rate of the month in Clydebank by 2·2, in Hamilton by 1·9, in Leith by 1·3, in Motherwell by 1·1, and in Coatbridge by 1·0; and to lower the rate in Perth by 3·7, in Ayr by 2·8, in Edinburgh by 1·2, and in Falkirk by 1·0. The death-rates of Glasgow, Dundee, Aberdeen, Paisley, Greenock, Kilmarnock, and Kirkcaldy are unaffected by correction, or changed less than 1·0 thereby.

Of the deaths of residents of these towns during the month, 873, or 34·2 per cent., were of children of less than five years old, while 512, or 20·1 per cent., were of persons of over sixty-five years. The former are 96 more, and the latter 96 fewer than in the previous month.

Deaths of children of less than one year old numbered 551, and are 114 more than in July, 61 more than in June, but 44 fewer than in May. The equivalent annual infantile mortality rate is 112 per thousand births, which is 26 more than in July, and 16 more than in June, but 4 less than in May. In the individual towns this rate for the month varied from 150 in Paisley, 141 in Glasgow, and 127 in Hamilton, to 25 in Falkirk, and 42 in Coatbridge. In Dundee the infantile mortality rate of the month was 104; in Perth, 98; in Leith, 97; in Greenock, 96; in Motherwell, 81; in Aberdeen, 80; in Edinburgh, 77; in Ayr, 69; in Kilmarnock, 68; in Clydebank, 67; and in Kirkcaldy, 60.

Deaths from the principal epidemic diseases, namely, measles, scarlet fever, diphtheria and croup, whooping-cough, enteric fever, and the diarrhoeas of childhood, numbered 374. They are 82 more than in July, and 26 more than in June, but 79 fewer than in May. The equivalent annual death-rate from these causes is 2·0 per thousand, which is 0·5 more than this rate in July, and 0·1 more than in June, but is 0·4 less than in May. In the sixteen towns this rate varied from 4·9 in Hamilton, 2·7 in Glasgow, and 2·6 in Paisley and Greenock, to 0·3 in Falkirk, and 0·7 in Perth and Kilmarnock. In Clydebank it was 2·5; in Motherwell, 1·7; in

Dundee, 1·3 ; in Leith, 1·2 ; in Aberdeen, 1·0 ; in Ayr, 1·0 ; in Kirkcaldy, 0·9 ; and in Edinburgh and Coatbridge, 0·8.

Deaths from measles numbered 65, and are 44 fewer than in the previous month ; those from scarlet fever numbered 17, and are 2 fewer than in the previous month ; from whooping-cough, 42, or 20 fewer than in the previous month ; from diphtheria, 31, or 13 more than in the previous month, 17 of them being registered in Glasgow, and 8 in Aberdeen ; from enteric fever, 4, or 1 more than in the previous month ; and from the diarrhoeas of childhood 215, which is 134 more than in the previous month. The total increase of deaths from these causes is thus more than accounted for by the increase in the number of deaths from this last-named cause.

No deaths from smallpox were registered in these towns during the month. One death from typhus fever was registered ; this took place in Glasgow. Deaths from malignant disease numbered 188 ; from heart disease, 214 ; from puerperal septic conditions, 5 ; and from violent causes, 112, of which 7 were ascribed to suicide.

Deaths from pneumonia numbered 169, and constituted 6·6 per cent. of the total deaths of the month, while those from bronchitis numbered 91, and constituted 3·6 per cent. of the total ; the former are 31, and the latter 23, fewer than in the previous month. The equivalent annual death-rate from pneumonia is 0·9 per thousand, and from bronchitis, 0·5 per thousand.

Deaths from all forms of tuberculous disease numbered 332, and constituted 13·0 per cent. of the total deaths of the month ; they are 9 fewer than in July, and 32 fewer than in June. These deaths include 195 from phthisis, 57 from tuberculous meningitis, 38 from abdominal tuberculosis, and 42 from other or unspecified form of tuberculous disease. The month's deaths from phthisis are 1 more than in the previous month. The monthly death-rate from all forms of tuberculous disease was 1·7 per thousand, and from phthisis, 1·0 per thousand, the former being 0·1 less than in the previous month, but the latter being the same as in that month. The death-rate from phthisis in the sixteen towns varied from 2·3 in Falkirk, 1·3 in Dundee, and 1·2 in Glasgow, to 0·3 in Motherwell, Kirkcaldy, Clydebank, Kilmarnock, and Ayr. In Perth it was 1·0 ; in Edinburgh, 0·9 ; in Aberdeen, 0·9 ; in Paisley, 0·7 ; in Leith, 0·7 ; in Greenock, 0·6 ; in Hamilton, 0·6 ; and in Coatbridge, 0·5.

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. WATT, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

AUGUST 1913.

Mean barometric pressure, 30·023 ins.; greater than the average by 0·165 in.

Mean temperature, 58°·1 ; greater by 0°·8.

Mean daily range of temperature, 16°·1 ; greater by 2°·0.

Rain, number of days, 10 ; less by 7 days.

Rain, depth in inches, 1·28 ; less by 2·20 ins.

Wind, direction of: a 3 days' excess of winds from between NW. and NE.

Hence the month was characterised by an abnormally high mean pressure ; a rather high mean temperature, with an extremely high mean daily range ; an abnormally low mean rainfall ; and an excess of winds from a northerly quarter.

The mean pressure was 30·023 ins., or 0·165 in. above the normal, a level which has been exceeded in August during the last forty years only in 1880 and 1899. The barometer was as a rule very steady, but moderate fluctuations occurred about

8th, 13th, 21st, and 29th. At Leith, at sea-level, pressure was above 30 ins. from 1st to 7th, on 12th, from 14th to 20th, and from 25th to 28th, and the extremes there were 30·377 ins. on 18th, and 29·600 ins. on 22nd.

The mean temperature was 58°·1, or 0°·8 above the normal, the excess being almost entirely accounted for by a rather high mean day temperature. There was a moderate excess in the east, and towards north and north-west a trifling deficiency, the difference from the normal at the individual towns ranging from an excess of 2°·1 at Edinburgh to a deficiency of 0°·3 at Glasgow. For the first two or three days temperature was decidedly high, with highest readings for the month on 2nd or 3rd. Thereafter differences from the normal were on the whole unimportant, with lowest readings about 7th, 11th, and from 18th to 20th. Except on the east coast one or two rather warm days were experienced towards the close of the month. As regards the chief towns the extremes were 80° at Dundee and Perth on 2nd, and 37° at Perth on 18th and 20th.

The mean rainfall was 1·28 in., or 63 per cent. below the normal. The deficiency was well defined in all districts, and at Crieff the total for the month was less than one-fifth of the normal. As a rule the aggregates were less than those for the dry Augusts of 1899 and 1911, but here and there, as at Perth and Braemar, the month was unprecedentedly dry. The notable drought of July was prolonged until about 20th of August, except for slight breaks about 8th and 16th. On 21st rain was general, with some heavy falls in north-west and west—more than 1 in. at Glen-carron and Poltalloch, and for a day or two thereafter conditions were unsettled in the west. On 29th and 30th wet weather was experienced in the east, with as much as 1 in. at Dalkeith on 30th.

On the east coast fog was general on 29th and 30th, with a thunderstorm on 30th.

TABLE I.—ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES
in the Principal Towns, AUGUST 1913.

TOWNS.	POPULATION.		BIRTHS.						MARRIAGES.	DEATHS.					
	Census 1911.	Estimated to middle of 1913.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.	Males.		Females.	Total.	Ins.	Outs.	Total Corrected.	
GLASGOW, . . .	1,008,487	1,021,500	1150	1115	2265	2116	149	561	650	627	1277	62	72	1267	
EDINBURGH, . . .	320,769	320,800	252	256	508	468	40	198	196	168	364	27	60	331	
DUNDEE, . . .	165,004	165,900	165	159	324	296	28	67	99	105	204	9	6	207	
ABERDEEN, . . .	163,891	162,700	144	148	292	264	28	103	82	83	165	18	14	169	
PAISLEY, . . .	84,455	85,600	89	79	168	160	8	81	49	46	95	6	3	98	
LEITH, . . .	80,601	80,500	66	79	145	133	12	24	31	27	58	10	1	67	
GREENOCK, . . .	75,140	77,800	104	78	182	173	9	28	49	41	90	4	9	85	
PERTH, . . .	35,854	35,100	18	25	43	38	5	12	30	18	48	1	12	37	
TOTAL . . . (EIGHT TOWNS)	1,934,201	1,949,900	1988	1939	3927	3648	279	1074	1186	1115	2301	137	177	2261	
COATBRIDGE, . . .	43,286	43,400	48	50	98	93	5	16	21	26	47	5	1	51	
MOTHERWELL, . . .	40,380	41,000	58	48	106	104	2	12	17	8	25	4	0	29	
KIRKCALDY, . . .	39,601	40,000	32	27	59	56	3	13	16	17	33	2	1	34	
HAMILTON, . . .	38,644	38,600	57	49	106	103	3	12	16	27	43	7	1	49	
CLYDEBANK, . . .	37,548	42,800	47	49	96	94	2	2	14	12	26	10	2	34	
KILMARNOCK, . . .	34,728	34,700	28	30	58	53	5	34	13	11	24	4	4	24	
FALKIRK, . . .	33,574	35,600	27	41	68	65	3	11	17	16	33	2	5	30	
AYR, . . .	32,986	34,200	33	45	78	69	9	8	21	25	46	0	8	38	
TOTAL . . . (SIXTEEN TOWNS)	2,234,948	2,260,200	2318	2278	4596	4285	311	1182	1321	1257	2578	171	199	2550	

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES
in the Principal Towns, AUGUST 1913.

TOWNS	Birth-Rate per 1000 of Popu- lation.	Illegiti- mate Birth- Rate per 100 Births.	Marriage- Rate per 1000 of Popu- lation.	DEATH-RATES PER 1000 OF POPULATION FROM						DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.		Principal Epidemic Diseases.	Tuber- culosis.	Phthisis.	All Re- spiratory Diseases.	Number.	Rate per 1000 Births.
				Uncor- rected.	Cor- rected.						
GLASGOW, . . .	26·1	6·6	6·5	14·7	14·6	2·7	2·1	1·2	1·7	320	141
EDINBURGH, . .	18·7	7·9	7·3	13·4	12·2	0·8	1·4	0·9	1·4	43	77
DUNDEE, . . .	23·0	8·6	4·8	14·5	14·7	1·3	2·1	1·3	1·6	37	104
ABERDEEN, . .	21·1	9·6	7·5	11·9	12·2	1·0	1·2	0·9	1·7	27	80
PAISLEY, . . .	23·1	4·8	11·1	13·1	13·5	2·6	1·5	0·7	1·0	28	150
LEITH,	21·3	8·3	3·5	8·5	9·8	1·2	1·0	0·7	1·5	17	97
GREENOCK, . .	27·6	4·9	4·2	13·6	12·9	2·6	1·2	0·6	1·2	20	96
PERTH,	14·4	11·6	4·0	16·1	12·4	0·7	1·3	1·0	0·3	6	98
TOTAL . . . (EIGHT TOWNS)	23·7	7·1	6·5	13·9	13·7	2·0	1·8	1·1	1·6	498	110
COATBRIDGE, .	26·6	5·1	4·3	12·8	13·8	0·8	2·2	0·5	0·8	5	42
MOTHERWELL, .	30·5	1·9	3·4	7·2	8·3	1·7	0·3	0·3	2·0	9	81
KIRKCALDY, . .	17·4	5·1	3·8	9·7	10·0	0·9	0·6	0·3	0·6	5	60
HAMILTON, . . .	32·4	2·8	3·7	13·1	15·0	4·9	2·4	0·6	0·3	14	127
CLYDEBANK, . .	26·4	2·1	0·6	7·2	9·4	2·5	1·1	0·3	1·4	8	67
KILMARNOCK, .	19·7	8·6	11·5	8·1	8·1	0·7	1·0	0·3	1·0	5	68
FALKIRK, . . .	22·5	4·4	3·6	10·9	9·9	0·3	2·6	2·3	1·3	2	25
AYR,	26·9	11·5	2·8	15·9	13·1	1·0	0·7	0·3	1·0	5	69
TOTAL . . . (SIXTEEN TOWNS)	24·0	6·8	6·2	13·4	13·3	2·0	1·7	1·0	1·5	551	112

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR AUGUST 1913, and for
the Corresponding Month of the Preceding Ten Years, in EIGHT of the
PRINCIPAL TOWNS.

MONTH.	Birth-Rate.	Illegitimate Birth- rate per 100 Births.	Marriage-Rate.	Death-Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature.
					Smallpox.	Measles.	Scarlet Fever.	Whooping- Cough.	Diphtheria and Croup.	Enteric Fever.	Diarrhoea (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
AUG. 1913, . .	23·7	7·1	6·5	13·7	0	60	14	34	30	3	190	120	58°·1
AUG. 1912, . .	24·0	8·5	6·8	13·6	0	20	12	49	22	3	97	91	53°·6
AUG. 1911, . .	24·9	6·9	7·1	15·1	2	32	7	41	18	8	290	157	60°·7
AUG. 1910, . .	26·0	7·9	6·8	15·0	0	12	20	35	22	7	179	126	58°·1
AUG. 1909, . .	26·4	7·5	6·9	13·8	0	22	19	42	21	11	113	109	58°·1
AUG. 1908, . .	26·7	8·2	7·0	15·4	0	15	6	79	17	15	-	131	57°·1
AUG. 1907, . .	26·1	7·4	6·8	14·1	0	19	7	93	21	14	-	94	55°·0
AUG. 1906, . .	28·9	8·1	6·8	14·7	0	24	4	45	14	11	-	127	58°·5
AUG. 1905, . .	28·9	7·5	7·2	15·0	0	45	6	63	8	11	-	129	56°·8
AUG. 1904, . .	30·6	7·3	7·3	17·4	0	30	11	112	11	8	-	153	57°·5
AUG. 1903, . .	28·7	7·4	7·2	15·4	2	24	18	41	16	26	-	131	55°·5

In Columns 5-13 for 1913, deaths and death-rates have been corrected for non-resident deaths.

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—August 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	4	-	-	-	-	1	1	2	-	-	-	-
Typhus Fever - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	65	18	44	3	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	17	1	7	6	1	-	2	-	-	-	-	-
Whooping-cough - - - - -	42	13	29	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	31	4	18	7	1	1	-	-	-	-	-	-
Influenza - - - - -	2	1	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	5	1	-	-	-	-	1	-	1	1	1	-
Phthisis, Pulmonary Tuberculosis - - - - -	195	-	2	2	9	49	50	33	36	12	2	-
Tuberculous Meningitis - - - - -	57	13	29	7	5	2	-	1	-	-	-	-
Abdominal Tuberculosis - - - - -	38	7	19	4	1	3	-	2	-	2	-	-
Other Tuberculous Diseases - - - - -	42	5	8	6	4	9	2	4	3	-	1	-
Cancer, Malignant Disease - - - - -	188	-	-	1	-	1	6	20	35	67	41	17
Rheumatic Fever - - - - -	3	-	-	-	1	-	1	-	1	-	-	-
Meningitis - - - - -	48	20	14	7	-	2	2	1	2	-	-	-
Organic Heart Disease - - - - -	214	-	-	1	3	10	16	28	35	40	59	22
Bronchitis - - - - -	91	17	7	1	-	2	1	3	9	12	24	15
Pneumonia (all forms) - - - - -	169	36	35	4	2	6	15	14	16	15	15	11
Other Diseases of Respiratory Organs - - - - -	25	7	5	-	-	1	1	-	4	2	4	1
Diarrhoea and Enteritis (under 2 years) - - - - -	215	168	47	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	19	-	-	3	3	2	4	4	1	1	1	-
All Liver Diseases (not Malignant) - - - - -	21	-	-	1	-	-	-	2	4	8	3	3
Other Diseases of Digestive System (under 2 years) - - - - -	16	13	3	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	68	1	2	3	-	3	6	3	22	16	11	1
Puerperal Sepsis - - - - -	5	-	-	-	-	-	4	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	17	-	-	-	-	6	7	4	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	168	162	6	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	105	6	16	9	7	5	18	9	13	12	4	6
Suicide - - - - -	7	-	-	-	-	-	-	4	3	-	-	-
Other Defined Diseases - - - - -	612	50	26	10	14	15	32	41	65	101	127	131
Diseases Ill-defined or Unknown - - - - -	60	8	5	-	1	2	3	5	11	14	7	4
Total - - - - -	2550	551	322	75	52	120	172	181	261	304	301	211

GLASGOW—August 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75--
Enteric Fever - - - - -	2	-	-	-	-	1	-	1	-	-	-	-
Typhus Fever - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	47	14	30	3	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	6	1	2	2	-	-	1	-	-	-	-	-
Whooping-cough - - - - -	25	9	16	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	17	3	10	4	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	5	1	-	-	-	-	1	-	1	1	1	-
Phthisis, Pulmonary Tuberculosis - - - - -	105	-	2	2	4	30	22	18	17	10	-	-
Tuberculous Meningitis - - - - -	29	8	11	5	2	2	-	1	-	-	-	-
Abdominal Tuberculosis - - - - -	23	4	10	3	1	2	-	2	-	1	-	-
Other Tuberculous Diseases - - - - -	26	4	4	4	3	4	2	3	2	-	-	-
Cancer, Malignant Disease - - - - -	77	-	-	-	-	-	2	9	16	33	13	4
Rheumatic Fever - - - - -	2	-	-	-	1	-	-	-	1	-	-	-
Meningitis - - - - -	28	12	9	3	-	2	1	1	-	-	-	-
Organic Heart Disease - - - - -	87	-	-	-	1	7	9	13	18	13	21	5
Bronchitis - - - - -	53	11	5	1	-	2	1	1	5	6	15	6
Pneumonia (all forms) - - - - -	77	20	16	3	1	2	6	5	8	6	8	2
Other Diseases of Respiratory Organs - - - - -	16	6	2	-	-	1	-	-	4	-	2	1
Diarrhoea and Enteritis (under 2 years) - - - - -	133	98	35	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	8	-	-	3	1	-	1	1	1	1	-	-
All Liver Diseases (not Malignant) - - - - -	9	-	-	-	-	-	-	-	3	4	1	1
Other Diseases of Digestive System (under 2 years) - - - - -	6	5	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	31	1	1	2	-	2	2	1	13	4	5	-
Puerperal Sepsis - - - - -	2	-	-	-	-	-	2	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	10	-	-	-	-	5	3	2	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	86	85	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	56	3	9	3	5	4	11	7	6	6	1	1
Suicide - - - - -	2	-	-	-	-	-	-	1	1	-	-	-
Other Defined Diseases - - - - -	266	28	12	5	8	5	15	19	25	44	52	53
Diseases Ill-defined or Unknown - - - - -	32	7	2	-	-	2	1	3	7	6	2	2
Total - - - - -	1267	320	178	43	27	71	80	88	128	136	121	75

EDINBURGH—August 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	5	1	4	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	2	-	-	1	1	-	-	-	-	-	-	-
Whooping-cough - - - - -	3	-	3	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	25	-	-	-	1	6	8	2	6	-	2	-
Tuberculous Meningitis - - - - -	3	-	3	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	4	-	4	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	5	-	2	1	-	1	-	-	1	-	-	-
Cancer, Malignant Disease - - - - -	35	-	-	-	-	-	3	3	7	7	9	6
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	2	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	37	-	-	-	-	1	3	5	7	8	10	3
Bronchitis - - - - -	9	-	-	-	-	-	-	-	2	-	2	5
Pneumonia (all forms) - - - - -	28	4	3	-	1	1	4	2	4	4	-	5
Other Diseases of Respiratory Organs - - - - -	2	-	1	-	-	-	-	-	-	1	-	-
Diarrhœa and Enteritis (under 2 years) - - - - -	10	8	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	6	-	-	-	-	2	1	2	-	-	1	-
All Liver Diseases (not Malignant) - - - - -	5	-	-	-	-	-	-	2	1	1	-	1
Other Diseases of Digestive System (under 2 years) - - - - -	5	3	2	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	16	-	1	-	-	-	2	1	5	5	2	-
Puerperal Sepsis - - - - -	2	-	-	-	-	-	1	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	20	19	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	10	1	1	-	1	-	1	-	1	1	2	2
Suicide - - - - -	2	-	-	-	-	-	-	2	-	-	-	-
Other Defined Diseases - - - - -	91	4	2	3	2	2	5	8	6	18	20	21
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Total - - - - -	331	43	30	6	6	13	28	28	40	46	48	43

DUNDEE—August 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Influenza - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	19	-	-	-	1	4	5	5	3	1	-	-
Tuberculous Meningitis - - - - -	3	-	3	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	3	-	2	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	4	-	-	-	1	3	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	20	-	-	-	-	-	-	2	5	6	6	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	32	-	-	-	1	-	-	4	3	11	11	2
Bronchitis - - - - -	8	2	-	-	-	-	-	-	1	1	2	2
Pneumonia (all forms) - - - - -	13	2	2	-	-	-	2	-	1	1	4	1
Other Diseases of Respiratory Organs - - - - -	2	1	-	-	-	-	-	-	-	-	1	-
Diarrhœa and Enteritis (under 2 years) - - - - -	15	12	3	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	11	10	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	6	-	1	3	-	-	-	-	1	1	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	54	7	4	1	1	-	1	2	8	11	10	9
Diseases Ill-defined or Unknown - - - - -	5	-	-	-	-	-	1	-	-	1	1	2
Total - - - - -	207	37	20	6	4	8	10	14	22	33	36	17

ABERDEEN—August 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	3	-	2	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	8	-	5	1	1	1	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	13	-	-	-	1	2	5	1	4	-	-	-
Tuberculous Meningitis - - - - -	3	1	1	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	17	-	-	-	-	-	-	1	3	6	4	3
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	11	-	-	-	-	1	1	-	-	2	3	4
Bronchitis - - - - -	4	1	-	-	-	-	-	-	-	3	1	-
Pneumonia (all forms) - - - - -	18	3	7	-	-	2	2	-	1	1	2	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	5	-	-	-	-	1	-	-	-	1	3	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	13	12	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - - - -	57	8	2	-	1	2	4	1	5	9	11	14
Diseases Ill-defined or Unknown - - - - -	5	-	-	-	-	-	-	-	2	1	2	-
Total - - - - -	169	27	24	3	3	9	13	3	16	25	25	21

PAISLEY—August 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	5	-	-	-	-	2	2	-	1	-	-	-
Tuberculous Meningitis - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	1	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	6	-	-	-	-	-	-	1	1	3	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	6	5	-	-	-	-	-	-	1	-	-	-
Organic Heart Disease - - - - -	8	-	-	-	-	-	2	1	1	1	2	1
Bronchitis - - - - -	3	-	-	-	-	-	-	2	-	1	-	-
Pneumonia (all forms) - - - - -	4	1	-	-	-	-	-	-	1	1	-	1
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	13	11	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	-	-	1	1	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	5	-	-	-	-	-	-	-	1	3	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - - - -	22	-	-	-	-	-	1	2	4	3	4	8
Diseases Ill-defined or Unknown - - - - -	2	-	1	-	-	-	-	-	-	1	-	-
Total - - - - -	98	28	10	1	-	3	6	6	11	14	9	10

LEITH—August 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	5	-	-	-	1	1	1	1	-	1	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	5	-	-	-	-	-	-	1	1	-	2	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	6	-	-	-	-	1	-	1	1	-	2	1
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	10	3	2	1	-	-	-	3	-	-	-	1
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	8	8	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	1	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	1	-	1	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	18	1	1	-	1	1	1	2	2	2	5	2
Diseases Ill-defined or Unknown - - - - -	4	1	-	-	1	-	-	-	-	1	1	-
Total - - - - -	67	17	3	3	3	4	2	9	6	5	10	5

GREENOCK—August 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	4	-	-	-	-	-	1	1	2	-	-	-
Tuberculous Meningitis - - - - -	3	1	-	1	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	6	-	-	-	-	-	-	1	1	1	3	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	8	-	-	-	-	-	-	1	-	1	3	3
Bronchitis - - - - -	4	1	1	-	-	-	-	-	-	-	1	1
Pneumonia (all forms) - - - - -	4	2	1	-	-	-	1	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	9	7	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	2	-	-	-	1	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	-	-	1	-	-	-	-	-	-	-	1
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	7	-	-	1	-	-	-	-	2	3	-	1
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	18	-	3	-	-	-	1	-	1	4	7	2
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Total - - - - -	85	20	12	4	2	-	5	4	6	10	14	8

PERTH—August 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	1	2	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	5	-	-	-	-	-	-	-	-	4	-	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Organic Heart Disease - - - - -	5	-	-	-	-	-	1	1	2	-	-	1
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	3	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	11	-	-	-	-	-	1	1	1	-	3	5
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	1	-	1	-	-	-
Total - - - - -	37	6	2	-	-	1	7	2	4	4	4	7

COATBRIDGE—August 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	-	1	1	-	-	-	-
Tuberculous Meningitis - - - - -	2	-	1	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	1	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	-	-	-	-	-	1	-	-	1	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	1	1	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	4	-	-	-	-	-	-	-	2	-	2	-
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - - - -	2	-	1	-	-	-	-	1	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	1	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	4	-	1	-	-	1	1	1	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	18	2	-	-	-	-	1	2	3	2	7	1
Diseases Ill-defined or Unknown - - - - -	3	-	1	-	-	-	-	1	1	-	-	-
Total - - - - -	51	5	7	1	2	1	4	7	8	4	11	1

MOTHERWELL—August 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	1	1	-	1	-	-
Rheumatic Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	2	1	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - - - -	3	-	-	-	-	-	-	1	-	1	-	1
Other Diseases of Respiratory Organs - - - - -	2	-	1	-	-	-	1	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	5	4	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - - - -	4	-	1	-	-	-	1	-	1	-	1	-
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	29	9	4	-	-	-	4	4	2	2	1	3

KIRKCALDY—August 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	-	2	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	4	-	-	-	-	-	-	1	-	-	2	1
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	-	2	-
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	5	4	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	4	-	-	-	1	-	1	1	-	-	-	1
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	9	-	-	1	-	-	-	1	3	1	-	3
Diseases Ill-defined or Unknown - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Total - - - - -	34	5	4	2	1	1	1	3	3	4	5	5

HAMILTON—August 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	3	-	3	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	4	1	3	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	-	1	1	-	-	-	-
Tuberculous Meningitis - - - - -	5	-	4	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	1	-	-	-	-	-	1	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Hisease - - - - -	3	-	-	-	-	-	-	-	-	3	-	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Enteritis (under 2 years) - - - - -	9	8	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	-	1	-	-	-	1	-	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	8	-	-	-	-	1	-	1	2	1	1	2
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Total - - - - -	49	14	12	1	1	1	2	4	3	7	2	22

CLYDEBANK—August 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Tuberculous Meningitis - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	2	-	1	-	-	-	-	-	1	-	-	-
Pneumonia (all forms) - - - - -	2	-	1	-	-	-	-	-	-	1	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Diarrhœa and Enteritis (under 2 years) - - - - -	5	4	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	10	-	1	-	-	1	-	1	4	-	1	2
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	34	8	8	1	-	1	2	3	6	1	2	2

KILMARNOCK—August 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	1	-	-	-	-	-	-	1	-	-	-	-
Tuberculous Meningitis	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease	2	-	-	-	1	-	-	-	1	-	-	-
Bronchitis	1	1	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)	2	-	1	-	-	-	-	-	1	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years)	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	1	-	-	-	-	-	1	-	-	-	-	-
Puerperal Sepsis	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	2	-	-	-	-	-	-	-	-	1	-	1
Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases	8	-	-	-	-	1	1	-	-	3	2	1
Diseases Ill-defined or Unknown	1	-	-	-	-	-	-	-	-	1	-	-
Total	24	5	3	-	1	1	2	1	2	5	2	2

FALKIRK—August 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	7	-	-	-	1	2	2	2	-	-	-	-
Tuberculous Meningitis	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease	3	-	-	-	-	1	-	-	-	1	-	1
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease	3	-	-	1	-	-	-	-	-	1	1	-
Bronchitis	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)	4	1	-	-	-	1	-	1	-	-	1	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	3	-	-	1	-	-	1	-	1	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases	8	-	-	-	-	1	-	-	-	2	1	4
Diseases Ill-defined or Unknown	-	-	-	-	-	-	-	-	-	-	-	-
Total	30	2	1	2	1	5	3	3	1	4	3	5

AYR—August 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	-	1	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	-	1	1	-	-	-	-	1	-	-	-
Organic Heart Disease - - - - -	4	-	-	-	-	-	-	1	-	-	2	1
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	1	1	-
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	1	-	-	-	-	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	-	-	-	-	-	2	-	-	-	1	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	10	-	-	-	1	1	-	1	-	1	2	4
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	-	1	1	-
Total - - - - -	38	5	4	2	1	1	3	2	3	4	8	4

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of AUGUST 1913.

OBSERVERS.	Height of Station above Sea-level.	BARO- METER.		AIR TEMPERATURE.						HYGROMETER.				RAIN, AND OTHER FORMS OF PRE- CIPITATION.		WIND DIRECTIONS.														
		Mean at Station and 32°.	Mean at Sea-Level and 32°.	Mean of	Absolute Maximum and Minimum.				Difference from Average.	Mean of A and B (Mean Tem- perature).	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Number of Days.	Total Fall.	Difference from Average.	Number of Observations at 9 A.M. and 9 P.M.												
					Maximum (A).	Minimum (B).	Day of Month.	Minimum.										Day of Month.												
																			N	NE	E	SE	S	SW	W	NW	Calm or Variable.			
GLASGOW, Medical Officer of Health, Glasgow.	54	29.962	30.020	inch.	65.2	50.3	°	57.8	-0.3	°	75	2nd	°	41	20th	57.4	3.8	inch.	0.60	-2.88	inch.	3	4	19	1	4	7	24	0	0
EDINBURGH, Professor R. A. SAMPSON, F.R.S., Royal Observatory.	441	29.560	30.034	inch.	64.4	51.5	°	58.0	+2.1	°	76	3, 16	°	46	11th	56.3	3.3	inch.	1.44	-1.28	inch.	3	10	7	4	0	13	18	4	3
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.850	30.027	inch.	67.5	49.5	°	58.5	+1.0	°	80	2nd	°	39	7th	56.9	2.6	inch.	1.37	-1.87	inch.	1	10	3	12	5	13	7	11	0
ABERDEEN,* The Meteorological Office.	90	29.908	30.007	inch.	64.3	49.3	°	56.8	+0.3	°	76	2, 3	°	41	12th	56.2	3.1	inch.	1.33	-1.75	inch.	12	0	3	6	9	7	6	14	5
PAISLEY, DONALD MACLEAN, F.R.A.S., The Coats Observatory.	107	29.922	30.038	inch.	67.9	50.2	°	59.1	+1.1	°	78	2nd	°	44	7, 18, 20	58.3	3.5	inch.	1.32	-2.17	inch.	2	5	5	0	14	11	15	1	9
LEITH,† JAMES BOLAM, Navigation School.	76	29.934	30.016	inch.	65.5	52.2	°	58.9	+1.2	°	78	2nd	°	45	18th	59.6	4.3	inch.	1.52	-1.48	inch.	0	4	18	2	0	6	24	2	6
GREENOCK, DANIEL MACALISTER, C.E., Greenock Waterworks.	233	29.762	30.022	inch.	65.3	49.3	°	57.3	+0.2	°	72	2nd	°	41	8, 11	57.7	3.3	inch.	1.80	-3.66	inch.	0	4	7	5	0	4	29	12	1
PERTH, ALEX. M. KODGER, The Museum.	85	29.928	30.021	inch.	69.0	48.1	°	58.6	+1.0	°	80	2nd	°	37	18, 20	57.5	4.1	inch.	0.83	-2.43	inch.	6	11	5	11	1	9	3	14	2
Means	156	29.853	30.023	inch.	66.1	50.0	°	58.1	+0.8	°	75	57.5	78	10	1.28	-2.20	3	6	9	5	4	9	16	7	3					
North Latitude.—Glasgow, 55° 51'; Edinburgh, 55° 55'; Dundee, 56° 28'; Aberdeen, 57° 9'; Paisley, 55° 51'; Leith, 55° 58'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 11'. West Longitude.—Glasgow, 4° 13'; Edinburgh, 3° 11'; Dundee, 2° 57'; Aberdeen, 2° 7'; Paisley, 4° 27'; Leith, 3° 8'; Greenock, 4° 46'; Perth, 3° 25'; Mean, 3° 32'.																														

* At King's College at 7 A.M. and 6 P.M. † At 9 A.M. only.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN SIXTEEN OF THE PRINCIPAL TOWNS OF
SCOTLAND;

WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

SEPTEMBER 1913.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., Ltd., Bellevue.
To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

During the month of September 1913 there were registered in the Sixteen Principal Towns of Scotland, those towns which at the date of the 1911 Census had populations of over 30,000, the births of 4591 living children, of whom 2256 were male, and 2335 female. Compared with the number registered in the previous month, August, the male children are 62 fewer, and the total children are 5 fewer, but the female children are 57 more. The equivalent annual birth-rate is 24·7 per thousand of the estimated aggregate population of these towns, and is 0·7 more than the corresponding birth-rate of August, but 2·0 less than that of July, 3·1 less than that of June, and 2·9 less than that of May. The monthly birth-rate of the individual towns ranged from 37·0 in Coatbridge, 35·6 in Hamilton, 33·6 in Motherwell, and 31·6 in Clydebank, to 16·6 in Perth, and 19·1 in Edinburgh. In Greenock the birth-rate of the month was 28·0; in Leith, 27·4; in Kilmarnock, 26·7; in Kirkcaldy, 26·1; in Glasgow, 25·9; in Paisley, 23·9; in Ayr, 23·9; in Dundee, 21·7; in Falkirk, 21·5; and in Aberdeen, 21·4.

Of the 4591 living children registered in these towns during the month, 303, or 6·6 per cent., were illegitimate. These illegitimate children are 8 fewer than registered in these towns in August, 44 fewer than in July, 75 fewer than in June, and 47 fewer than in May. The illegitimate rate is 0·2 less than in August, 0·2 less than in July, and 0·7 less than in June, but is the same as in May. In the sixteen towns the illegitimate rate of the month ranged from 11·1 in Falkirk, 9·0 in Ayr, and 8·8 in Dundee, to 2·2 in Leith, 2·6 in Kilmarnock, and 2·7 in Clydebank. In Paisley it was 8·3; in Aberdeen, 8·0; in Glasgow, 7·1; in Edinburgh, 6·2; in Perth, 6·2; in Hamilton, 6·2; in Coatbridge, 6·1; in Motherwell, 4·4; in Kirkcaldy, 3·5; and in Greenock, 3·4.

Marriages registered in these towns during the month numbered 1762. They are 580 more than those there registered in August, and 1096 more than in May, but are 829 fewer than registered in July, and 648 fewer than in June. The

equivalent annual marriage-rate is 9·5 per thousand, which is 3·3 above that of August and 6·0 above that of May, but is 4·0 below that of July, and 3·5 below that of June. In the individual towns the marriage-rate of the month ranged from 11·6 in Edinburgh, 11·0 in Glasgow, and 10·4 in Perth, to 3·3 in Kirkcaldy, 4·6 in Kilmarnock, and 6·0 in Clydebank. In Aberdeen, it was 9·0; in Ayr, 8·2; in Leith, 7·3; in Greenock, 7·2; in Falkirk, 7·2; in Paisley, 7·0; in Hamilton, 6·6; in Coatbridge, 6·5; in Motherwell, 6·2; and in Dundee, 6·1.

Deaths registered in these towns during the month numbered 2954, of which 1530 were of males, and 1424 of females. Of these deaths 189 were of persons whose usual residence was outwith the town of registration, while the deaths of 200 persons with usual residence in one or other of these towns were registered elsewhere in Scotland, and the difference, 11, falls to be added to the crude number of deaths, to get the corrected number, which is thus found to be 2965. This corrected number of deaths of the month is 415 more than that of August, 325 more than that of July, and 208 more than that of June, but is 199 less than that of May. The uncorrected death-rate of the month is 15·9, and the corrected death-rate 16·0; the former is 2·5 more than in August, 2·0 more than in July, and 1·0 more than in June, but is 0·8 less than in May; the latter, the corrected death-rate, is 2·7 more than in August, 2·2 more than in July, and 1·1 more than in June, but is 0·5 less than in May.

In the individual towns the corrected death-rate of the month ranged from 17·5 in Dundee, 17·4 in Greenock, and 17·2 in Glasgow, to 10·7 in Motherwell, 11·2 in Kilmarnock, and 12·0 in Clydebank. In Ayr the corrected death-rate of the month was 17·1; in Aberdeen, 16·3; in Paisley, 15·4; in Hamilton, 15·1; in Falkirk, 14·7; in Kirkcaldy, 14·6; in Edinburgh, 14·3; in Perth, 13·9; in Leith, 13·3; and in Coatbridge, 12·6. The effect of correction was to raise the death-rate of Clydebank by 2·9, of Kirkcaldy by 2·7, of Paisley by 1·5, of Leith by 1·2, of Motherwell by 1·2, and of Aberdeen by 1·0, and to lower the death-rate of Ayr by 1·4, of Kilmarnock by 1·1 and of Perth, by 1·0. The effects of correction on the death-rates of Glasgow, Edinburgh, Dundee, Greenock, Coatbridge, Hamilton, and Falkirk was less than an addition or deduction of 1·0.

Of the deaths of residents of these towns during the month, 1021, or 34·4 per cent., were of children of less than five years old, and 660, or 22·3 per cent., were of persons of sixty-five and over. The former are 148 more than in August, 244 more than in July, and 150 more than in June, while the latter are 148 more than in August, 52 more than in July, and 48 more than in June.

Deaths of children of less than one year old numbered 722, and are 171 more than in August, 285 more than in July, 232 more than in June, and 127 more than in May. The excess of deaths of this age period is no doubt connected with the relatively large number of deaths from the diarrhoeas of childhood, and thus no doubt at least partly ascribable to the prolonged drought there has been during the summer. The equivalent infantile mortality rate is 153 per thousand births, and is 41 more than the corresponding rate of August, 67 more than that of July, 57 more than that of June, and 37 more than that of May. In the towns the infantile mortality rate ranged from 205 in Dundee, 167 in Glasgow, and 166 in Paisley, to 66 in Falkirk, 73 in Motherwell, and 109 in Edinburgh. In Kirkcaldy this rate was 160; in Ayr, 157; in Leith, 151; in Hamilton, 151; in Aberdeen, 148; in Clydebank, 147; in Perth, 140; in Kilmarnock, 137; in Greenock, 131; and in Coatbridge, 110.

Deaths from the principal epidemic diseases, namely, measles, scarlet fever, diphtheria, whooping-cough, enteric fever, and the diarrhoeas of childhood, numbered 469; they are 95 more than in August, 177 more than in July, 121 more than in

June, and 16 more than in May. The equivalent annual death-rate is 2·5 per thousand, which rate is 0·5 more than in August, 1·0 more than in July, 0·6 more than in June, and 0·1 more than in May. In the sixteen towns this rate ranged from 4·1 in Hamilton, 3·4 in Greenock, and 3·3 in Paisley, to 0·8 in Coatbridge, 1·0 in Edinburgh, and 1·4 in Kilmarnock and Falkirk. In Glasgow this rate was 3·0; in Kirkcaldy, 3·0; in Dundee, 2·8; in Clydebank, 2·6; in Aberdeen, 2·5; in Leith, 2·1; in Perth, 2·1; in Ayr, 2·1; and in Motherwell, 1·8.

Deaths from measles numbered 51, and are 14 fewer than in the previous month; of them 35 were registered in Glasgow. Deaths from scarlet fever numbered 22, from whooping-cough 27, and from diphtheria, 36, those from scarlet fever being 5 more, and from diphtheria 5 more, but those from whooping-cough being 15 fewer than in the previous month. Deaths from enteric fever numbered 12, and are 8 more than in August. Deaths from the diarrhoeas of childhood numbered 321, and are 106 more than in August, 240 more than in July, 276 more than in June, and 250 more than in May.

There were no deaths from smallpox registered in these towns during the month, and none from typhus fever. Deaths from cancer numbered 198; from heart disease, 241; from puerperal septic conditions, 7; and from violence, 110, 10 of them being ascribed to suicide.

Deaths from pneumonia numbered 172, constituted 5·8 per cent. of the total deaths of the month, and were 3 more than in August, while those from bronchitis numbered 126, constituted 4·2 per cent. of the total, and were 35 more than in the previous month; the equivalent annual death-rate from pneumonia is 0·9 per thousand, and from bronchitis, 0·7.

Deaths from all forms of tuberculous disease numbered 357, constituted 12·0 per cent. of the total deaths of the month, and are equal to an annual death-rate from these causes of 1·9 per thousand. These deaths are 25 more than in August. Of the deaths from tuberculosis, 227 were ascribed to phthisis, and these constituted 7·7 per cent., of the total deaths of the month, and are equal to an annual death-rate of 1·2 per thousand. The phthisis deaths are 32 more than in August. In the towns the phthisis death-rate ranged from 1·7 in Perth, 1·5 in Glasgow, and 1·4 in Falkirk and Ayr, to 0 in Hamilton, 0·4 in Dundee, and 0·6 in Clydebank and Motherwell. In Greenock this death-rate was 1·3; in Edinburgh, 1·2; in Aberdeen, 1·1; in Coatbridge, 1·1; in Kilmarnock, 1·1; in Paisley, 0·9; in Leith, 0·9; and in Kirkcaldy, 0·9.

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. WATT, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

SEPTEMBER 1913.

Mean barometric pressure, 29·992 ins.; greater than the average of 1856–1905 by 0·116 in.

Mean temperature, 54°·4; greater by 0°·8.

Mean daily range of temperature, 11°·8; less by 1°·5.

Rain, number of days, 13; less by 3 days.

Rain, depth in inches, 2·24; less by 0·92 ins.

Wind, direction of: a 9 days' excess of winds from between NE. and SE.

Hence the month was characterised by a high mean pressure; a rather high mean temperature, with a very low mean daily range; a low mean rainfall; and a large excess of winds from an easterly quarter.

The mean pressure was 29·992 ins., or 0·116 in. above the normal. The high-pressure conditions which had, in general, characterised the month of August

continued during the first ten days of September, but on 11th a disturbed type of weather set in lasting several days, and conditions were again unsettled from 23rd to 25th. At Leith, at sea-level, pressure was above 30 ins. from 1st to 10th, on 21st and 22nd, and on 29th and 30th, the extremes there being 30·495 ins. on 7th, and 29·254 ins. on 14th.

The mean temperature was 54°·4, or 0°·8 above the normal, the excess being due entirely to a very high mean night temperature. In the extreme north there was a slight deficiency, and the variations from the normal at the individual towns ranged from an excess of 1°·3 at Aberdeen to an excess of 0°·2 at Leith. During the first three weeks or so, with winds as a rule from a north-easterly or easterly point, temperature was, in general, below the normal with some decidedly cold days. Towards the end of the month, however, with a southerly type of weather, there was a well-marked temperature excess, and in several districts the mean of the fourth week was from 5° to 6° above that of the third week. As regards the chief towns the extremes were 74° at Leith on 24th and 35° at Perth on 2nd and 3rd.

The mean rainfall was 2·24 ins., or 29 per cent. below the normal. In some northern districts amounts were somewhat above the normal, and in parts of Midlothian there was a slight excess. As a rule, however, there was a shortage,—very decided in some western districts. Thus Greenock had less than one-half its normal rainfall, and Fort-William little more than one-third. The month's totals were largely accounted for between 11th and 16th when some very heavy falls occurred, and outside that period the only amounts of much importance were registered on 22nd, 23rd and 25th. Falls exceeding 1 inch occurred at Fort-William and elsewhere on 11th; at Crathes, in some parts of Midlothian, and here and there in the south on 13th; at Gordon Castle on 15th; and at Montrose on 16th.

A thunderstorm occurred somewhat widely in west and towards the north on the afternoon of 14th.

Considerable amounts of fog and mist were experienced and sunshine amounts were in most districts considerably below the normal.

TABLE I.—ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES
in the Principal Towns, SEPTEMBER 1913.

TOWNS.	POPULATION.		BIRTHS.						MARRIAGES.	DEATHS.					
	Census 1911.	Estimated to middle of 1913.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.	Males.		Females.	Total.	Ins.	Outs.	Total Corrected.	
GLASGOW, . . .	1,008,487	1,021,500	1040	1130	2170	2015	155	926	765	686	1451	62	69	1444	
EDINBURGH, . . .	320,769	320,800	255	247	502	471	31	306	196	203	399	36	59	376	
DUNDEE, . . .	165,004	165,900	132	164	296	270	26	83	113	127	240	7	9	238	
ABERDEEN, . . .	163,891	162,700	144	142	286	263	23	120	90	115	205	24	11	218	
PAISLEY, . . .	84,455	85,600	91	77	168	154	14	49	55	43	98	11	1	108	
LEITH, . . .	80,601	80,500	88	93	181	177	4	48	36	44	80	10	2	88	
GREENOCK, . . .	75,140	77,800	103	76	179	173	6	46	71	45	116	4	9	111	
PERTH, . . .	35,854	35,100	20	23	48	45	3	30	22	21	43	3	6	40	
TOTAL . . (EIGHT TOWNS)	1,934,201	1,949,900	1873	1957	3830	3568	262	1608	1348	1284	2632	157	166	2623	
COATBRIDGE, . .	43,286	43,400	70	62	132	124	8	23	23	21	44	3	2	45	
MOTHERWELL, . .	40,380	41,000	53	60	113	108	5	21	15	17	32	4	0	36	
KIRKCALDY, . . .	39,601	40,000	38	48	86	83	3	11	24	15	39	9	0	48	
HAMILTON, . . .	38,644	38,600	61	52	113	106	7	21	29	17	46	6	4	48	
CLYDEBANK, . . .	37,548	42,800	59	52	111	108	3	21	22	10	32	11	1	42	
KILMARNOCK, . .	34,728	34,700	37	39	76	74	2	13	18	17	35	3	6	32	
FALKIRK, . . .	33,574	35,600	36	27	63	56	7	21	21	21	42	6	5	43	
AYR, . . .	32,986	34,200	29	38	67	61	6	23	30	22	52	1	5	48	
TOTAL . . (SIXTEEN TOWNS)	2,234,948	2,260,200	2256	2335	4591	4288	303	1762	1530	1424	2954	200	189	2965	

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES
in the Principal Towns, SEPTEMBER 1913.

TOWNS.	Birth-Rate per 1000 of Popu- lation.	Illegiti- mate Birth- Rate per 100 Births.	Marriage- Rate per 1000 of Popu- lation.	DEATH-RATES PER 1000 OF POPULATION FROM						DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.		Principal Epidemic Diseases.	Tuber- culosis.	Phthisis.	All Re- spiratory Diseases.	Number.	Rate per 1000 Births.
				Uncor- rected.	Cor- rected.						
GLASGOW, . . .	25·9	7·1	11·0	17·3	17·2	3·0	2·2	1·5	2·2	362	167
EDINBURGH, . .	19·1	6·2	11·6	15·2	14·3	1·0	1·7	1·2	1·9	59	109
DUNDEE, . . .	21·7	8·8	6·1	17·6	17·5	2·8	1·3	0·4	1·5	70	205
ABERDEEN, . .	21·4	8·0	9·0	15·3	16·3	2·5	1·7	1·1	1·2	48	148
PAISLEY, . . .	23·9	8·3	7·0	13·9	15·4	3·3	2·3	0·9	1·7	30	166
LEITH,	27·4	2·2	7·3	12·1	13·3	2·1	1·4	0·9	1·2	26	151
GREENOCK, . .	28·0	3·4	7·2	18·2	17·4	3·4	1·9	1·3	1·3	26	131
PERTH,	16·6	6·2	10·4	14·9	13·9	2·1	2·8	1·7	0·7	8	140
TOTAL . (EIGHT TOWNS)	23·9	6·8	10·0	16·4	16·4	2·6	2·0	1·3	1·9	629	158
COATBRIDGE, .	37·0	6·1	6·5	12·3	12·6	0·8	2·5	1·1	1·4	13	110
MOTHERWELL, .	33·6	4·4	6·2	9·5	10·7	1·8	1·5	0·6	0·9	8	73
KIRKCALDY, . .	26·1	3·5	3·3	11·9	14·6	3·0	1·2	0·9	1·5	13	160
HAMILTON, . .	35·6	6·2	6·6	14·5	15·1	4·1	0·9	0·0	1·3	16	151
CLYDEBANK, . .	31·6	2·7	6·0	9·1	12·0	2·6	1·1	0·6	1·7	17	147
KILMARNOCK, .	26·7	2·6	4·6	12·3	11·2	1·4	1·4	1·1	1·1	10	137
FALKIRK, . . .	21·5	11·1	7·2	14·3	14·7	1·4	2·0	1·4	2·0	5	66
AYR,	23·9	9·0	8·2	18·5	17·1	2·1	2·9	1·4	1·8	11	157
TOTAL . (SIXTEEN TOWNS)	24·7	6·6	9·5	15·9	16·0	2·5	1·9	1·2	1·8	722	153

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR SEPTEMBER 1913, and for
the Corresponding Month of the Preceding Ten Years, in EIGHT of the
PRINCIPAL TOWNS.

MONTH.	Birth-Rate.	Illegitimate Birth- rate per 100 Births.	Marriage-Rate.	Death-Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature.
					Smallpox.	Measles.	Scarlet Fever.	Whooping- Cough.	Diphtheria and Croup.	Enteric Fever.	Diarrhoea (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
SEPT. 1913, .	23·9	6·8	10·0	16·4	0	48	15	21	30	10	290	158	54°·4
SEPT. 1912, .	24·0	8·0	8·6	13·2	0	2	5	28	30	4	61	91	51°·3
SEPT. 1911, .	23·7	7·6	8·6	15·9	0	13	12	40	37	8	265	162	54°·1
SEPT. 1910, .	24·6	7·3	7·8	14·9	0	7	21	36	43	8	184	133	54°·5
SEPT. 1909, .	25·5	7·9	7·9	14·2	0	11	25	24	34	11	100	104	51°·7
SEPT. 1908, .	26·6	8·0	7·9	15·1	0	10	10	56	26	9	-	130	54°·2
SEPT. 1907, .	25·6	7·1	8·6	14·4	0	14	4	67	12	9	-	107	54°·6
SEPT. 1906, .	26·4	7·4	8·0	16·4	0	11	12	41	18	20	-	151	55°·2
SEPT. 1905, .	26·9	7·2	7·6	15·1	0	19	13	38	26	18	-	118	53°·3
SEPT. 1904, .	28·1	6·9	8·0	16·6	1	15	11	74	19	23	-	143	53°·6
SEPT. 1903, .	28·5	6·7	8·0	16·6	0	24	11	38	22	27	-	140	53°·2

In Columns 5-13 for 1913, deaths and death-rates have been corrected for non-resident deaths.

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—September 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	12	-	-	-	-	4	3	4	-	1	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	51	14	37	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	22	2	8	6	3	1	2	-	-	-	-	-
Whooping-cough - - - - -	27	11	15	1	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	26	3	20	9	2	1	-	-	1	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	6	1	-	-	-	-	1	1	-	1	1	-
Phthisis, Pulmonary Tuberculosis - - - - -	227	2	2	6	10	37	61	48	32	20	9	-
Tuberculous Meningitis - - - - -	53	16	23	7	1	4	1	-	1	-	-	-
Abdominal Tuberculosis - - - - -	38	13	10	6	1	5	-	1	1	1	-	-
Other Tuberculous Diseases - - - - -	39	3	4	2	4	12	5	5	2	-	1	-
Cancer, Malignant Disease - - - - -	198	-	1	-	-	-	7	16	38	62	57	17
Rheumatic Fever - - - - -	12	-	-	-	1	2	3	3	-	2	1	-
Meningitis - - - - -	53	25	14	3	2	5	1	-	2	1	-	-
Organic Heart Disease - - - - -	241	-	-	1	3	11	12	19	35	55	74	31
Bronchitis - - - - -	126	20	9	1	-	2	-	5	15	21	31	22
Pneumonia (all forms) - - - - -	172	34	26	5	-	6	11	22	15	27	16	10
Other Diseases of Respiratory Organs - - - - -	39	9	4	1	-	3	1	4	3	5	4	5
Diarrhoea and Enteritis (under 2 years) - - - - -	321	261	60	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	18	1	2	3	2	4	1	2	1	2	-	-
All Liver Diseases (not Malignant) - - - - -	24	1	-	-	-	-	-	3	4	8	6	2
Other Diseases of Digestive System (under 2 years) - - - - -	22	22	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	92	2	3	4	1	6	4	8	21	23	16	4
Puerperal Sepsis - - - - -	7	-	-	-	-	2	4	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	17	-	-	-	-	5	7	5	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	218	217	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	100	3	9	6	2	11	13	15	14	13	10	4
Suicide - - - - -	10	-	-	-	1	-	-	4	2	1	1	1
Other Defined Diseases - - - - -	719	56	41	12	7	18	27	51	81	114	175	137
Diseases Ill-defined or Unknown - - - - -	65	6	10	-	-	-	2	10	5	9	13	10
Total - - - - -	2965	722	299	73	40	139	166	227	273	366	415	245

GLASGOW—September 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	5	-	-	-	-	1	1	2	-	1	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	35	10	25	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	7	-	3	3	-	-	1	-	-	-	-	-
Whooping-cough - - - - -	17	7	9	1	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	15	1	10	2	2	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	4	1	-	-	-	-	1	1	-	-	-	1
Phthisis, Pulmonary Tuberculosis - - - - -	127	1	2	6	6	18	33	27	21	10	3	-
Tuberculous Meningitis - - - - -	30	9	12	3	1	3	1	-	1	-	-	-
Abdominal Tuberculosis - - - - -	13	6	4	2	-	-	-	-	1	-	-	-
Other Tuberculous Diseases - - - - -	14	1	1	1	3	4	2	1	-	-	1	-
Cancer, Malignant Disease - - - - -	94	-	-	-	-	-	4	9	20	37	21	3
Rheumatic Fever - - - - -	7	-	-	-	1	-	2	1	-	2	1	-
Meningitis - - - - -	31	16	8	-	1	4	1	-	1	-	-	-
Organic Heart Disease - - - - -	102	-	-	-	-	4	7	11	17	25	28	10
Bronchitis - - - - -	69	9	7	-	-	-	-	5	9	12	19	8
Pneumonia (all forms) - - - - -	100	20	13	1	-	4	4	15	12	16	10	5
Other Diseases of Respiratory Organs - - - - -	14	4	1	1	-	1	1	1	2	1	-	2
Diarrhoea and Enteritis (under 2 years) - - - - -	173	134	39	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	7	-	1	1	-	3	1	1	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	12	1	-	-	-	-	-	3	1	3	3	1
Other Diseases of Digestive System (under 2 years) - - - - -	8	8	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	47	-	2	2	1	2	3	3	14	10	10	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	10	-	-	-	-	4	5	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	108	108	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	45	-	4	3	1	3	5	7	11	6	3	2
Suicide - - - - -	4	-	-	-	1	-	-	1	1	1	-	-
Other Defined Diseases - - - - -	313	22	20	10	4	9	12	18	35	54	81	48
Diseases Ill-defined or Unknown - - - - -	33	4	6	-	-	-	-	7	2	4	7	3
Total - - - - -	1444	362	167	36	21	60	84	114	148	182	187	83

EDINBURGH—September 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	6	2	4	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	4	1	2	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	5	-	2	1	-	1	-	-	1	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	32	-	-	-	-	5	6	10	6	2	3	-
Tuberculous Meningitis - - - - -	3	-	2	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	8	1	1	-	1	2	-	1	2	-	-	-
Cancer, Malignant Disease - - - - -	33	-	-	-	-	-	1	-	6	9	10	7
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	1	1	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	39	-	-	-	-	4	2	2	5	9	14	3
Bronchitis - - - - -	16	5	-	-	-	1	-	-	1	5	1	3
Pneumonia (all forms) - - - - -	23	3	1	1	-	1	4	3	1	5	1	3
Other Diseases of Respiratory Organs - - - - -	11	2	-	-	-	1	-	2	1	1	3	1
Diarrhoea and Enteritis (under 2 years) - - - - -	9	8	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	2	-	-	-	1	-	-	-	1	-	-	-
All Liver Diseases (not Malignant) - - - - -	5	-	-	-	-	-	-	-	1	2	2	-
Other Diseases of Digestive System (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	11	-	-	1	-	1	-	1	2	2	3	1
Puerperal Sepsis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	23	23	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	8	-	1	1	-	3	-	1	-	1	1	-
Suicide - - - - -	2	-	-	-	-	-	-	-	1	-	-	1
Other Defined Diseases - - - - -	122	10	5	-	1	4	1	9	11	21	30	30
Diseases Ill-defined or Unknown - - - - -	6	-	2	-	-	-	-	2	-	1	-	1
Total - - - - -	376	59	22	7	3	23	16	31	39	58	68	50

DUNDEE—September 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	2	-	-	-	-	2	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	6	1	-	-	-	1	-	2	2	-	-	-
Tuberculous Meningitis - - - - -	3	-	2	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	8	2	-	1	-	4	-	1	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - - - - -	18	-	-	-	-	-	1	1	2	4	7	3
Rheumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	26	-	-	-	-	1	1	1	3	4	12	4
Bronchitis - - - - -	7	2	1	-	-	1	-	-	-	1	1	1
Pneumonia (all forms) - - - - -	12	5	3	-	-	-	-	1	-	3	-	-
Other Diseases of Respiratory Organs - - - - -	2	1	-	-	-	-	-	-	-	1	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	35	32	3	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	2	-	1	-	-	-	-	-	-	1	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System (under 2 years) - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	7	1	-	-	-	1	-	-	-	3	1	1
Puerperal Sepsis - - - - -	2	-	-	-	-	1	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	3	-	-	-	-	1	2	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	18	17	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	8	-	1	-	-	1	1	1	-	1	3	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	60	6	5	-	1	-	3	5	9	6	14	11
Diseases Ill-defined or Unknown - - - - -	9	-	1	-	-	-	1	-	1	2	1	3
Total - - - - -	238	70	19	3	1	15	10	13	17	27	39	24

ABERDEEN—September 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	4	-	1	-	2	1	-	-	-	-	-	-
Whooping-cough - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	8	-	5	3	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	15	-	-	-	-	3	5	1	1	3	2	-
Tuberculous Meningitis - - - - -	4	-	2	2	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	3	-	-	2	1	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - - - - -	20	-	-	-	-	-	1	1	4	2	9	3
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	4	2	1	-	-	-	-	-	-	1	-	-
Organic Heart Disease - - - - -	25	-	-	-	-	1	1	2	3	8	7	3
Bronchitis - - - - -	3	-	-	-	-	-	-	-	1	-	-	2
Pneumonia (all forms) - - - - -	10	1	3	1	-	1	-	2	-	2	-	-
Other Diseases of Respiratory Organs - - - - -	3	2	-	-	-	-	-	-	-	-	-	1
Diarrhoea and Enteritis (under 2 years) - - - - -	19	15	4	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	3	1	-	-	-	1	-	1	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	5	-	1	-	-	-	-	1	-	1	1	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	18	18	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	10	-	1	-	-	1	2	1	-	2	1	2
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - - - -	55	6	2	-	-	1	2	6	4	10	8	16
Diseases Ill-defined or Unknown - - - - -	4	1	-	-	-	-	-	-	-	1	1	1
Total - - - - -	218	48	21	8	3	9	12	16	13	30	29	29

PAISLEY—September 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	6	-	-	-	-	3	-	2	-	1	-	-
Tuberculous Meningitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	5	1	-	-	-	3	1	-	-	-	-	-
Cancer, Malignant Disease - - - - -	4	-	-	-	-	-	-	2	-	1	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	4	3	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	8	-	-	-	2	-	-	-	2	-	2	2
Bronchitis - - - - -	8	1	-	1	-	-	-	-	-	2	2	2
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs - - - - -	3	-	-	-	-	-	-	-	-	1	1	1
Diarrhoea and Enteritis (under 2 years) - - - - -	19	16	3	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	2	-	-	2	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	3	-	-	-	-	-	-	-	1	1	1	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	-	-	1	-	-	-	2	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	26	-	1	1	-	1	2	4	2	4	8	3
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Total - - - - -	108	30	10	5	2	7	3	10	5	11	17	8

LEITH—September 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	4	-	4	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	6	-	-	-	1	-	3	-	1	1	-	-
Tuberculous Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	-	2	1	-
Rheumatic Fever - - - - -	2	-	-	-	-	1	-	1	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	11	-	-	-	-	-	1	1	-	3	3	3
Bronchitis - - - - -	7	-	-	-	-	-	-	-	2	-	3	2
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	10	9	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	5	-	-	1	-	-	-	-	1	2	-	1
Puerperal Sepsis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	9	9	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	5	2	-	-	-	-	1	-	1	1	-	-
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - - - -	15	2	-	-	-	-	1	1	4	2	3	2
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Total - - - - -	88	26	5	1	1	1	6	7	9	12	11	9

GREENOCK—September 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	8	-	-	-	1	1	6	-	-	-	-	-
Tuberculous Meningitis - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	5	-	-	-	-	-	-	-	-	3	1	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	-	-	-	-	1	-	-	1	-	-	-
Organic Heart Disease - - - - -	8	-	-	-	-	1	-	-	1	2	3	1
Bronchitis - - - - -	2	-	-	-	-	-	-	-	1	-	1	-
Pneumonia (all forms) - - - - -	4	-	1	1	-	-	-	-	-	-	2	-
Other Diseases of Respiratory Organs - - - - -	2	-	1	-	-	-	-	1	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	21	17	4	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	1	-	1	-	-	1	-
Puerperal Sepsis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	-	-	2	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	7	7	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	7	-	1	1	-	1	1	1	1	-	1	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	31	-	-	1	-	2	1	2	5	3	10	7
Diseases Ill-defined or Unknown - - - - -	2	-	1	-	-	-	-	-	1	-	-	-
Total - - - - -	111	26	10	4	1	7	9	7	11	8	19	9

PERTH—September 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	2	-	-	-	-	1	-	1	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Phthisis, Pulmonary Tuberculosis - - - - -	5	-	-	-	-	1	2	2	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	-	1	-	-	-	-	-	-	1	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	-	1	2	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	-	-	-	1	-	1	-	-	-	1	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	13	1	-	-	-	1	-	-	1	3	3	4
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Total - - - - -	40	8	2	-	1	3	3	3	1	6	7	6

COATBRIDGE—September 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	4	-	-	-	2	-	-	1	-	1	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	-	-	-	-	-	2	-	-	-	-
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	2	-	-	1	-	-	-	-	-	1	-	-
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	4	2	1	-	-	-	1	-	-	-	1	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	-	1	1	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	-	1	-	-	1	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	13	3	1	-	-	-	-	-	2	3	3	1
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Total - - - - -	45	13	6	2	2	-	3	4	3	6	5	1

MOTHERWELL—September 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	1	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Bronchitis - - - - -	2	-	-	-	-	-	-	-	1	1	-	-
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	-	-	-	1	2	-	-
Puerperal Sepsis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	11	1	-	-	-	-	-	1	1	1	5	2
Diseases Ill-defined or Unknown - - - - -	2	1	-	-	-	-	1	-	-	-	-	-
Total - - - - -	36	8	3	2	-	3	4	1	4	4	5	2

KIRKCALDY—September 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	1	-	1	1	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	1	-	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	8	-	-	-	1	-	-	-	-	1	2	4
Bronchitis - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	3	1	-	-	-	-	-	-	-	-	1	1
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	7	5	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	1	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	4	-	-	-	-	-	-	2	1	1	-	-
Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Defined Diseases - - - - -	8	1	-	-	1	-	2	-	2	-	1	1
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	48	13	4	1	3	1	2	3	6	3	6	6

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	3	-	3	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	1	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	1	1	-	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Hisease - - - - -	2	-	-	-	-	-	-	-	2	-	-	-
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	6	5	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	8	8	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	10	-	-	-	-	-	-	1	-	3	3	3
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Total - - - - -	48	16	12	-	-	2	-	3	3	4	4	4

CLYDEBANK—September 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	1	-	-	1	-	-	-
Tuberculous Meningitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	1	1	1	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	2	-	-	-	-	-	2	-	-	-	-	-
Bronchitis - - - - -	3	1	1	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - - - -	3	-	-	-	-	-	-	1	1	1	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Enteritis (under 2 years) - - - - -	7	6	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	9	3	2	-	-	2	1	1	-	-	-	-
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Total - - - - -	42	17	5	-	-	1	5	5	4	3	1	1

KILMARNOCK—September 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	2	1	-	-	1	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	1	1	-	-	-	1	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	2	-	-	-	-	-	-	-	1	-	-	1
Other Diseases of Respiratory Organs - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	1	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - - - -	8	1	1	-	-	-	-	-	1	2	2	1
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	32	10	4	-	1	2	1	2	4	3	3	2

FALKIRK—September 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	2	-	-	-	-	-	1	1	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	4	-	-	-	-	1	1	2	-	-	-	-
Tuberculous Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	4	-	-	-	-	-	-	-	1	1	2	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	4	-	-	-	-	-	-	-	1	1	1	1
Bronchitis - - - - -	3	-	-	-	-	-	-	-	-	-	3	-
Pneumonia (all forms) - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	1	-	-	-	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	15	-	2	-	-	-	1	2	1	1	2	6
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	43	5	5	1	-	2	3	5	3	4	8	7

CAUSES OF DEATH (corrected for Transfers).

AYR—September 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	4	-	-	-	-	1	2	-	-	1	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	1	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	-	1	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	5	-	1	-	-	-	-	1	1	1	1	-
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	-	-	2	-
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - - - -	4	1	-	1	-	-	2	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	5	4	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	10	-	2	-	-	-	-	1	2	1	2	2
Diseases Ill-defined or Unknown - - - - -	3	-	-	-	-	-	-	-	-	1	1	1
Total - - - - -	48	11	4	3	1	3	5	3	3	5	6	4

ABSTRACT OF METEOROLOGICAL OBSERVATIONS
Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of SEPTEMBER 1913.

OBSERVERS.	Height of Station above Sea-level.	BARO-METER.		AIR TEMPERATURE.							HYGROMETER.				RAIN, AND OTHER FORMS OF PRE- CIPITATION.		WIND DIRECTIONS.												
		Mean at Station and 32°.	Mean at Sea-Level and 32°.	Mean of	Mean of A and B (Mean Tem- perature).			Difference from Average.	Absolute Maximum and Minimum.			Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.	Number of Days.	Total Fall.	Difference from Average.	Number of Observations at 9 A.M. and 9 P.M.										
					Maximum (A).	Minimum (B).	Minimum (B).		Maximum (A).	Day of Month.	Minimum.								Day of Month.	Maximum.	N	NE	E	SE	S	SW	W	NW	Calm or Variable.
GLASGOW, Medical Officer of Health, Glasgow.	54	29.937	29.996	61.9	48.7	55.3	+1.0	71	2nd	53.6	2.4	.344	83	14	2.15	-1.13	2	15	12	2	1	2	4	0	22				
EDINBURGH, Professor R. A. SAMPSON, F.R.S., Royal Observatory.	441	29.519	29.995	58.4	48.9	53.7	+0.9	71	24th	53.0	2.0	.347	86	14	2.17	0.00	1	15	6	8	12	5	7	2	4				
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.837	30.016	59.9	48.2	54.1	+0.6	67	7th	53.1	1.6	.360	89	11	2.21	-0.36	2	19	20	3	3	4	8	1	0				
ABERDEEN,* The Meteorological Office.	90	29.894	29.994	59.5	49.1	54.3	+1.3	67	11th	53.2	1.5	.363	90	15	2.05	-0.66	8	7	9	10	9	5	2	4	6				
PAISLEY, DONALD MACLEAN, F.R.A.S., The Coats Observatory.	107	29.866	29.984	61.5	48.8	55.2	+0.8	71	24th	53.8	2.4	.348	84	15	2.32	-1.38	2	16	8	4	6	4	3	0	17				
LEITH,† JAMES BOLAM, Navigation School.	76	29.906	29.989	59.4	49.6	54.5	+0.2	74	24th	54.7	2.4	.360	84	15	2.47	+0.23	4	10	20	6	2	2	10	2	4				
GREENOCK, DANIEL MACALISTER, C.E., Greenock Waterworks.	233	29.705	29.965	60.4	47.8	54.1	+0.7	68	24th	53.6	2.2	.350	85	11	2.68	-3.10	0	10	19	10	0	8	9	1	3				
PERTH, ALEX. M. RODGER, The Museum.	85	29.903	29.997	61.8	46.6	54.2	+0.9	70	28th	53.0	2.2	.342	85	10	1.84	-0.99	5	14	16	0	1	14	5	1	4				
Means	156	29.821	29.992	60.3	48.5	54.4	+0.8	53.5	2.1	.352	86	13	2.24	-0.92	3	13	14	5	4	6	6	1	8				
North Latitude.—Glasgow, 55° 51'; Edinburgh, 55° 55'; Dundee, 56° 28'; Aberdeen, 57° 9'; Paisley, 55° 51'; Leith, 55° 58'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 11'. West Longitude.—Glasgow, 4° 13'; Edinburgh, 3° 11'; Dundee, 2° 57'; Aberdeen, 2° 7'; Paisley, 4° 27'; Leith, 3° 8'; Greenock, 4° 46'; Perth, 3° 25'; Mean, 3° 32'.																													

* At King's College at 7 A.M. and 6 P.M.

† At 9 A.M. only.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN SIXTEEN OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

OCTOBER 1913.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., Ltd., Bellevue.
To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

During the month of October 1913 there were registered in the Sixteen Principal Towns of Scotland, those towns which at the date of the 1911 Census had populations of over 30,000, the births of 5076 living children, of whom 2600 were male, and 2476 female. Compared with the returns for September, the male children are 344 more, the female 141 more, and the total 485 more. The equivalent annual birth-rate is 26·5 per thousand of the estimated aggregate populations of these towns, a rate which is 1·8 more than that of September, and 2·5 more than that of August, but is 0·2 less than that of July, 1·3 less than that of June, and 1·1 less than that of May. In the individual towns the monthly birth-rate ranged from 35·8 in Clydebank, 32·3 in Coatbridge, 31·8 in Greenock, and 31·1 in Hamilton, to 17·1 in Perth, 19·3 in Edinburgh, and 20·4 in Ayr. In Motherwell, this rate was 30·2; in Glasgow, 29·6; in Kilmarnock, 25·1; in Falkirk, 24·5; in Aberdeen, 24·1; in Paisley 23·7; in Dundee, 23·0; in Leith, 23·0; and in Kirkcaldy, 20·6.

Of the 5076 births registered during the month, 348, or 6·9 per cent., were illegitimate. These illegitimate births are 45 more than registered in September, 37 more than in August, and 1 more than in July, but are 30 fewer than in June, and 2 fewer than in May. The illegitimate rate of the month is 0·3 more than that of September, 0·3 more than that of May, and 0·1 more than that of July, 0·1 more than that of August, but 0·4 less than that of June. In the individual towns this rate for the month ranged from 10·2 in Dundee, 9·1 in Edinburgh, and 8·5 in Ayr, to 2·3 in Clydebank, 2·9 in Hamilton, and 3·9 in Perth. In Aberdeen, this rate was 8·4; in Kirkcaldy, 7·1; in Glasgow, 6·8; in Falkirk, 6·8; in Coatbridge, 6·7; in Kilmarnock, 5·4; in Leith, 5·1; in Motherwell, 4·8; in Greenock, 4·3; and in Paisley, 4·1.

Marriages registered in these towns during the month numbered 1372. They are 390 fewer than registered in September, 1219 fewer than in July, and 1038 fewer than in June, but are 190 more than in August, and 706 more than in May. The

marriage-rate of the month is 7·2 per thousand, which is 2·3 less than that of September, 6·3 less than that of July, and 5·8 less than that of June, but is 1·0 more than that of August, and 3·7 more than that of May. In the individual towns the marriage-rate of the month ranged from 8·4 in Glasgow, 8·1 in Dundee, and 7·4 in Edinburgh and Perth, to 2·2 in Clydebank, 2·7 in Coatbridge, and 3·8 in Kirkcaldy. In Greenock, it was 7·3; in Hamilton, 6·4; in Ayr, 6·2; in Aberdeen, 5·9; in Leith, 4·8; in Paisley, 4·4; in Motherwell, 4·3; in Kilmarnock, 4·1; and in Falkirk, 4·0.

Deaths registered in these towns during the month numbered 2819, 1450 being of males, and 1369 of females. Of these deaths 204 were of persons whose usual residence was outwith the town of registration, but 146 deaths of residents of these towns were registered elsewhere in Scotland, and the difference, 58, falls to be deducted from the crude number to obtain the corrected number, which is thus found to be 2761. The corrected number of deaths of the month is 204 less than in September, and 403 less than in May, but is 211 more than in August, 121 more than in July, and 4 more than in June. The uncorrected death-rate of the month is 14·7 per thousand, and the corrected death-rate, 14·4. The uncorrected monthly death-rate is 1·2 less than that of September, 0·2 less than that of June, and 2·0 less than that of May, but is 1·3 more than that of August, and 0·8 more than that of July. The corrected death-rate is 1·6 less than that of September, 0·5 less than that of June, and 2·1 less than that of May, but is 1·1 more than that of August, and 0·6 more than that of July.

In the individual towns the monthly death-rate, corrected, ranged from 17·6 in Coatbridge, 16·9 in Dundee, and 16·8 in Greenock, to 8·5 in Clydebank, 10·3 in Ayr, and 11·8 in Edinburgh. In Hamilton the corrected death-rate of the month was 15·3; in Glasgow, 15·1; in Aberdeen, 14·8; in Leith, 14·2; in Perth, 14·1; in Paisley, 13·9; in Motherwell, 13·5; in Kirkcaldy, 13·5; in Kilmarnock, 11·9; and in Falkirk, 11·9. The effect of correction is to raise the death-rate of Clydebank by 2·2, of Kirkcaldy by 1·4, of Leith by 1·3, of Hamilton by 1·3, and of Motherwell by 1·1; but to lower that of Edinburgh by 1·5, of Ayr by 1·4, of Perth by 1·3, of Kilmarnock by 1·3, and of Falkirk by 1·0. The effects of correction on the death-rates of Glasgow, Dundee, Aberdeen, Paisley, Greenock, and Coatbridge, were additions or deductions of less than 1·0.

Of the deaths among residents of these towns 916, or 33·2 per cent., were of children of less than five years old, and 594 of persons of over sixty-five. The former are 105 fewer than in September, but are 43 more than in August, 45 more than in June, and 139 more than in July. The latter are 66 fewer than in September, 18 fewer than in June, and 14 fewer than in July, but are 82 more than in August.

Deaths of children of less than one year old numbered 608. They are 114 fewer than in September, but are 57 more than in August, 171 more than in July, 118 more than in June, and 13 more than in May. The equivalent infantile mortality rate is 117 per thousand births, and is 36 less than in September, but 5 more than in August, 31 more than in July, 21 more than in June, and 1 more than in May. In the towns this rate ranged from 220 in Coatbridge, 199 in Dundee, and 146 in Aberdeen, to 45 in Leith, 53 in Perth, and 83 in Clydebank. In Hamilton this rate was 138; in Kirkcaldy, 131; in Ayr, 127; in Greenock, 122; in Motherwell, 115; in Glasgow, 114; in Paisley, 112; in Kilmarnock, 93; in Falkirk, 90; and in Edinburgh, 71.

Deaths from the principal epidemic diseases, namely, measles, scarlet fever, diphtheria, whooping-cough, enteric fever, and the diarrhoeas of childhood, numbered 345; they are 124 fewer than in September, 29 fewer than in August, 3 fewer than in June, and 108 fewer than in May, but are 53 more than in July. The equivalent annual death-rate from these causes is 1·8 per thousand, which is 0·7 less than in

September, 0·6 less than in May, 0·2 less than in August, and 0·1 less than in June, but is 0·3 more than in July. In the sixteen towns this rate ranged from 3·2 in Motherwell, 3·1 in Hamilton, and 2·8 in Aberdeen, to 0·3 in Perth and Ayr, and 0·8 in Paisley. In Dundee this rate was 2·5; in Kirkcaldy, 2·1; in Greenock, 2·0; in Glasgow, 1·9; in Clydebank, 1·7; in Kilmarnock, 1·7; in Falkirk, 1·7; in Leith, 1·6; in Coatbridge, 1·1; and in Edinburgh, 1·0.

Deaths from measles numbered 63, and are 12 more than in the previous month; of them 47 were registered in Glasgow. Deaths from scarlet fever numbered 47, and are 25 more than in the previous month; of them 16 were registered in Glasgow, and 11 in Aberdeen. Deaths from whooping-cough numbered 17, and from enteric fever 14, the former being 10 fewer, but the latter 2 more than in September. Deaths from diphtheria numbered 53, 19 being registered in Glasgow, and 14 in Aberdeen; in September deaths from diphtheria numbered 36. Deaths from the diarrhoeas of childhood, which in the previous month numbered 321, amount to 151, the reduction being one of 170; these deaths in Dundee numbered 28, and in Aberdeen 14, but in Edinburgh only 9.

No deaths from either smallpox or typhus fever were registered in these towns during the month. Deaths from cancer numbered 175; from heart disease, 190; from puerperal septic infection, 5; and from violence, 119, of which 9 were attributed to suicide.

Deaths from pneumonia numbered 233, and constituted 8·4 of the total deaths of the month, while those from bronchitis numbered 140, and constituted 5·1 per cent. of the total. The former are 61, and the latter 14, more than in September. The former are equal to an annual death-rate of 1·2 per thousand, and the latter to one of 0·7.

Deaths from all forms of tuberculous disease numbered 312, constituted 11·3 per cent. of the total of the month, and are equal to an annual death-rate of 1·6 per thousand. These deaths, which are 45 fewer than in September, include 204 from phthisis, which number constitutes 7·4 per cent. of the total of the month, and is 23 less than in September. The death-rate from phthisis averaged 1·1 per thousand, and varied from 2·1 in Hamilton, 1·5 in Greenock, 1·4 in Kilmarnock, and 1·3 in Glasgow, to 0 in Perth, Kirkcaldy, and Ayr. In Leith, this rate was 1·2; in Dundee, 1·1; in Edinburgh, 1·0; in Paisley, 0·8; in Clydebank, 0·8; in Motherwell, 0·6; in Aberdeen, 0·5; in Coatbridge, 0·5; and in Falkirk, 0·3.

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. WATT, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

OCTOBER 1913.

Mean barometric pressure, 29·793 ins.; less than the average of 1856–1905 by 0·027 in.

Mean temperature, 50°·3; greater than the average by 3°·4.

Mean daily range of temperature, 10°·5; less by 1°·1.

Rain, number of days, 18; greater by 1 day.

Rain, depth in inches, 1·92; less by 1·52 in.

Wind, direction of: a large deficiency of winds from W. and N.W., counter-balanced by a 4 days' excess of winds from some easterly point and a 4 days' excess of winds from S. and S.W.

Hence the month was characterised by a slightly low mean pressure; an abnormally high mean temperature, with a rather low mean daily range; a low mean rainfall; and a large excess of easterly and also of southerly winds.

The mean pressure was 29·793 ins., or 0·027 in. below the normal. Pressure

was on the whole somewhat irregular, especially during the last two weeks of the month. From 21st to 23rd there was a rise of nearly 1 in., followed by a steady fall until 30th, when the lowest readings of the month were recorded. At Leith, at sea-level, the extremes were 30·230 ins. on 23rd and 29·118 ins. on 30th, and pressure there was above sea-level on 1st and 2nd, 10th, 12th and 13th, 15th and 16th, and on 23rd and 24th.

The mean temperature was 50°·3, or 3°·4 above the normal, the days being 2°·8 and the nights 3°·9 above their respective averages. The temperature excess was well defined in all districts, and the month was one of the mildest Octobers on record, though much less mild than October 1908, when there was a mean excess of more than 6°. During the first ten days or so, with winds from north-east and east, temperature was somewhat low. Thereafter until 22nd a very mild south-westerly type of weather prevailed, and for the week ending 18th one or two western stations had means above the normal by as much as 9°. A touch of wintry weather with northerly winds on 23rd and 24th was again followed by comparatively mild conditions. As regards the chief towns, the extremes were 66° at Leith on 19th and 30° at Perth on 10th, 23rd, and 24th.

The mean rainfall was 1·92 in., or 44 per cent. below the normal. In the extreme north-west fully the average amount was recorded, but as a rule there was a well-marked deficiency, and Aberdeen, Perth, and Glasgow had only one-half, or less than one-half, of their normal amounts. At Aberdeen, Edinburgh, and Leith more than one-half of the month's moderate totals were accounted for between 4th and 8th. At the western towns considerable falls occurred on the 13th—as much as 1·32 in. at Greenock,—and moderate falls on 19th and 20th and from 24th to 30th. In the north-west Glencarron registered as much as 2·69 ins. on 24th, and more than 1 in. on 13th and 19th. As regards the chief towns, though the number of rain-days was fully equal to the normal, the average fall per rain-day was very small.

Somewhat stormy weather was experienced on 13th and 14th, and on 23rd snow and hail occurred in some exposed districts.

Thunderstorms occurred here and there in the west on 21st, and somewhat widely in the east on 29th.

TABLE I.—ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES
in the Principal Towns, OCTOBER 1913.

TOWNS.	POPULATION.		BIRTHS.					MARRIAGES.	DEATHS.					
	Census 1911.	Estimated to middle of 1913.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.	Ins.	Outs.	Total Corrected.
GLASGOW, . . .	1,008,487	1,021,500	1342	1228	2570	2395	175	732	688	632	1320	56	70	1306
EDINBURGH, . . .	320,769	320,800	260	266	526	478	48	200	203	159	362	25	66	321
DUNDEE, . . .	165,004	165,900	157	167	324	291	33	114	126	122	248	1	11	238
ABERDEEN, . . .	163,891	162,700	172	161	333	305	28	82	95	113	208	15	18	205
PAISLEY, . . .	84,455	85,600	86	86	172	165	7	32	44	60	104	0	3	101
LEITH, . . .	80,601	80,500	85	72	157	149	8	33	49	39	88	12	3	97
GREENOCK, . . .	75,140	77,800	110	100	210	201	9	48	56	53	114	1	4	111
PERTH, . . .	35,854	35,100	27	24	51	49	2	22	21	25	46	1	5	42
TOTAL . . . (EIGHT TOWNS)	1,934,201	1,949,900	2239	2104	4343	4033	310	1263	1282	1208	2490	111	180	2421
COATBRIDGE, . .	43,286	43,400	62	57	119	111	8	10	39	25	64	3	2	65
MOTHERWELL, . .	40,380	41,000	47	53	105	100	5	15	21	22	43	4	0	47
KIRKCALDY, . . .	39,601	40,000	29	41	70	65	5	13	18	23	41	5	0	46
HAMILTON, . . .	33,644	38,600	54	48	102	99	3	21	21	25	46	7	3	50
CLYDEBANK, . . .	37,548	42,800	65	65	130	127	3	8	11	12	23	9	1	31
KILMARNOCK, . .	34,723	34,700	34	40	74	70	4	12	16	23	39	4	8	35
FALKIRK, . . .	33,574	35,600	40	34	74	69	5	12	24	15	39	1	4	36
AYR, . . .	32,986	34,200	30	29	59	54	5	18	18	16	34	2	6	30
TOTAL . . . (SIXTEEN TOWNS)	2,234,943	2,269,200	2600	2476	5076	4728	348	1372	1450	1369	2819	146	204	2761

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES
in the Principal Towns, OCTOBER 1913.

TOWNS.	Birth-Rate per 1000 of Popu- lation.	Illegiti- mate Birth- Rate per 100 Births.	Marriage- Rate per 1000 of Popu- lation.	DEATH-RATES PER 1000 OF POPULATION FROM						DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.		Principal Epidemic Diseases.	Tuber- culosis.	Phthisis.	All Re- spiratory Diseases.	Number.	Rate per 1000 Births.
				Uncor- rected.	Cor- rected.						
GLASGOW, . . .	29·6	6·8	8·4	15·2	15·1	1·9	2·0	1·3	2·1	294	114
EDINBURGH, . .	19·3	9·1	7·4	13·3	11·8	1·0	1·4	1·0	2·1	39	71
DUNDEE, . . .	23·0	10·2	8·1	17·6	16·9	2·5	1·7	1·1	2·6	70	199
ABERDEEN, . .	24·1	8·4	5·9	15·1	14·8	2·8	1·0	0·5	2·2	49	146
PAISLEY, . . .	23·7	4·1	4·4	14·3	13·9	0·8	1·1	0·8	1·8	21	112
LEITH,	23·0	5·1	4·8	12·9	14·2	1·6	1·9	1·2	1·6	8	45
GREENOCK, . .	31·8	4·3	7·3	17·3	16·8	2·0	2·0	1·5	2·4	25	122
PERTH,	17·1	3·9	7·4	15·4	14·1	0·3	0·7	0·0	1·3	3	53
TOTAL . . . (EIGHT TOWNS)	26·2	7·1	7·6	15·1	14·6	1·8	1·7	1·1	2·1	509	115
COATBRIDGE, . .	32·3	6·7	2·7	17·4	17·6	1·1	1·4	0·5	4·6	27	220
MOTHERWELL, .	30·2	4·8	4·3	12·4	13·5	3·2	0·6	0·6	2·9	13	115
KIRKCALDY, . .	20·6	7·1	3·8	12·1	13·5	2·1	0·6	0·0	1·8	11	131
HAMILTON, . . .	31·1	2·9	6·4	14·0	15·3	3·1	2·7	2·1	0·9	15	138
CLYDEBANK, . .	35·8	2·3	2·2	6·3	8·5	1·7	1·4	0·8	1·1	10	83
KILMARNOCK, .	25·1	5·4	4·1	13·2	11·9	1·7	1·4	1·4	1·4	7	93
FALKIRK, . . .	24·5	6·8	4·0	12·9	11·9	1·7	0·7	0·3	1·7	7	90
AYR,	20·4	8·5	6·2	11·7	10·3	0·3	0·0	0·0	3·1	9	127
TOTAL . . . (SIXTEEN TOWNS)	26·5	6·9	7·2	14·7	14·4	1·8	1·6	1·1	2·1	608	117

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR OCTOBER 1913, and for
the Corresponding Month of the Preceding Ten Years, in EIGHT of the
PRINCIPAL TOWNS.

MONTH.	Birth-Rate.	Illegitimate Birth- rate per 100 Births.	Marriage-Rate.	Death-Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature.
					Smallpox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria and Croup.	Enteric Fever.	Diarrhoea (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
OCT. 1913, . .	26·2	7·1	7·6	14·6	0	57	36	15	45	13	130	115	50°·3
OCT. 1912, . .	26·8	7·0	7·7	15·6	0	2	16	30	43	3	61	115	46°·6
OCT. 1911, . .	24·6	8·2	7·7	16·2	0	36	32	21	41	5	109	132	46°·0
OCT. 1910, . .	25·0	7·6	7·3	14·5	0	5	21	29	57	9	104	115	50°·1
OCT. 1909, . .	25·2	6·9	6·2	13·4	0	25	24	13	41	8	68	97	48°·1
OCT. 1908, . .	27·4	7·3	6·4	15·0	0	6	16	58	36	6	-	123	53°·1
OCT. 1907, . .	29·3	7·0	8·0	15·7	0	60	9	60	23	10	-	113	47°·9
OCT. 1906, . .	29·6	7·6	8·3	18·3	0	18	15	52	32	20	-	151	48°·9
OCT. 1905, . .	28·5	7·1	7·6	17·5	0	63	10	35	28	17	-	125	44°·7
OCT. 1904, . .	28·8	6·5	8·1	16·8	0	25	12	83	26	23	-	141	48°·5
OCT. 1903, . .	29·2	6·3	7·2	16·9	1	51	17	29	16	27	-	137	48°·0

In Columns 5-13 for 1913, deaths and death-rates have been corrected for non-resident deaths.

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—October 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	14	-	-	3	2	2	3	4	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	63	12	47	4	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	47	2	22	16	4	1	-	1	1	-	-	-
Whooping-cough - - - - -	17	6	11	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	53	13	23	12	3	1	1	-	-	-	-	-
Influenza - - - - -	2	-	-	-	-	-	-	-	-	-	-	2
Erysipelas - - - - -	14	2	-	-	-	-	-	2	2	3	4	-
Phthisis, Pulmonary Tuberculosis - - - - -	204	1	8	3	7	40	70	38	23	10	4	-
Tuberculous Meningitis - - - - -	37	10	17	6	4	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	38	14	11	2	-	6	3	2	-	-	-	-
Other Tuberculous Diseases - - - - -	33	3	7	3	3	3	4	4	1	3	2	-
Cancer, Malignant Disease - - - - -	175	-	-	-	-	2	5	10	41	52	45	22
Rheumatic Fever - - - - -	10	-	-	-	-	4	-	-	1	2	3	-
Meningitis - - - - -	48	17	18	4	-	1	-	2	4	1	1	-
Organic Heart Disease - - - - -	190	2	1	4	8	4	11	25	30	45	36	22
Bronchitis - - - - -	140	27	9	-	-	1	-	9	16	19	30	22
Pneumonia (all forms) - - - - -	233	57	48	6	-	8	15	24	20	30	18	-
Other Diseases of Respiratory Organs - - - - -	36	2	5	-	1	1	-	5	4	3	9	-
Diarrhoea and Enteritis (under 2 years) - - - - -	151	121	30	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	11	-	-	2	1	2	2	1	2	1	-	-
All Liver Diseases (not Malignant) - - - - -	31	-	-	-	-	1	3	2	9	8	7	-
Other Diseases of Digestive System (under 2 years) - - - - -	15	14	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	84	-	6	1	1	3	4	10	19	16	19	-
Puerperal Sepsis - - - - -	5	-	-	-	-	2	1	2	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	20	-	-	-	-	4	10	6	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	226	225	-	1	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	110	9	18	8	5	11	10	9	13	10	8	-
Suicide - - - - -	9	-	-	-	-	-	2	3	4	-	-	-
Other Defined Diseases - - - - -	671	65	19	13	3	17	23	52	80	116	146	133
Diseases Ill-defined or Unknown - - - - -	74	6	7	1	1	1	2	3	10	22	14	-
Total - - - - -	2761	608	308	89	43	115	169	214	280	341	348	241

GLASGOW—October 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	77
Enteric Fever - - - - -	7	-	-	-	1	-	2	4	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	47	11	32	4	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	16	-	7	7	2	-	-	-	-	-	-	-
Whooping-cough - - - - -	14	5	9	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	19	6	8	4	-	1	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	9	2	-	-	-	-	-	2	2	2	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	111	-	5	2	5	20	44	19	12	3	1	-
Tuberculous Meningitis - - - - -	19	8	6	2	3	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	19	7	7	1	-	2	-	2	-	-	-	-
Other Tuberculous Diseases - - - - -	23	3	6	2	2	2	2	2	1	3	-	-
Cancer, Malignant Disease - - - - -	79	-	-	-	-	1	2	4	19	28	18	-
Rheumatic Fever - - - - -	4	-	-	-	-	2	-	-	1	-	1	-
Meningitis - - - - -	28	11	9	2	-	1	-	1	3	1	-	-
Organic Heart Disease - - - - -	79	1	1	1	4	3	6	9	14	17	14	-
Bronchitis - - - - -	61	9	3	-	-	1	-	6	7	12	13	11
Pneumonia (all forms) - - - - -	108	28	20	2	-	4	9	11	8	12	10	-
Other Diseases of Respiratory Organs - - - - -	13	1	4	-	-	-	-	3	-	-	3	-
Diarrhoea and Enteritis (under 2 years) - - - - -	62	48	14	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	6	-	-	-	1	1	1	1	1	1	-	-
All Liver Diseases (not Malignant) - - - - -	14	-	-	-	-	1	-	1	3	7	2	-
Other Diseases of Digestive System (under 2 years) - - - - -	9	9	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	40	-	2	1	-	1	2	5	7	9	11	-
Puerperal Sepsis - - - - -	5	-	-	-	-	2	1	2	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	5	-	-	-	-	-	3	2	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	113	113	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	65	6	12	7	4	4	5	6	6	7	3	-
Suicide - - - - -	6	-	-	-	-	-	1	2	3	-	-	-
Other Defined Diseases - - - - -	288	23	8	6	2	7	14	26	39	55	56	-
Diseases Ill-defined or Unknown - - - - -	36	3	3	-	1	1	1	1	4	12	6	-
Total - - - - -	1806	294	156	41	25	54	93	109	130	169	139	9

EDINBURGH—October 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	3	-	-	-	-	2	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	5	1	4	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	2	-	-	-	1	-	-	-	1	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	7	-	5	2	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	3	-	-	-	-	-	-	-	-	-	3	-
Phthisis, Pulmonary Tuberculosis - - - - -	27	-	1	-	-	6	7	8	2	1	2	-
Tuberculous Meningitis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	4	-	-	-	-	1	3	-	-	-	-	-
Other Tuberculous Diseases - - - - -	4	-	-	-	-	-	2	1	-	-	1	-
Cancer, Malignant Disease - - - - -	34	-	-	-	-	1	-	2	6	8	11	6
Rheumatic Fever - - - - -	2	-	-	-	-	1	-	-	-	-	1	-
Meningitis - - - - -	2	-	1	-	-	-	-	1	-	-	-	-
Organic Heart Disease - - - - -	30	-	-	-	-	-	-	6	2	9	8	5
Bronchitis - - - - -	21	-	2	-	-	-	-	-	-	4	6	9
Pneumonia (all forms) - - - - -	28	4	3	1	-	1	4	4	4	4	3	-
Other Diseases of Respiratory Organs - - - - -	8	-	-	-	-	-	-	2	1	2	2	1
Diarrhœa and Enteritis (under 2 years) - - - - -	9	8	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	7	-	-	-	-	-	1	-	2	1	3	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	13	-	-	-	-	-	2	2	3	2	3	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	1	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	17	16	-	1	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	12	1	1	-	-	2	-	1	3	-	2	2
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	76	9	1	1	-	2	1	7	7	7	20	21
Diseases Ill-defined or Unknown - - - - -	2	-	1	-	-	-	-	-	-	1	-	-
Total - - - - -	321	39	22	6	1	17	22	34	31	39	65	45

DUNDEE—October 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	4	2	1	1	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	16	-	2	-	1	2	6	2	1	1	1	-
Tuberculous Meningitis - - - - -	3	-	2	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	4	2	2	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	15	-	-	-	-	-	1	-	6	3	3	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	17	-	-	1	-	1	3	3	4	4	-	1
Bronchitis - - - - -	12	5	1	-	-	-	-	-	2	1	2	1
Pneumonia (all forms) - - - - -	24	11	7	-	-	-	-	-	2	-	3	1
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Diarrhœa and Enteritis (under 2 years) - - - - -	28	22	6	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	2	-	-	-	-	1	-	-	1	-	-	-
All Liver Diseases (not Malignant) - - - - -	3	-	-	-	-	-	1	-	1	-	1	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	7	-	1	-	-	1	-	-	3	2	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	19	19	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	4	2	1	-	-	-	-	-	-	-	1	-
Suicide - - - - -	2	-	-	-	-	-	-	1	1	-	-	-
Other Defined Diseases - - - - -	68	5	2	-	-	1	-	3	14	14	17	12
Diseases Ill-defined or Unknown - - - - -	3	1	1	-	-	-	-	-	-	-	1	-
Total - - - - -	238	70	29	5	1	6	11	9	35	25	29	18

ABERDEEN—October 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	11	2	4	4	-	-	-	1	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	14	1	7	4	1	-	1	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	7	-	-	-	1	3	1	1	1	-	-	-
Tuberculous Meningitis - - - - -	4	-	2	1	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	-	-	-	1	-	1	-	-	-	-
Cancer, Malignant Disease - - - - -	7	-	-	-	-	-	-	1	1	2	3	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	5	2	2	-	-	-	-	-	-	-	1	-
Organic Heart Disease - - - - -	14	-	-	-	1	-	-	1	3	2	3	-
Bronchitis - - - - -	15	5	1	-	-	-	-	1	1	-	3	-
Pneumonia (all forms) - - - - -	14	1	4	-	-	-	1	1	1	4	1	-
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	-	-	-	-	1	1	-
Diarrhoea and Enteritis (under 2 years) - - - - -	14	11	3	-	-	-	-	-	-	-	-	-
Appendicitis and Typhilitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	8	-	-	-	1	-	-	-	3	-	3	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	3	-	-	-	-	1	-	2	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	19	19	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	60	8	3	3	-	1	1	3	1	10	16	14
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	1	1	-	-	-
Total - - - - -	205	49	28	13	5	6	4	13	13	19	31	24

PAISLEY—October 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	6	-	-	-	-	1	3	1	1	-	-	-
Tuberculous Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	7	-	-	-	-	-	-	1	3	2	1	-
Rheumatic Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	12	-	-	-	1	-	1	2	2	4	1	11
Bronchitis - - - - -	6	-	-	-	-	-	-	-	-	1	3	2
Pneumonia (all forms) - - - - -	5	-	1	-	-	1	-	2	-	1	-	-
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	1	-	-	1	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	5	4	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhilitis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	-	1	-	1	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	1	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	11	11	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	30	3	1	1	1	1	2	3	5	9	3	-
Diseases Ill-defined or Unknown - - - - -	2	-	1	-	-	-	-	-	1	-	-	-
Total - - - - -	101	21	6	1	3	5	7	8	12	16	16	6

LEITH—October 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	3	-	3	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	2	-	-	1	-	1	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	8	-	-	-	-	1	2	3	-	2	-	-
Tuberculous Meningitis - - - - -	3	-	1	2	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	1	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	10	-	-	-	-	-	2	-	1	1	4	2
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Organic Heart Disease - - - - -	13	1	-	2	-	-	1	1	2	3	3	-
Bronchitis - - - - -	2	-	1	-	-	-	-	-	1	-	-	-
Pneumonia (all forms) - - - - -	8	1	1	1	-	1	1	1	1	1	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Diarrhoea and Enteritis (under 2 years) - - - - -	5	3	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	1	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	1	-	-	-	-	-	-	-	-	1
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	27	2	-	-	-	1	-	2	3	9	4	6
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	2	-	-	-
Total - - - - -	97	8	10	8	-	5	7	9	11	17	13	9

GREENOCK—October 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	3	-	2	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	10	1	-	1	-	1	2	2	2	1	-	-
Tuberculous Meningitis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	-	1	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	5	2	3	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	8	-	-	-	-	-	-	1	2	2	2	1
Bronchitis - - - - -	6	3	-	-	-	-	-	1	1	-	1	-
Pneumonia (all forms) - - - - -	9	1	5	1	-	-	-	-	1	-	1	-
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	7	5	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	1	-	-	1	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	-	2	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	8	8	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	9	-	-	1	-	2	1	1	2	1	1	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	23	2	-	1	-	-	2	3	2	-	8	5
Diseases Ill-defined or Unknown - - - - -	8	-	1	-	-	-	1	1	1	-	3	1
Total - - - - -	111	25	17	5	1	4	8	9	12	5	18	7

CAUSES OF DEATH (corrected for Transfers).

PERTH—October 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	1	1	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	4	-	-	-	1	-	-	-	-	-	1	2
Bronchitis - - - - -	2	-	-	-	-	-	-	-	-	-	1	1
Pneumonia (all forms) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	1	-	1	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	1	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	4	-	-	-	-	-	1	1	2	-	-	-
Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Defined Diseases - - - - -	14	-	-	-	-	1	-	1	2	1	-	9
Diseases Ill-defined or Unknown - - - - -	3	-	-	-	-	-	-	-	-	1	-	2
Total - - - - -	42	3	1	-	2	1	3	2	7	3	6	14

COATBRIDGE—October 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	1	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	3	-	1	-	-	2	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	3	-	-	-	-	-	-	1	-	-	2	-
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	3	-	-	-	-	-	-	1	1	-	1	-
Bronchitis - - - - -	5	3	1	-	-	-	-	1	1	-	-	-
Pneumonia (all forms) - - - - -	11	6	3	1	-	-	-	1	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Diarrhoea and Enteritis (under 2 years) - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	9	9	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	19	5	1	1	-	1	1	1	-	3	3	3
Diseases Ill-defined or Unknown - - - - -	3	-	-	-	-	-	-	-	1	2	-	-
Total - - - - -	65	27	6	2	1	5	2	4	3	5	7	3

MOTHERWELL—October 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	5	-	4	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	1	-	1	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	2	1	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - - - -	7	1	1	-	-	-	-	2	1	2	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	12	1	1	-	-	1	-	1	2	3	1	2
Diseases Ill-defined or Unknown - - - - -	3	-	-	1	-	-	-	-	-	2	-	-
Total - - - - -	47	13	7	2	1	2	1	5	3	8	2	3

KIRKCALDY—October 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	-	-	1	1	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	6	-	-	-	-	-	-	-	1	2	1	2
Rheumatic Fever - - - - -	2	-	-	-	-	-	-	-	1	2	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Bronchitis - - - - -	2	-	-	-	-	-	-	-	1	-	-	1
Pneumonia (all forms) - - - - -	3	-	2	-	-	-	-	1	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	4	3	1	-	-	-	-	-	1	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	1	-	-	-	1	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	10	1	-	-	-	-	-	1	3	3	2	-
Diseases Ill-defined or Unknown - - - - -	4	2	-	-	-	-	-	-	-	1	1	-
Total - - - - -	46	11	7	1	1	-	2	2	6	9	4	3

HAMILTON—October 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	4	-	4	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	7	-	-	-	-	2	1	1	2	1	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	3	1	-	-	-	-	-	-	1	1	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	1	1	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	13	2	-	-	-	1	-	1	-	1	5	3
Diseases Ill-defined or Unknown - - - - -	3	-	-	-	-	-	-	-	-	1	2	-
Total - - - - -	50	15	6	-	-	4	3	4	3	4	8	3

CLYDEBANK—October 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	2	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	1	2	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	3	1	-	-	-	-	-	-	1	1	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	1	-	-	-	1	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	6	2	-	-	-	-	1	-	-	2	1	-
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	31	10	5	1	-	3	2	-	2	6	1	1

KILMARNOCK—October 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	3	-	1	1	1	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	1	-	-	-	-	-	2	-	2	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	4	-	-	-	-	-	2	-	2	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	1
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	-	-	-	3	1	-
Organic Heart Disease - - - - -	4	-	-	-	-	-	-	-	1	-	-	1
Bronchitis - - - - -	2	-	-	-	-	-	-	-	1	-	-	-
Pneumonia (all forms) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Diarrhœa and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	-	1	-	-	-	-	2	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	6	-	1	-	-	-	1	1	1	-	1	1
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	-	-	1	1	-
Total - - - - -	35	7	3	1	1	1	3	3	5	4	4	3

FALKIRK—October 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	1	1	-	-
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Meningitis - - - - -	2	-	-	2	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	2	-	-	-	1	-	-	1	-	-	-	-
Bronchitis - - - - -	2	-	-	-	-	-	-	-	1	1	-	-
Pneumonia (all forms) - - - - -	3	-	-	-	-	-	-	-	-	2	-	1
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhœa and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	9	-	-	-	-	-	-	-	2	2	2	3
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Total - - - - -	36	7	3	3	1	-	-	1	5	8	3	5

CAUSES OF DEATH (corrected for Transfers).

AYR—October 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	2	1	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - - - -	5	1	-	-	-	1	-	1	-	2	-	-
Other Diseases of Respiratory Organs - - - - -	2	-	-	-	-	-	-	-	-	-	-	2
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	1	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	1	-	-	-	-	-	1
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	10	2	1	-	-	-	1	-	1	1	1	3
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	30	9	2	-	-	2	1	2	2	4	2	6

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of OCTOBER 1913.

OBSERVERS.	BARO-METER.		AIR TEMPERATURE.							HYGROMETER.				RAIN, AND OTHER FORMS OF PRECIPITATION.		WIND DIRECTIONS.												
	Mean at Station and 32°.		Mean of		Mean of A and B (Mean Temperature).		Difference from Average.		Absolute Maximum and Minimum.			Mean at 9 A.M. and 9 P.M.		Number of Days.	Total Fall.	Difference from Average.	Number of Observations at 9 A.M. and 9 P.M.											
	feet.	inch.	°	°	°	°	°	°	Maximum.	Day of Month.	Minimum.	Day of Month.	Dry Bulb.				Depression of Wet Bulb.	Vapour Pressure.	Humidity.	N	NE	E	SE	S	SW	W	NW	Calm or Variable.
GLASGOW, Medical Officer of Health, Glasgow.	54	29.719	29.778	56.1	45.7	50.9	+3.7	64	13, 19	32	7th	49.5	2.4	.294	84	17	1.27	inch.	0	11	14	6	2	17	2	0	10	
EDINBURGH, Professor R. A. SAMPSON, F.R.S., Royal Observatory.	441	29.326	29.808	54.1	45.6	49.9	+3.9	65	19th	34	24th	49.5	2.5	.292	83	15	1.49	inch.	3	6	10	9	14	13	6	1	0	
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29.628	29.808	55.4	44.6	50.0	+3.5	63	19th	35	9, 23 24th	48.8	1.5	.308	89	18	1.53	inch.	2	12	9	10	2	21	1	5	0	
ABERDEEN,* The Meteorological Office.	90	29.685	29.786	55.8	44.9	50.4	+3.5	63	17th	33	24th	49.7	1.6	.318	89	17	1.51	inch.	1	4	4	6	20	13	4	5	5	
PAISLEY, DONALD MACLEAN, F.R.A.S., The Coats Observatory.	107	29.667	29.786	55.4	45.4	50.4	+2.7	62	13th	34	7, 10	49.6	1.6	.314	89	22	2.41	inch.	3	8	12	2	20	3	5	0	9	
LEITH,† JAMES BOLAM, Navigation School.	76	29.715	29.799	55.1	46.2	50.7	+3.3	66	19th	35	24th	51.2	3.1	.299	80	16	1.44	inch.	2	6	16	6	4	16	8	2	2	
GREENOCK, DANIEL MACALISTER, C.E., Greenock Waterworks.	233	29.517	29.780	54.9	44.3	49.6	+2.7	62	19th	32	24th	49.7	1.9	.309	88	23	4.20	inch.	0	6	12	15	0	16	10	3	0	
PERTH, ALEX. M. RODGER, The Museum.	85	29.702	29.797	56.8	43.2	50.0	+3.6	65	17, 19	30	10, 23, 24th	48.8	2.4	.288	83	19	1.53	inch.	3	12	9	7	10	8	6	4	3	
Means	156	29.620	29.793	55.5	45.0	50.3	+3.4	49.6	2.1	.303	86	18	1.92	inch.	2	8	11	8	9	13	5	3	3	

North Latitude.—Glasgow, 55° 51'; Edinburgh, 55° 55'; Dundee, 56° 28'; Aberdeen, 57° 9'; Paisley, 55° 51'; Leith, 55° 58'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 11'.
West Longitude.—Glasgow, 4° 13'; Edinburgh, 3° 11'; Dundee, 2° 57'; Aberdeen, 2° 7'; Paisley, 4° 27'; Leith, 3° 8'; Greenock, 4° 46'; Perth, 3° 25'; Mean, 3° 32'.

North Latitude.—Glasgow, 55° 51'; Edinburgh, 55° 55'; Dundee, 56° 28'; Aberdeen, 57° 9'; Paisley, 55° 51'; Leith, 55° 58'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 11'.
West Longitude.—Glasgow, 4° 13'; Edinburgh, 3° 11'; Dundee, 2° 57'; Aberdeen, 2° 7'; Paisley, 4° 27'; Leith, 3° 8'; Greenock, 4° 46'; Perth, 3° 25'; Mean, 3° 32'.

* At King's College at 7 A.M. and 6 P.M. † At 9 A.M. only.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN SIXTEEN OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

NOVEMBER 1913.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by NEILL & Co., Ltd., Bellevue.
To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

During the month of November 1913 there were registered in the Sixteen Principal Towns of Scotland, those towns which at the date of the 1911 Census had populations of over 30,000, the births of 4192 living children, of whom 2112 were male, and 2080 female. Compared with the returns for October, the male children are 488 fewer, the female children 396 fewer, and the total 884 fewer. The equivalent annual birth-rate is 22·6 per thousand of the estimated aggregate population of these towns, a rate which is 1·4 below that for August, 2·1 below that for September, and 3·9 below that for October. In the individual towns the birth-rate for the month ranged from 27·6 in Clydebank, 26·1 in Motherwell, and 25·5 in Greenock, to 16·6 in Edinburgh, 17·0 in Perth, and 19·3 in Paisley. In Glasgow it was 24·7; in Ayr, 23·5; in Hamilton, 23·0; in Leith, 22·6; in Dundee, 22·2; in Aberdeen, 22·1; in Falkirk, 21·9; in Kirkcaldy and in Kilmarnock, 20·7; and in Coatbridge 20·2.

Of the 4192 births registered during the month, 296, or 7·1 per cent., were illegitimate. These illegitimate births are 7 fewer than in September, 15 fewer than in August, and 52 fewer than in October. The illegitimate rate for the month is, however, 0·5 higher than in September, 0·3 higher than in August, and 0·2 higher than in October. In the individual towns this rate ranged from 14·2 in Aberdeen, 9·6 in Dundee, and 8·9 in Edinburgh, to 3·4 in Motherwell, 4·0 in Leith, and 4·1 in Perth and in Hamilton. In Kilmarnock it was 8·5; in Falkirk, 7·8; in Ayr, 7·6; in Glasgow, 6·4; in Clydebank, 5·2; in Paisley, 5·1; in Kirkcaldy, 4·4; in Greenock, 4·3; and in Coatbridge, 4·2.

Marriages registered in these towns during the month numbered 1269. They are 493 fewer than in September, and 103 fewer than in October, but 87 more than in August. The marriage-rate for the month is 6·8 per thousand, which is 2·7 below that for September, 0·4 below that for October, but 0·6 above that for August. In the individual towns the marriage-rate for the month ranged from

9·6 in Ayr, and 7·9 in Glasgow and in Edinburgh, to 0·8 in Coatbridge, 4·0 in Dundee, and 4·2 in Leith. In Kilmarnock it was 6·7; in Greenock, 6·6; in Falkirk, 6·5; in Hamilton, 6·3; in Aberdeen, 6·0; in Perth, 5·9; in Paisley, 5·7; in Clydebank, 5·1; in Motherwell, 4·5; and in Kirkcaldy, 4·3.

Deaths registered in these towns during the month numbered 2845, of which 1442 were of males, and 1403 of females. Of these deaths 192 were of persons whose usual residence was outwith the town of registration, but 133 deaths of residents in these towns were registered elsewhere in Scotland, and the difference, 59, falls to be deducted from the crude number to obtain the corrected number, which is thus found to be 2786. The corrected number of deaths for the month is 236 more than in August, and 25 more than in October, but is 179 fewer than in September. The uncorrected death-rate for the month is 15·3, and the corrected 15·0. The uncorrected monthly death-rate is 1·9 above that for August, and 0·6 above that for October, but is 0·6 below that for September. The corrected death-rate is 1·7 above that for August, and 0·6 above that for October, but is 1·0 below that for September.

In the individual towns the corrected death-rate ranged from 17·7 in Coatbridge, 16·8 in Dundee, and 16·7 in Leith, to 8·5 in Hamilton and in Clydebank, and 8·8 in Kilmarnock. In Glasgow it was 16·1; in Greenock, 15·3; in Kirkcaldy, 15·2; in Aberdeen, 15·1; in Edinburgh, 13·8; in Ayr, 13·5; in Paisley, 12·8; in Perth, 12·8; in Motherwell, 12·2; and in Falkirk, 9·9. The effect of correction is to raise the death-rate of Leith by 2·8, of Motherwell by 1·5, of Kirkcaldy by 1·2, and of Clydebank by 1·1; but to lower that of Kilmarnock by 2·4, of Edinburgh and of Falkirk by 1·7, of Greenock and of Ayr by 1·5. The effect of correction on the death-rates of all the other towns was an addition or a deduction of less than 1·0.

Of the deaths among residents in these towns, 944, or 33·9 per cent., were of children of less than five years old, and 628, or 22·5 per cent., were of persons of over sixty-five. The former are 71 more than in August, and 28 more than in October, but are 77 fewer than in September. The latter are 116 more than in August, and 34 more than in October, but are 32 fewer than in September.

Deaths of children of less than one year old numbered 590. They are 39 more than in August, but 18 fewer than in October, and 132 fewer than in September. The equivalent infantile mortality rate is 128 per thousand births, a rate which is 16 more than in August, and 11 more than in October, but 25 less than in September. In the individual towns this rate ranged from 214 in Coatbridge, 160 in Dundee, and 154 in Glasgow, to 42 in Kilmarnock, 49 in Hamilton, and 70 in Clydebank. In Kirkcaldy it was 137; in Perth, 127; in Aberdeen, 125; in Falkirk, 108; in Leith, 107; in Motherwell, 91; in Edinburgh, 89; in Greenock, 86; in Paisley, 73; and in Ayr, 72.

Deaths from the principal epidemic diseases, namely, measles, scarlet fever, whooping-cough, diphtheria and croup, enteric fever, and the diarrhoeas of childhood, numbered 297; they are 48 fewer than in October, 77 fewer than in August, and 172 fewer than in September. The equivalent annual death-rate from these causes is 1·6 per thousand, a rate which is 0·2 below that for October, 0·4 below that for August, and 0·9 below that for September. In the individual towns this rate ranged from 2·8 in Coatbridge, 2·4 in Motherwell, and 2·0 in Clydebank, to 0·7 in Kilmarnock, 0·9 in Kirkcaldy, and 1·0 in Edinburgh and in Perth. In Glasgow and in Greenock it was 1·9; in Ayr, 1·8; in Falkirk, 1·7; in Aberdeen, 1·6; in Paisley, 1·4; in Hamilton, 1·3; in Dundee, 1·2; and in Leith, 1·2.

Deaths from measles numbered 116, and are 53 more than in October. Deaths from scarlet fever numbered 36, and are 11 fewer than in October. Deaths from

whooping-cough numbered 19, and are 2 more than in October. Deaths from diphtheria and croup numbered 46, and are 7 fewer than in October; of them 15 were registered in Aberdeen. Deaths from enteric fever numbered 6, and are 8 less than in October; of them 2 occurred in Perth. Deaths from the diarrhœas of childhood numbered 74, and are 77 fewer than in October.

No deaths from small-pox were registered in these towns during the month. One death was registered from typhus fever, in Dundee. Deaths from influenza numbered 5; from malignant disease, 182; from heart disease, 212; from puerperal sepsis, 11; and from violence, 120, of which 12 were attributed to suicide.

Deaths from pneumonia numbered 266, and constituted 9·5 per cent. of the total deaths; they are 33 more than in October, and are equal to an annual death-rate of 1·4 per thousand. Deaths from bronchitis numbered 166, and constituted 6·0 per cent. of the total deaths; they are 26 more than in October, and are equal to an annual death-rate of 0·9 per thousand.

Deaths from all forms of tuberculous disease numbered 333, and constituted 12·0 per cent. of the total; they are 21 more than in October, and are equal to an annual death-rate of 1·8 per thousand. These deaths include 206 from phthisis, which constituted 7·4 per cent. of the total deaths; they are 2 more than in October, and are equal to an annual death-rate of 1·1 per thousand. In the individual towns the death-rate from phthisis ranged from 1·8 in Leith, 1·6 in Paisley, and 1·4 in Falkirk, to 0·3 in Kirkcaldy and in Clydebank, and 0·4 in Kilmarnock. In Hamilton it was 1·3; in Glasgow, 1·2; in Dundee, in Aberdeen, and in Coatbridge, 1·1; in Edinburgh and in Perth, 1·0; in Greenock and in Motherwell, 0·9; and in Ayr, 0·7.

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. WATT, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

NOVEMBER 1913.

Mean barometric pressure, 29·638 ins.; less than the average of 1856–1905 by 0·203 in.

Mean temperature, 45°·3; greater by 3°·7.

Mean daily range of temperature, 9°·9; being the normal.

Rain, number of days, 21; greater by 5 days.

Rain, depth in inches, 3·57; greater by 0·17 in.

Wind, direction of: an 8 days' excess of winds from S.W. and W.

Hence the month was characterised by an extremely low mean pressure; an abnormally high mean temperature, with a mean daily range equal to the normal; a slightly high mean rainfall; and a very large excess of winds from S.W. and W.

The mean pressure was 29·638 ins., or 0·203 in. below the normal. During the greater part of the month pressure was low and rather irregular, with lowest readings on 12th and 14th, but during the last few days it reached a fairly high level. At Leith, at sea-level, the extremes were 30·163 ins. on 28th and 29·034 ins. on 14th, and pressure there was above 30 ins. on 19th and 22nd, and from 27th to 30th.

The mean temperature was 45°·3, or 3°·7 above the normal, the excess being equally well marked by day and by night. But little cold weather was experienced,

and the mean temperature of the last week was above the average in many districts by as much as 6°. On the whole a milder November has been experienced in Scotland during the last fifty years only in 1894, 1897, and 1899. Lowest readings occurred very generally between 6th and 9th, and highest about 17th or 26th, and as regards the chief towns the extremes were 60° at Aberdeen on 17th and 26° at Perth on 8th.

The mean rainfall was 3·57 ins., or 5 per cent. above the normal. In eastern districts there was a shortage, moderate in the Edinburgh area, but equal to 46 per cent. at Aberdeen. In the west, on the other hand, amounts were above the average, whilst in north-western districts there was an abnormally large excess. Glenquoich in west Inverness-shire had an aggregate of fully 23 ins., and Glencarron in west Ross-shire fully 18 ins., amounts for November quite unprecedented at these places. In the east totals were largely accounted for early in the month and about 15th and 18th, and at Aberdeen practically no rain fell after 18th. At the western towns there were one or two short fine spells, but some rather heavy falls occurred—about $\frac{3}{4}$ in. or more at Glasgow on 2nd and 15th, and at Greenock on 2nd, 15th, and 19th. In the north-west Glenquoich had more than 3 ins. on 2nd, about 2½ ins. on 18th, and more than 1 in. on six other days.

The weather was at times stormy, especially about 15th and 16th, and on these days thunderstorms occurred in some western districts. Between 8th and 12th fog occurred in the east.

TABLE I.—ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES
in the Principal Towns, NOVEMBER 1913.

TOWNS.	POPULATION.		BIRTHS.					MARRIAGES.	DEATHS.					
	Census 1911.	Estimated to middle of 1913.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.	Ins.	Outs.	Total Corrected.
GLASGOW, . . .	1,008,487	1,021,500	1036	1038	2074	1942	132	665	721	646	1367	49	61	1355
EDINBURGH, . . .	320,769	320,800	227	209	436	397	39	207	201	206	407	26	71	362
DUNDEE,	165,004	165,900	144	159	303	274	29	55	117	112	229	2	2	229
ABERDEEN, . . .	163,891	162,700	148	147	295	253	42	80	91	113	204	10	12	202
PAISLEY,	84,455	85,600	63	73	136	129	7	40	46	50	96	3	9	90
LEITH,	80,601	80,500	77	72	149	143	6	28	51	41	92	18	0	110
GREENOCK, . . .	75,140	77,800	93	70	163	156	7	42	54	53	107	1	10	98
PERTH,	35,854	35,100	29	20	49	47	2	17	20	17	37	3	3	37
TOTAL (EIGHT TOWNS)	1,934,201	1,949,900	1817	1788	3605	3341	264	1134	1301	1238	2539	112	168	2483
COATBRIDGE, . .	43,286	43,400	39	33	72	69	3	3	26	39	65	1	3	63
MOTHERWELL, . .	40,380	41,000	50	38	88	85	3	15	20	16	36	5	0	41
KIRKCALDY, . . .	39,601	40,000	31	37	68	65	3	14	18	28	46	4	0	50
HAMILTON,	38,644	38,600	36	37	73	70	3	20	13	12	25	5	3	27
CLYDEBANK, . . .	37,548	42,800	52	45	97	92	5	18	13	13	26	5	1	30
KILMARNOCK, . .	34,728	34,700	26	33	59	54	5	19	19	13	32	1	8	25
FALKIRK,	33,574	35,600	28	36	64	59	5	19	16	18	34	0	5	29
AYR,	32,986	34,200	33	33	66	61	5	27	16	26	42	0	4	38
TOTAL (SIXTEEN TOWNS)	2,234,948	2,260,200	2112	2080	4192	3896	296	1269	1442	1403	2845	133	192	2786

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES
in the Principal Towns, NOVEMBER 1913.

TOWNS.	Birth-Rate per 1000 of Popu- lation.	Illegiti- mate Birth- Rate per 100 Births.	Marriage- Rate per 1000 of Popu- lation.	DEATH-RATES PER 1000 OF POPULATION FROM						DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.		Principal Epidemic Diseases.	Tuber- culosis.	Phthisis.	All Re- spiratory Diseases.	Number.	Rate per 1000 Births.
				Uncor- rected.	Cor- rected.						
GLASGOW, . . .	24·7	6·4	7·9	16·3	16·1	1·9	2·0	1·2	3·2	319	154
EDINBURGH, . .	16·6	8·9	7·9	15·5	13·8	1·0	1·5	1·0	1·8	47	89
DUNDEE, . . .	22·2	9·6	4·0	16·8	16·8	1·2	2·1	1·1	3·1	54	160
ABERDEEN, . .	22·1	14·2	6·0	15·3	15·1	1·6	1·6	1·1	1·9	40	125
PAISLEY, . . .	19·3	5·1	5·7	13·7	12·8	1·4	2·0	1·6	1·1	13	73
LEITH,	22·6	4·0	4·2	13·9	16·7	1·2	2·3	1·8	3·0	18	107
GREENOCK, . .	25·5	4·3	6·6	16·8	15·3	1·9	1·6	0·9	3·1	17	86
PERTH,	17·0	4·1	5·9	12·8	12·8	1·0	1·7	1·0	1·0	7	127
TOTAL . . . (EIGHT TOWNS)	22·5	7·3	7·1	15·9	15·5	1·6	1·9	1·2	2·7	515	133
COATBRIDGE, . .	20·2	4·2	0·8	18·2	17·7	2·8	1·7	1·1	3·9	25	214
MOTHERWELL, . .	26·1	3·4	4·5	10·7	12·2	2·4	1·2	0·9	2·1	10	91
KIRKCALDY, . .	20·7	4·4	4·3	14·0	15·2	0·9	1·2	0·3	1·2	11	137
HAMILTON, . . .	23·0	4·1	6·3	7·9	8·5	1·2	1·6	1·3	0·9	5	49
CLYDEBANK, . .	27·6	5·2	5·1	7·4	8·5	2·0	0·6	0·3	1·7	8	70
KILMARNOCK, . .	20·7	8·5	6·7	11·2	8·8	0·7	0·7	0·4	0·4	3	42
FALKIRK, . . .	21·9	7·8	6·5	11·6	9·9	1·7	2·0	1·4	0·3	8	108
AYR,	23·5	7·6	9·6	15·0	13·5	1·8	1·4	0·7	1·8	5	72
TOTAL . . . (SIXTEEN TOWNS)	22·6	7·1	6·8	15·3	15·0	1·6	1·8	1·1	2·6	590	128

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR NOVEMBER 1913, and for
the Corresponding Month of the Preceding Ten Years, in EIGHT of the
PRINCIPAL TOWNS.

MONTH.	Birth-Rate.	Illegitimate Birth- rate per 100 Births.	Marriage-Rate.	Death-Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature.
					Smallpox.	Measles.	Scarlet Fever.	Whooping-Cough.	Diphtheria and Croup.	Enteric Fever.	Diarrhoea (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
NOV. 1913, . .	22·5	7·3	7·1	15·5	0	99	31	14	39	4	66	133	45°·3
NOV. 1912, . .	23·9	7·0	6·5	17·3	0	10	14	34	27	14	40	156	42°·4
NOV. 1911, . .	23·9	7·5	6·5	17·0	0	100	18	25	46	6	55	152	41°·5
NOV. 1910, . .	24·9	7·7	6·3	17·2	0	7	28	44	54	11	67	115	36°·7
NOV. 1909, . .	25·4	8·0	7·0	21·9	0	157	33	45	43	9	46	165	39°·0
NOV. 1908, . .	24·6	7·2	6·6	18·0	0	6	33	57	37	16	-	133	44°·2
NOV. 1907, . .	26·3	6·7	6·8	18·1	0	147	12	63	28	8	-	139	42°·2
NOV. 1906, . .	27·3	7·4	6·4	18·7	0	41	14	52	25	12	-	149	45°·0
NOV. 1905, . .	27·4	7·0	6·7	19·7	0	148	10	24	24	5	-	146	40°·6
NOV. 1904, . .	28·2	6·7	6·9	19·1	0	35	5	93	23	9	-	166	41°·4
NOV. 1903, . .	27·8	6·9	8·2	18·2	10	62	11	30	23	22	-	155	42°·4

In Columns 5-13 for 1913, deaths and death-rates have been corrected for non-resident deaths.

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—November 1913.

CAUSES OF DEATH.	All Ages.	Age.											
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	
Enteric Fever - - - - -	6	-	-	1	-	2	-	2	1	-	-	-	-
Typhus Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	116	24	85	6	1	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	36	3	19	9	1	3	-	1	-	-	-	-	-
Whooping-cough - - - - -	19	10	9	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	46	4	34	6	2	-	-	-	-	-	-	-	-
Influenza - - - - -	5	-	-	-	-	-	-	-	1	2	1	1	1
Erysipelas - - - - -	8	2	-	1	-	-	-	-	-	2	1	1	2
Phthisis, Pulmonary Tuberculosis - - - - -	206	1	2	3	7	31	60	44	33	19	6	-	-
Tuberculous Meningitis - - - - -	43	9	24	6	2	-	1	1	-	-	-	-	-
Abdominal Tuberculosis - - - - -	39	12	12	6	1	4	-	3	-	-	1	-	-
Other Tuberculous Diseases - - - - -	45	6	11	4	3	10	4	3	1	1	2	-	-
Cancer, Malignant Disease - - - - -	182	-	-	-	1	1	4	14	47	53	49	13	-
Rheumatic Fever - - - - -	11	-	-	1	-	2	3	2	2	1	-	-	-
Meningitis - - - - -	30	13	10	-	2	2	-	1	-	1	1	-	-
Organic Heart Disease - - - - -	212	3	-	3	6	8	14	31	38	28	55	26	-
Bronchitis - - - - -	166	51	16	2	-	-	3	4	10	22	32	26	-
Pneumonia (all forms) - - - - -	266	81	71	1	3	5	9	27	16	19	16	18	-
Other Diseases of Respiratory Organs - - - - -	42	12	3	-	-	1	2	1	10	4	6	3	-
Diarrhoea and Enteritis (under 2 years) - - - - -	74	66	8	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	17	1	1	2	6	2	1	1	1	1	1	-	-
All Liver Diseases (not Malignant) - - - - -	19	-	-	-	-	-	-	1	7	5	2	4	-
Other Diseases of Digestive System (under 2 years) - - - - -	15	14	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	93	1	3	4	3	2	8	10	14	26	12	10	-
Puerperal Sepsis - - - - -	11	-	-	-	-	1	6	4	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	20	-	-	-	-	2	13	5	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	199	198	1	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	108	15	18	5	1	17	11	10	9	10	6	6	-
Suicide - - - - -	12	-	-	-	-	1	4	1	4	-	2	-	-
Other Defined Diseases - - - - -	662	56	22	5	9	18	27	46	64	111	157	147	-
Diseases Ill-defined or Unknown - - - - -	77	8	4	1	2	2	1	5	15	17	14	8	-
Total - - - - -	2786	590	354	66	50	114	171	218	273	322	364	264	-

GLASGOW—November 1913.

CAUSES OF DEATH.	All Ages.	Age.											
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-	
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	68	15	49	3	1	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	19	1	13	4	-	1	-	-	-	-	-	-	-
Whooping-cough - - - - -	11	6	5	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	18	3	13	2	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	1	-	-	-	-
Erysipelas - - - - -	5	2	-	-	-	-	-	-	-	1	1	1	-
Phthisis, Pulmonary Tuberculosis - - - - -	98	-	-	2	4	10	33	22	16	9	2	-	-
Tuberculous Meningitis - - - - -	28	6	16	4	1	-	-	1	-	-	-	-	-
Abdominal Tuberculosis - - - - -	19	6	5	4	1	1	-	1	-	-	1	-	-
Other Tuberculous Diseases - - - - -	23	3	3	3	2	5	4	1	1	1	-	-	-
Cancer, Malignant Disease - - - - -	87	-	-	-	-	1	2	5	21	29	23	6	-
Rheumatic Fever - - - - -	7	-	-	-	-	2	2	1	1	1	-	-	-
Meningitis - - - - -	14	8	5	-	-	1	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	79	-	-	1	4	3	6	12	17	11	13	12	-
Bronchitis - - - - -	84	26	7	1	-	-	-	3	5	11	19	12	-
Pneumonia (all forms) - - - - -	161	56	46	-	1	1	7	16	8	12	7	7	-
Other Diseases of Respiratory Organs - - - - -	22	11	3	-	-	-	1	1	1	1	3	1	-
Diarrhoea and Enteritis (under 2 years) - - - - -	42	37	5	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	9	-	-	1	3	1	1	1	1	1	-	-	-
All Liver Diseases (not Malignant) - - - - -	9	-	-	-	-	-	-	1	3	3	-	2	-
Other Diseases of Digestive System (under 2 years) - - - - -	10	9	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	49	-	-	4	2	-	6	6	10	11	7	3	-
Puerperal Sepsis - - - - -	5	-	-	-	-	1	3	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	8	-	-	-	-	1	5	2	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	91	91	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	47	5	9	3	1	5	7	4	2	5	4	2	-
Suicide - - - - -	5	-	-	-	-	1	1	-	2	-	1	-	-
Other Defined Diseases - - - - -	287	29	9	2	6	9	15	19	34	39	70	55	-
Diseases Ill-defined or Unknown - - - - -	49	5	3	1	2	1	1	3	10	11	7	5	-
Total - - - - -	1355	319	192	35	28	44	94	100	133	146	158	106	-

EDINBURGH—November 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	15	6	9	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	26	-	-	-	2	4	2	7	5	6	-	-
Tuberculous Meningitis - - - - -	5	1	2	-	1	-	1	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	1	-	-	-	-	-	1	-	-	-	-
Other Tuberculous Diseases - - - - -	6	1	2	-	-	1	-	-	-	-	2	-
Cancer, Malignant Disease - - - - -	22	-	-	-	-	-	-	2	4	4	9	3
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	-	1	-	1	-	-	-	-	1	-	-
Organic Heart Disease - - - - -	45	-	-	-	1	3	2	5	8	4	19	3
Bronchitis - - - - -	16	-	1	1	-	-	1	-	2	3	4	4
Pneumonia (all forms) - - - - -	23	4	3	-	1	-	1	3	2	2	3	4
Other Diseases of Respiratory Organs - - - - -	8	-	-	-	-	-	1	-	4	-	2	1
Diarrhoea and Enteritis (under 2 years) - - - - -	6	6	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	3	-	-	-	-	-	-	-	1	1	1	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	19	-	1	-	1	1	-	3	1	5	3	4
Puerperal Sepsis - - - - -	2	-	-	-	-	-	-	2	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	3	-	-	-	-	-	2	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	19	19	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	9	1	2	1	-	-	-	-	2	2	1	-
Suicide - - - - -	3	-	-	-	-	-	1	-	1	-	1	-
Other Defined Diseases - - - - -	118	7	3	1	1	2	3	5	9	25	32	30
Diseases Ill-defined or Unknown - - - - -	3	-	-	-	-	-	-	-	-	2	-	1
Total - - - - -	362	47	26	3	8	12	14	29	40	55	77	51

DUNDEE—November 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Typhus Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	15	-	1	-	-	-	4	1	5	3	1	-
Tuberculous Meningitis - - - - -	5	1	4	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	5	2	2	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	3	-	1	1	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	16	-	-	-	1	-	-	4	3	4	4	-
Rheumatic Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	21	-	-	-	-	-	2	3	4	2	7	3
Bronchitis - - - - -	20	9	1	-	-	-	1	-	-	-	5	4
Pneumonia (all forms) - - - - -	17	4	4	-	-	2	-	1	2	-	3	1
Other Diseases of Respiratory Organs - - - - -	5	-	-	-	-	-	-	-	2	2	1	-
Diarrhoea and Enteritis (under 2 years) - - - - -	11	11	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	5	-	-	-	-	-	-	-	1	2	1	1
Puerperal Sepsis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	17	17	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	9	3	-	1	-	1	-	-	-	1	1	2
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	63	4	3	-	-	2	2	5	2	17	17	11
Diseases Ill-defined or Unknown - - - - -	4	-	-	-	-	-	-	-	1	1	2	-
Total - - - - -	229	54	19	4	1	7	9	17	20	32	44	22

ABERDEEN—November 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	4	1	1	-	-	1	-	1	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	15	-	11	2	2	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Phthisis, Pulmonary Tuberculosis - - - - -	15	-	1	-	1	4	4	3	1	-	1	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	3	1	1	-	-	-	-	1	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	-	-	-	2	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	18	-	-	-	-	-	-	1	7	5	3	2
Rheumatic Fever - - - - -	2	-	-	-	-	-	-	1	1	-	-	-
Meningitis - - - - -	3	-	1	-	-	-	-	1	-	-	1	-
Organic Heart Disease - - - - -	15	1	-	-	-	1	1	2	2	2	3	3
Bronchitis - - - - -	8	2	-	-	-	-	-	1	1	3	-	1
Pneumonia (all forms) - - - - -	17	3	3	1	-	1	1	1	2	2	-	3
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	3	1	-	1	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	1	-	-	-	-	1
Puerperal Sepsis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	4	-	-	-	-	1	2	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	18	18	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	9	3	2	-	-	1	1	1	1	-	-	-
Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Defined Diseases - - - - -	52	7	3	-	1	2	1	2	5	7	10	14
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	1	-	-	1	-
Total - - - - -	202	40	24	4	5	13	13	17	21	20	19	26

PAISLEY—November 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	6	-	4	2	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	11	1	-	-	-	3	3	3	1	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	-	2	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	2	-	1	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - - - -	10	-	-	1	-	-	1	2	3	1	1	1
Bronchitis - - - - -	6	2	1	1	-	-	-	-	1	1	1	-
Pneumonia (all forms) - - - - -	2	-	1	-	-	-	-	-	-	-	1	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	-	2	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	8	-	1	-	-	2	1	-	1	1	-	2
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	20	2	-	-	-	1	-	1	-	5	5	6
Diseases Ill-defined or Unknown - - - - -	6	1	1	-	-	1	-	1	1	1	-	-
Total - - - - -	90	13	14	4	-	8	5	7	7	13	9	10

LEITH—November 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	4	1	3	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	2	-	-	1	-	1	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	12	-	-	-	-	1	5	3	3	-	-	-
Tuberculous Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	12	-	-	-	-	-	-	1	3	3	3	2
Rheumatic Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Meningitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	11	-	-	-	-	1	-	3	-	3	3	1
Bronchitis - - - - -	10	1	1	-	-	-	1	-	1	1	1	4
Pneumonia (all forms) - - - - -	9	3	-	-	-	-	-	3	-	1	1	1
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	8	8	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	7	2	1	-	-	3	-	1	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Defined Diseases - - - - -	22	-	-	1	1	1	3	5	2	4	3	2
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Total - - - - -	110	18	9	2	1	7	10	17	10	14	11	11

GREENOCK—November 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	5	1	4	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	5	-	4	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	6	-	-	-	-	2	1	1	-	1	1	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	-	1	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	1	1	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	1	1	-	1	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	12	-	-	1	-	-	-	2	-	3	5	1
Bronchitis - - - - -	5	3	1	-	-	-	-	-	-	1	-	-
Pneumonia (all forms) - - - - -	12	3	6	-	-	-	-	-	1	1	-	1
Other Diseases of Respiratory Organs - - - - -	3	1	-	-	-	1	-	-	1	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	4	1	-	-	-	-	-	-	-	3	-	-
Puerperal Sepsis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	5	-	-	-	-	1	-	2	1	1	-	-
Suicide - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Defined Diseases - - - - -	18	1	3	-	-	1	-	1	2	4	2	4
Diseases Ill-defined or Unknown - - - - -	3	1	-	-	-	-	-	-	1	-	1	-
Total - - - - -	98	17	23	2	1	6	4	6	8	15	10	6

PERTH—November 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	2	-	-	-	-	1	-	1	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	1	1	1	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	5	1	-	-	-	-	1	1	1	-	1	-
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	14	-	-	-	-	-	-	4	1	1	6	2
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Total - - - - -	37	7	-	-	-	4	3	8	2	1	8	4

COATBRIDGE—November 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	5	1	4	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	4	3	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	4	-	-	-	-	2	2	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	-	1	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	4	1	-	-	-	-	1	-	2	-	-	-
Bronchitis - - - - -	5	3	1	-	-	-	-	-	-	1	-	-
Pneumonia (all forms) - - - - -	9	4	3	-	-	-	-	-	-	-	1	1
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	1	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	9	9	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	1	1	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	11	2	-	1	-	-	-	-	3	3	1	1
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Total - - - - -	63	25	11	2	-	3	4	-	6	6	3	3

MOTHERWELL—November 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Influenza - - - - -	2	-	-	-	-	-	-	-	-	1	1	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	-	1	-	1	-	1	-
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	4	2	1	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - - - -	2	-	-	-	-	1	-	1	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	6	6	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Defined Diseases - - - - -	9	-	-	-	-	-	-	-	3	-	3	3
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	41	10	7	2	-	1	2	3	6	1	6	3

KIRKCALDY—November 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	3	-	2	1	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	1	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	1	1	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	4	-	-	-	1	-	-	-	1	-	-	2
Bronchitis - - - - -	3	1	1	-	-	-	-	-	-	1	-	-
Pneumonia (all forms) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	3	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	5	1	1	-	-	1	-	1	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	18	2	-	-	-	-	-	-	2	2	4	8
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Total - - - - -	50	11	6	2	1	2	2	1	5	4	6	10

HAMILTON—November 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	2	-	-	1	1	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	4	-	-	1	-	1	1	-	1	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Hisease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Bronchitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	-	-	1
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	3	-	1	-	-	-	1	-	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	6	-	-	-	-	-	-	1	1	1	1	2
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Total - - - - -	27	5	4	2	2	1	2	2	3	2	1	3

CLYDEBANK—November 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	5	-	5	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	5	1	2	-	-	-	-	1	1	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	6	2	-	-	-	-	-	2	-	1	1	-
Diseases Ill-defined or Unknown - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Total - - - - -	30	8	8	-	1	1	1	5	2	3	1	-

KILMARNOCK—November 1913.

KILMARNOCK.—November 1913.												
CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	1	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	6	-	-	-	-	-	1	-	2	2	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	1	-
Organic Heart Disease - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Bronchitis - - - - -	1	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	1	-	-	1	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition. - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	5	-	-	-	-	-	1	-	-	1	-	3
Diseases Ill-defined or Unknown - - - - -	4	1	-	-	-	-	-	-	1	1	1	-
Total - - - - -	25	3	-	2	1	1	3	-	4	4	4	3

FALKIRK—November 1913.

CAUSES OF DEATH.									All Ages.	Age.													
										-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-			
Enteric Fever	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	-	-	-	-	-	-	-	-	4	-	-	-	2	1	1	-	-	-	-	-	-	-	-
Tuberculous Meningitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	1	-	-	1	-	-	-
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-
Bronchitis	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years)	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Puerperal Sepsis	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases	-	-	-	-	-	-	-	-	5	-	1	-	-	-	1	-	-	-	-	1	-	2	-
Diseases Ill-defined or Unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	-	-	-	-	-	-	-	29	8	2	2	-	3	3	2	2	2	3	2	-	-	-

AYR—November 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75--
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	3	-	3	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	2	-	-	-	-	1	-	1	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	2	-	1	-	-	-	-	1	-	-	-	-
Cancer, Malignant Disease - - - - -	5	-	-	-	-	-	-	-	3	1	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	1	-	-	1	-
Bronchitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	4	1	1	-	1	-	-	-	-	1	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	-	-	1	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	8	-	-	-	-	-	1	1	-	1	1	4
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	38	5	9	-	1	1	2	4	4	4	4	4

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of NOVEMBER 1913.

OBSERVERS.	BARO-METER.		AIR TEMPERATURE.							HYGROMETER.				RAIN, AND OTHER FORMS OF PRECIPITATION.		WIND DIRECTIONS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
	Mean at Sea-Level and 32°.		Mean of		Mean of A and B (Mean Temperature).		Difference from Average.		Absolute Maximum and Minimum.			Mean at 9 A.M. and 9 P.M.		Number of Days.	Total Fall.	Difference from Average.	Number of Observations at 9 A.M. and 9 P.M.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	feet.	inch.	°	°	°	°	°	°	°	°	°	°	°				°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

* At King's College at 7 A.M. and 6 P.M.

† At 9 A.M. only.

MONTHLY RETURN
OF THE
BIRTHS, DEATHS, AND MARRIAGES
REGISTERED
IN SIXTEEN OF THE PRINCIPAL TOWNS OF
SCOTLAND;
WITH THE CAUSES OF DEATH AT DIFFERENT PERIODS OF LIFE.

DECEMBER 1913.

Published by Authority of the Registrar-General.

EDINBURGH: Printed for His Majesty's Stationery Office by J. SKINNER & Co., Ltd., Thistle Street.
To be purchased from H.M. STATIONERY OFFICE (Scottish Branch), 23 Forth Street, Edinburgh.

REPORT.

During the month of December 1913 there were registered in the Sixteen Principal Towns of Scotland, those towns which at the date of the 1911 Census had populations of over 30,000, the births of 5176 living children, of whom 2715 were male, and 2461 female. Compared with the corresponding figures of November, the male children are 603 more, the female, 381 more, and the total children, 984 more. The equivalent annual birth-rate is 27·0 per thousand of the estimated aggregate population of these towns, a rate which is 4·4 more than that of November, 0·5 more than that of October, 2·3 more than that of September, and 3·0 more than that of August. In the individual towns the birth-rate varied from 39·1 in Clydebank, 36·2 in Motherwell, and 33·9 in Hamilton, to 20·1 in Perth, 20·2 in Edinburgh, and 24·7 in Kirkcaldy. In Coatbridge this rate was 29·3; in Glasgow, 28·3; in Leith, 27·9; in Greenock, 27·9; in Paisley, 27·3; in Ayr, 27·3; in Dundee, 26·9; in Kilmarnock, 26·5; in Aberdeen, 25·6; and in Falkirk, 25·5.

Of the 5176 children whose births were registered during the month in these towns, 359, or 6·9 per cent., were illegitimate. These illegitimate births are 63 more than in November, 11 more than in October, and 56 more than in September. The illegitimate rate of the month is 0·2 less than in November, but is the same as in October, and 0·3 more than in September. In the individual towns the illegitimate rate of the month ranged from 15·0 in Perth, 12·7 in Ayr, and 11·0 in Aberdeen, to 0 in Motherwell, 2·7 in Hamilton, and 2·8 in Clydebank. In Edinburgh it was 9·5; in Kilmarnock, 9·0; in Kirkcaldy, 8·3; in Dundee, 8·2; in Glasgow, 6·4; in Leith, 6·3; in Greenock, 5·4; in Falkirk, 5·2; in Paisley, 5·1; and in Coatbridge, 4·6.

Marriages registered in these towns during the month numbered 2000. They are 731 more than in November, 628 more than in October, and 238 more than in September; they are, however, 591 fewer than in July, and 410 fewer than in June. The marriage rate of the month is 10·4 per thousand, which is 3·6 higher than in November, 3·2 higher than in October, and 0·9 higher than in September; it is 3·1 less than in July. In the individual towns the marriage rate of the month ranged from

13·7 in Aberdeen, 13·3 in Leith, 12·9 in Kirkcaldy, and 12·7 in Perth, to 4·6 in Coatbridge, 6·3 in Falkirk, and 6·9 in Motherwell. In Edinburgh this rate was 11·2; in Glasgow, 10·6; in Kilmarnock, 10·5; in Dundee, 9·1; in Greenock, 9·1; in Clydebank, 8·5; in Ayr, 8·3; in Paisley, 8·0; and in Hamilton, 7·6.

Deaths registered in these towns during the month numbered 3476, 1754 being of male persons, and 1722 of female. Of these deaths 215 were of persons whose usual residences were outwith the towns of registration, but 169 deaths of residents of these towns were registered elsewhere in Scotland, and the difference, 46, falls to be deducted from the crude number to get the corrected number, which is thus found to be 3430. The corrected deaths of the month are 644 more than those of November, 669 more than those of October, and 465 more than those of September. The uncorrected death rate of the month is 18·1 per thousand, and the corrected death-rate, 17·9. The corrected death-rate of the month is 2·9 more than that of November, 3·5 more than that of October, and 1·9 more than that of September.

In the individual towns the corrected death-rate of the month ranged from 24·4 in Coatbridge, 20·8 in Greenock, and 19·7 in Aberdeen, to 12·8 in Hamilton, 12·9 in Falkirk, and 14·8 in Perth. In Leith it was 19·4; in Kilmarnock, 19·3; in Glasgow, 18·6; in Dundee, 17·3; in Motherwell, 17·0; in Paisley, 16·8; in Kirkcaldy, 16·2; in Ayr, 16·2; in Edinburgh, 15·7; and in Clydebank, 15·4. The effect of correction is found to be the raising of the death-rate of Leith by 2·4, of Motherwell by 1·8, of Coatbridge by 1·6, of Clydebank by 1·4, of Kirkcaldy by 1·2, and of Paisley and Hamilton by amounts less than 1, while it is found to lower the death-rate of Perth by 2·6, of Ayr by 1·4, of Edinburgh by 1·3, of Greenock by 1·0, and those of Glasgow, Aberdeen, Kilmarnock, and Falkirk by less than 1. The death-rate of Dundee was not affected by correction.

Of the deaths of residents of these towns, 1232, or 35·9 per cent. were of children of less than five years old, while 749, or 21·8 per cent. were of persons of over sixty-five. The former are 288 more than in November, 316 more than in October, and 211 more than in September. The latter are 121 more than in November, 155 more than in October, and 89 more than in September.

Deaths of children of less than one year old numbered 795. They are 205 more than in November, 187 more than in October, and 73 more than in September. The equivalent infantile mortality rate is 157 per thousand births, which is 29 more than that of November, 40 more than that of October, and 4 more than that of September. In the individual towns, this rate for the month varied from 252 in Aberdeen, 200 in Clydebank, and 183 in Paisley, to 70 in Motherwell, 79 in Falkirk, and 93 in Kilmarnock. In Leith it was 175; in Greenock, 167; in Ayr, 167; in Glasgow, 157; in Dundee, 155; in Coatbridge, 151; in Edinburgh, 130; in Kirkcaldy, 120; in Hamilton, 104; and in Perth, 103.

Deaths from the principal epidemic diseases, namely measles, scarlet fever, whooping-cough, diphtheria and croup, enteric fever, and the diarrhœas of childhood, numbered 379. They are 82 more than in November, and 34 more than in October, but are 90 fewer than in September, when the diarrhœas of childhood were prevalent. The equivalent annual death-rate from these causes is 2·0 per thousand, which is 0·4 more than in November, and 0·2 more than in October, but 0·5 less than in September. In the towns this rate ranged from 4·6 in Motherwell, and 4·4 in Greenock, to 0·3 in Falkirk, 0·7 in Perth, and 0·9 in Dundee. In Kirkcaldy it was 2·9; in Clydebank, 2·8; in Aberdeen, 2·4; in Paisley, 2·3; in Leith, 2·3; in Ayr, 2·1; in Edinburgh, 1·9; in Coatbridge, 1·9; in Glasgow, 1·8; in Hamilton, 1·8; and in Kilmarnock, 1·4.

Deaths from measles numbered 184, and were 68 more than in November. Deaths from scarlet fever numbered 45, and were 9 more than in November.

Deaths from whooping-cough numbered 26, and were 7 more than in November. Deaths from diphtheria, including those certified as due to croup, numbered 62, and were 16 more than in November. Deaths from enteric fever numbered 6, and were of the same number as in November. Deaths from the diarrhoeas of childhood numbered 56, and were 18 fewer than in November.

No deaths from smallpox or from typhus fever were registered in the towns during the month. Deaths from influenza numbered 9; from malignant disease, 211; from heart disease, 260; from puerperal sepsis, 11; and from violence, 141, of which 4 were attributed to suicide.

Deaths from pneumonia numbered 362, and constituted 10·6 per cent. of the total deaths of the month; they are 96 more than in November, and are equal to an annual death-rate of 1·9 per thousand. Deaths from bronchitis numbered 295, and constituted 8·6 per cent. of the total deaths of the month; they are 129 more than in November, and are equal to an annual death-rate of 1·5 per thousand.

Deaths from all forms of tuberculous disease numbered 361, and constituted 10·5 per cent. of the total deaths of the month; they are 28 more than in November, and are equal to an annual death-rate of 1·9 per thousand. These deaths include 238 of which phthisis was the certified cause. These deaths from phthisis are 32 more than in the previous month, constitute 6·9 per cent. of the total of the month, and are equal to an annual death-rate of 1·2 per thousand. In the individual towns the death-rate from phthisis varied from 3·0 in Coatbridge, 1·7 in Perth, and 1·6 in Leith, to 0·3 in Kirkcaldy, 0·4 in Paisley, and 0·7 in Aberdeen. In Greenock the death-rate from phthisis was 1·5; in Glasgow, 1·4; in Kilmarnock, 1·4; in Dundee, 1·2; in Edinburgh, 1·1; in Falkirk, 1·0; in Ayr, 1·0; in Motherwell, 0·9; in Hamilton, 0·9; and in Clydebank, 0·8.

METEOROLOGICAL NOTES for Eight of the Principal Towns, by A. WATT, M.A., F.R.S.E., Secretary to the Scottish Meteorological Society.

DECEMBER 1913.

Mean barometric pressure, 29·918 in.; greater than the average of 1856–1905 by 0·119 in.

Mean temperature, 39°·8; greater by 1°·1.

Mean daily range of temperature, 9°·0; less by 0°·1.

Rain, number of days, 14; less by 3 days.

Rain, depth in inches, 2·57; less by 1·12 in.

Wind, direction of: a 6 days' excess of winds from a westerly quarter.

Hence the month was characterised by a high mean pressure; a rather high mean temperature, with a mean daily range equal to the normal; a low mean rainfall; and a large excess of westerly winds.

The mean pressure was 29·918 in., or 0·119 in. above the normal. A rapid fall of pressure on 2nd and 3rd was followed by moderate fluctuations until 16th, when a rapid rise took place to a somewhat high level. After moderate movements pressure was again high at the end of the month. At Leith, at sea-level, the extremes were 30·618 in. on 19th and 29·123 in. on 4th, and pressure there was above 30 in. on 13th and 14th, from 17th to 22nd, and on 30th and 31st.

The mean temperature was 39°·8, or 1°·1 above the normal, the excess being equally well marked by day and by night. The mild weather of November continued

during the first three or four days of December, but from 5th to 7th temperature was extremely low with the minimum for the month in many districts on 6th. On that date the maximum at several stations failed to reach 30°, and at Braemar was as low as 23°, the minimum in screen there falling to 5°, with a reading from an exposed thermometer of 1° below zero. There was a very rapid recovery from this short spell of acute cold, with highest readings for the month on 8th and 9th, and generally mild weather until about 27th. In several districts the mean temperature of the week ending 20th exceeded the normal by fully 5°, the excess at Strathpeffer being as much as 8°. On 28th there was another interruption of cold weather, with winds from the north-west, and lowest readings for the month in many districts on 31st, when the minimum at Braemar was as low as 4°. As regards the chief towns the extremes were 57° at Edinburgh on 9th and 13° at Perth on 31st.

The mean rainfall was 2·57 in., or 30 per cent. below the normal. Dundee and Perth had less than half their normal amounts, and the other towns shortages ranging down to 7 per cent. at Paisley. In northern and one or two western districts amounts were above the normal, but over Scotland as a whole there was a shortage. On 2nd heavy falls occurred in the west—more than 1 in. at Greenock—and on 3rd a severe rainstorm was general, with fully 1 in. at Paisley, and nearly 1 in. at Edinburgh. Thereafter rather wet weather was experienced in the west between 7th and 15th, but in the east hardly any precipitation occurred until 25th. From 25th to 27th heavy to moderate falls were general, largely made up of the “rainfall equivalent” derived from melted snow.

The weather was at times stormy, and from 4th to 7th and during the last few days of the month of a wintry character, with widespread snowstorms. A considerable amount of fog and mist occurred, and a thunderstorm in the west on 27th.

TABLE I. ABSTRACT OF BIRTHS, DEATHS, AND MARRIAGES
in the Principal Towns, DECEMBER 1913.

TOWNS.	POPULATION.		BIRTHS.					MARRIAGES.	DEATHS.					
	Census. 1911.	Estimated to middle of 1913.	Males.	Females.	Total.	Legiti- mate.	Illegiti- mate.		Males.	Females.	Total.	Ins.	Outs.	Total Corrected.
GLASGOW, . . .	1,008,487	1,021,500	1279	1177	2456	2300	156	916	852	782	1634	54	79	1609
EDINBURGH, . .	320,769	320,800	238	262	550	498	52	305	212	250	462	29	65	426
DUNDEE, . . .	165,004	165,900	210	169	379	343	31	128	110	134	244	6	7	243
ABERDEEN, . .	163,891	162,700	192	162	354	315	39	189	143	133	276	17	21	272
PAISLEY, . . .	84,455	85,600	108	90	198	188	10	58	56	64	120	5	3	122
LEITH,	80 601	80,500	98	92	190	178	12	91	58	58	116	18	2	132
GREENOCK, . .	75,140	77,800	88	96	184	174	10	60	77	67	144	1	8	137
PERTH,	35,854	35,100	30	30	60	51	9	38	25	27	52	0	8	44
TOTAL . . . (EIGHT TOWNS)	1,934,201	1,949,900	2293	2078	4371	4052	319	1785	1533	1515	3048	130	103	2985
COATBRIDGE, .	43,286	43,400	57	51	108	103	5	17	53	31	84	8	2	90
MOTHERWELL .	40,380	41,000	63	63	126	126	0	24	32	21	53	6	0	59
KIRKCALDY . .	39,601	40,000	42	42	84	77	7	44	27	24	51	5	1	55
HAMILTON, . .	38,644	38,600	58	53	111	108	3	25	22	17	39	4	1	42
CLYDEBANK, .	37,548	42,800	72	70	142	138	4	31	23	28	51	6	1	56
KILMARNOCK, .	34,728	34 700	38	40	78	71	7	31	24	34	58	8	9	67
FALKIRK, . . .	33,574	35,600	49	28	77	73	4	19	21	20	41	1	3	39
AYR,	32,986	34,200	43	36	79	69	10	24	19	32	51	1	5	47
TOTAL . . . (SIXTEEN TOWNS)	2,234,948	2,260,200	2715	2461	5176	4817	359	2000	1754	1722	3476	169	215	3430

TABLE II.—BIRTH-RATES, DEATH-RATES, AND MARRIAGE-RATES
in the Principal Towns, DECEMBER 1913.

TOWNS.	Birth-Rate per 1000 of Popu- lation.	Illegiti- mate Birth- Rate per 100 Births.	Marriage- Rate per 1000 of Popu- lation.	DEATH-RATES PER 1000 of POPULATION FROM						DEATHS UNDER ONE YEAR OF AGE.	
				All Causes.		Principal Epidemic Diseases.	Tuber- culosis.	Phthisis.	All Re- spiratory Diseases.	Number.	Rate per 1000 Births.
				Uncor- rected.	Cor- rected.						
GLASGOW, .	28·3	6·4	10·6	18·8	18·6	1·8	2·0	1·4	4·4	386	157
EDINBURGH, .	20·2	9·5	11·2	17·0	15·7	1·9	1·8	1·1	2·6	71	130
DUNDEE, .	26·9	8·2	9·1	17·3	17·3	0·9	2·0	1·2	2·8	54	155
ABERDEEN, .	25·6	11·0	13·7	20·0	19·7	2·4	1·2	0·7	4·3	83	252
PAISLEY, .	27·3	5·1	8·0	16·5	16·8	2·3	1·1	0·4	4·1	34	183
LEITH, .	27·9	6·3	13·3	17·0	19·4	2·3	2·5	1·6	3·2	31	175
GREENOCK, .	27·9	5·4	9·1	21·8	20·8	4·4	2·6	1·5	4·8	34	167
PERTH, .	20·1	15·0	12·7	17·4	14·8	0·7	2·3	1·7	2·0	6	103
TOTAL . (EIGHT TOWNS)	26·4	7·3	10·8	18·4	18·0	1·9	1·9	1·3	3·9	699	162
COATBRIDGE, .	29·3	4·6	4·6	22·8	24·4	1·9	3·8	3·0	6·5	18	151
MOTHERWELL, .	36·2	0·0	6·9	15·2	17·0	4·6	2·0	0·9	2·6	8	70
KIRKCALDY, .	24·7	8·3	12·9	15·0	16·2	2·9	0·6	0·3	2·1	10	120
HAMILTON, .	33·9	2·7	7·6	11·9	12·8	1·8	1·5	0·9	1·5	11	104
CLYDEBANK, .	39·1	2·8	8·5	14·0	15·4	2·8	1·1	0·8	2·8	24	200
KILMARNOCK, .	26·5	9·0	10·5	19·7	19·3	1·4	2·4	1·4	2·7	7	93
FALKIRK, .	25·5	5·2	6·3	13·6	12·9	0·3	1·3	1·0	1·0	6	79
AYR, .	27·3	12·7	8·3	17·6	16·2	2·1	1·4	1·0	3·1	12	167
TOTAL . (SIXTEEN TOWNS)	27·0	6·9	10·4	18·1	17·9	2·0	1·9	1·2	3·7	795	157

TABLE III.—BIRTH-RATE, DEATH-RATE, ETC., FOR DECEMBER 1913, and for
the Corresponding Month of the Preceding Ten Years, in EIGHT of the
PRINCIPAL TOWNS.

MONTH.	Birth-Rate.	Illegitimate Birth- rate per 100 Births.	Marriage-Rate.	Death-Rate.	DEATHS FROM							Infantile Mortality.	Mean Temperature.
					Smallpox.	Measles.	Scarlet Fever.	Whooping- Cough.	Diphtheria and Croup.	Enteric Fever.	Diarrhoea (Under 2 Years).		
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
DEC. 1913, .	26·4	7·3	10·8	18·0	0	153	35	21	58	5	47	162	39°·8
DEC. 1912, .	25·3	8·8	12·1	20·8	0	10	19	83	29	4	42	170	41°·3
DEC. 1911, .	23·3	8·0	9·8	17·1	0	133	15	41	41	10	32	133	41°·5
DEC. 1910, .	25·3	7·8	9·0	17·2	0	5	27	43	57	7	37	125	42°·3
DEC. 1909, .	25·6	7·8	8·3	23·1	0	233	30	48	39	16	33	178	36°·5
DEC. 1908, .	25·9	6·4	8·8	17·7	0	5	15	96	36	6	-	116	39°·5
DEC. 1907, .	27·2	6·9	11·1	21·6	1	280	18	97	41	13	-	169	39°·0
DEC. 1906, .	27·0	7·4	12·4	20·2	0	32	19	75	37	16	-	144	37°·5
DEC. 1905, .	27·0	8·0	9·7	18·5	0	153	15	33	33	9	-	130	42°·9
DEC. 1904, .	28·0	7·0	10·3	21·6	0	71	7	155	20	18	-	162	39°·3
DEC. 1903, .	30·4	6·8	10·3	22·0	12	133	15	54	14	12	-	167	37°·0

In Columns 5-13 for 1913, deaths and death-rates have been corrected for non-resident deaths

AGGREGATE OF THE SIXTEEN PRINCIPAL TOWNS—December 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	6	-	-	1	1	-	2	1	-	1	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	184	50	121	12	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	45	3	20	14	3	2	1	2	-	-	-	-
Whooping-cough - - - - -	26	10	16	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	62	13	35	12	-	1	1	-	-	-	-	-
Influenza - - - - -	9	1	-	-	1	-	-	1	2	-	4	-
Erysipelas - - - - -	14	1	-	-	-	-	1	1	4	5	2	-
Phthisis, Pulmonary Tuberculosis - - - - -	238	2	2	-	8	48	58	58	34	19	8	1
Tuberculous Meningitis - - - - -	53	15	21	8	7	2	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	35	6	19	2	1	-	2	1	1	3	-	-
Other Tuberculous Diseases - - - - -	35	6	6	2	5	5	4	1	2	1	2	1
Cancer, Malignant Disease - - - - -	211	1	-	-	-	2	12	20	43	59	51	23
Rheumatic Fever - - - - -	10	-	-	1	1	5	-	3	-	-	-	-
Meningitis - - - - -	33	12	15	3	1	1	-	-	-	-	1	-
Organic Heart Disease - - - - -	260	4	1	7	4	12	20	26	34	49	70	33
Bronchitis - - - - -	295	112	19	1	-	1	5	7	29	31	48	42
Pneumonia (all forms) - - - - -	362	143	97	9	1	8	12	20	19	24	15	14
Other Diseases of Respiratory Organs - - - - -	58	19	10	2	2	1	2	6	3	7	2	4
Diarrhoea and Enteritis (under 2 years) - - - - -	56	47	9	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	11	-	-	5	1	1	1	1	-	2	-	-
All Liver Diseases (not Malignant) - - - - -	23	-	-	1	-	-	-	2	6	9	4	1
Other Diseases of Digestive System (under 2 years) - - - - -	23	23	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	93	-	1	3	2	6	8	10	15	27	16	5
Puerperal Sepsis - - - - -	11	-	-	-	-	3	5	3	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	28	-	-	-	-	6	12	10	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	218	214	1	-	1	1	1	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	137	16	11	10	4	16	12	8	22	14	17	7
Suicide - - - - -	4	-	-	-	-	-	-	3	-	1	-	-
Other Defined Diseases - - - - -	802	81	27	16	6	12	31	61	98	120	188	162
Diseases Ill-defined or Unknown - - - - -	88	16	6	1	-	1	2	7	9	18	16	12
Total - - - - -	3430	795	437	111	49	134	192	252	321	390	444	305

GLASGOW—December 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		1-	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	2	-	-	-	-	-	-	1	-	1	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	85	23	55	7	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	17	2	9	5	-	1	-	-	-	-	-	-
Whooping-cough - - - - -	15	6	9	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	20	6	11	3	-	-	-	-	-	-	-	-
Influenza - - - - -	5	-	-	-	-	-	-	-	2	-	3	-
Erysipelas - - - - -	9	1	-	-	-	-	-	1	3	2	2	-
Phthisis, Pulmonary Tuberculosis - - - - -	121	1	1	-	3	27	30	29	13	11	5	1
Tuberculous Meningitis - - - - -	23	4	13	5	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	13	3	6	1	1	-	2	-	-	-	-	-
Other Tuberculous Diseases - - - - -	14	2	-	1	3	2	2	-	1	1	1	1
Cancer, Malignant Disease - - - - -	98	1	-	-	-	1	9	10	20	27	19	11
Rheumatic Fever - - - - -	5	-	-	-	-	4	-	1	-	-	-	-
Meningitis - - - - -	12	4	6	1	-	-	-	-	-	-	1	-
Organic Heart Disease - - - - -	97	1	-	3	1	9	12	10	16	17	21	7
Bronchitis - - - - -	146	57	11	-	-	-	2	5	14	17	23	17
Pneumonia (all forms) - - - - -	202	93	44	5	-	5	4	12	12	11	11	5
Other Diseases of Respiratory Organs - - - - -	32	11	8	1	1	-	2	2	2	3	-	2
Diarrhoea and Enteritis (under 2 years) - - - - -	18	14	4	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	4	-	-	3	-	1	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	8	-	-	-	-	-	-	-	-	7	-	1
Other Diseases of Digestive System (under 2 years) - - - - -	15	15	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	46	-	1	2	1	2	3	4	6	16	8	3
Puerperal Sepsis - - - - -	6	-	-	-	-	1	3	2	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	12	-	-	-	-	2	6	4	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	94	91	-	-	1	1	1	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	73	10	7	5	2	9	5	6	11	7	7	4
Suicide - - - - -	3	-	-	-	-	-	-	2	-	1	-	-
Other Defined Diseases - - - - -	360	34	9	9	3	6	20	32	47	59	73	68
Diseases Ill-defined or Unknown - - - - -	54	7	2	1	-	1	1	5	6	13	12	6
Total - - - - -	1609	386	196	52	17	72	102	126	153	193	186	126

EDINBURGH—December 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	22	6	15	1	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	12	1	7	4	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	11	2	6	3	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	31	1	-	-	-	5	6	10	5	3	1	-
Tuberculous Meningitis - - - - -	6	3	1	1	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	5	-	3	1	-	-	-	-	-	1	-	-
Other Tuberculous Diseases - - - - -	8	2	1	1	1	-	1	1	-	-	1	-
Cancer, Malignant Disease - - - - -	31	-	-	-	-	-	2	6	4	6	8	5
Rheumatic Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	50	2	-	2	1	-	3	5	7	8	13	9
Bronchitis - - - - -	28	3	1	1	-	-	1	-	5	4	4	9
Pneumonia (all forms) - - - - -	35	8	9	1	-	-	3	2	3	4	1	4
Other Diseases of Respiratory Organs - - - - -	9	-	2	-	-	-	-	2	1	2	1	1
Diarrhoea and Enteritis (under 2 years) - - - - -	6	6	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	-	1	1	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	10	-	-	-	-	-	-	1	3	2	3	1
Puerperal Sepsis - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	-	2	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	27	27	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	13	1	-	-	1	2	-	-	3	2	3	1
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	107	7	2	1	-	1	3	7	10	18	32	26
Diseases Ill-defined or Unknown - - - - -	4	-	-	-	-	-	-	-	1	1	1	1
Total - - - - -	426	71	47	16	3	9	22	36	43	53	69	57

DUNDEE—December 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	2	-	1	-	-	-	-	1	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	17	-	-	-	-	4	4	6	1	2	-	-
Tuberculous Meningitis - - - - -	6	2	1	1	2	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	3	1	-	-	-	-	-	-	1	1	-	-
Other Tuberculous Diseases - - - - -	2	-	1	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	15	-	-	-	-	-	1	1	3	5	3	2
Rheumatic Fever - - - - -	1	-	-	1	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	-	2	-	1	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	25	-	-	1	-	-	1	1	5	7	6	4
Bronchitis - - - - -	23	7	1	-	-	-	-	-	4	4	4	3
Pneumonia (all forms) - - - - -	15	5	2	1	-	-	-	3	-	2	-	2
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	8	6	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	2	-	-	-	-	-	1	1	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	7	-	-	-	-	-	1	-	2	3	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	20	20	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	12	2	2	-	-	3	-	1	1	2	-	1
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	72	7	2	-	1	-	-	2	10	8	22	20
Diseases Ill-defined or Unknown - - - - -	3	1	-	-	-	-	-	-	-	1	-	1
Total - - - - -	243	54	15	4	4	9	8	17	27	36	36	33

CAUSES OF DEATH (corrected for Transfers).

ABERDEEN—December 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	2	-	-	1	-	-	1	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	19	3	8	6	-	1	1	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	9	-	1	-	1	2	-	2	2	-	1	-
Tuberculous Meningitis - - - - -	4	-	2	-	2	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	-	1	-	-	-	-	1	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Cancer, Malignant Disease - - - - -	20	-	-	-	-	1	-	1	2	7	6	3
Rheumatic Fever, - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	3	1	2	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	25	-	-	1	-	-	1	4	2	4	10	3
Bronchitis - - - - -	31	25	-	-	-	-	-	-	-	-	2	3
Pneumonia (all forms) - - - - -	23	9	5	-	-	1	2	-	1	3	1	2
Other Diseases of Respiratory Organs - - - - -	5	3	-	-	-	-	-	1	-	-	-	1
Diarrhoea and Enteritis (under 2 years) - - - - -	10	10	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
All Liver Diseases (not Malignant) - - - - -	6	-	-	1	-	-	-	-	4	-	1	-
Other Diseases of Digestive System (under 2 years) - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	7	-	-	-	-	-	1	1	-	2	2	1
Puerperal Sepsis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	-	2	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	13	13	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	12	1	1	4	-	1	2	-	2	-	1	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	66	15	2	3	-	2	-	6	4	10	15	9
Diseases Ill-defined or Unknown - - - - -	5	-	-	-	-	-	-	-	2	1	-	2
Total - - - - -	272	83	24	16	3	9	10	16	20	28	39	24

PAISLEY—December 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	11	4	7	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	3	-	3	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	1	1	-	-	1	-	-
Tuberculous Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	3	2	-	-	-	-	-	-	-	1	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Cancer, Malignant Disease - - - - -	5	-	-	-	-	-	-	-	1	4	-	-
Rheumatic Fever - - - - -	2	-	-	-	1	-	-	1	-	-	-	-
Meningitis - - - - -	2	1	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	5	-	-	-	-	-	-	-	-	-	4	1
Bronchitis - - - - -	15	4	1	-	-	1	-	-	1	-	7	1
Pneumonia (all forms) - - - - -	15	5	7	-	-	-	-	-	3	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	-	1	-	1	-	1	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	3	-	-	-	-	-	-	3	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	13	12	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	5	-	-	1	1	-	1	-	1	-	1	-
Suicide - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Defined Disease - - - - -	25	2	3	-	-	-	2	1	4	5	6	2
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	122	34	24	1	3	2	6	7	11	11	19	4

LEITH—December 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	12	4	7	1	-	-	-	-	-	-	-	-
Scarlet Fever	1	-	-	-	1	-	-	-	-	-	-	-
Whooping-cough	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	1	-	1	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	1	-	-	-	-	-	-	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis	11	-	-	-	-	1	2	2	5	1	-	-
Tuberculous Meningitis	3	3	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases	3	2	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease	8	-	-	-	-	-	-	-	1	2	4	1
Rheumatic Fever	1	-	-	-	-	1	-	-	-	-	-	-
Meningitis	2	1	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease	14	-	-	-	-	1	1	3	1	1	6	1
Bronchitis	7	3	-	-	-	-	-	-	-	1	1	2
Pneumonia (all forms)	13	5	5	1	-	-	1	-	1	-	-	-
Other Diseases of Respiratory Organs	2	2	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years)	2	1	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant)	1	-	-	-	-	-	-	-	-	-	1	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	2	-	-	-	-	-	-	-	1	1	-	-
Puerperal Sepsis	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	1	-	-	-	-	1	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	4	-	-	-	-	-	-	1	-	1	2	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases	33	4	1	-	-	2	2	2	4	2	11	5
Diseases Ill defined or Unknown	4	1	1	-	-	-	-	-	-	2	-	-
Total	132	31	18	2	1	6	7	8	13	12	25	9

GREENOCK—December 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox	-	-	-	-	-	-	-	-	-	-	-	-
Measles	22	3	18	1	-	-	-	-	-	-	-	-
Scarlet Fever	1	-	-	-	1	-	-	-	-	-	-	-
Whooping-cough	2	1	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup	3	-	3	-	-	-	-	-	-	-	-	-
Influenza	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis	10	-	-	-	1	1	5	-	2	-	1	-
Tuberculous Meningitis	4	2	1	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases	2	-	1	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease	2	-	-	-	-	-	-	-	-	1	1	-
Rheumatic Fever	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis	1	-	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease	3	-	-	-	-	-	-	1	-	-	2	-
Bronchitis	10	4	2	-	-	-	-	2	-	-	1	1
Pneumonia (all forms)	20	7	11	-	1	-	1	-	-	-	-	-
Other Diseases of Respiratory Organs	2	-	-	-	-	-	-	1	-	-	1	-
Diarrhoea and Enteritis (under 2 years)	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis	1	-	-	-	-	-	-	-	-	1	-	-
All Liver Diseases (not Malignant)	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years)	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease	4	-	-	-	-	1	1	-	1	-	1	-
Puerperal Sepsis	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition	2	-	-	-	-	2	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth	11	11	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide	2	-	-	-	-	-	1	-	1	-	-	-
Suicide	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases	28	3	2	1	1	1	-	2	6	4	5	3
Diseases Ill-defined or Unknown	5	2	2	-	-	-	1	-	-	-	-	-
Total	137	34	42	3	5	6	9	6	10	6	12	4

PERTH—December 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - -	1	-	-	-	-	1	-	-	-	-	-	-
Whooping-cough - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - -	5	-	-	-	-	1	2	-	2	-	-	-
Tuberculous Meningitis - - -	2	-	1	-	-	1	-	-	-	-	-	-
Abdominal Tuberculosis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - -	-	-	-	-	-	-	-	-	-	-	-	-
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - -	2	-	1	-	-	1	-	-	-	-	-	-
Organic Heart Disease - - -	7	-	1	-	-	-	-	-	-	2	-	4
Bronchitis - - -	2	1	-	-	-	-	-	-	-	-	1	-
Pneumonia (all forms) - - -	4	1	1	-	-	-	-	-	-	2	-	-
Other Diseases of Respiratory Organs - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	1	-	-	1	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - -	2	-	-	-	-	1	-	1	-	-	-	-
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - -	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - -	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - -	3	1	-	-	-	-	-	-	1	-	-	1
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	8	-	-	-	-	-	-	-	2	-	5	1
Diseases Ill-defined or Unknown - - -	2	-	-	-	-	-	-	1	-	-	1	-
Total - - -	44	6	5	1	-	5	2	3	5	4	7	6

COATBRIDGE—December 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	4	1	2	1	-	-	-	-	-	-	-	-
Scarlet Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - -	2	1	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - -	2	-	-	-	-	-	1	-	-	1	-	-
Phthisis, Pulmonary Tuberculosis - - -	11	-	-	-	-	2	3	4	1	1	-	-
Tuberculous Meningitis - - -	1	-	-	1	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - -	2	-	2	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - -	6	-	-	-	-	-	-	1	3	2	-	-
Rheumatic Fever - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - -	2	1	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - -	4	-	-	-	-	-	1	-	-	1	2	-
Bronchitis - - -	10	3	2	-	-	-	-	-	-	2	2	1
Pneumonia (all forms) - - -	10	3	4	-	-	-	-	-	-	2	1	-
Other Diseases of Respiratory Organs - - -	4	2	-	1	1	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - -	1	-	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - -	1	-	-	-	-	-	-	1	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - -	3	-	-	1	1	-	-	1	-	-	-	-
Puerperal Sepsis - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - -	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - -	5	-	-	-	-	-	1	-	1	2	1	-
Suicide - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - -	15	2	2	2	-	-	-	3	4	-	-	2
Diseases Ill-defined or Unknown - - -	2	-	1	-	-	-	-	-	-	-	-	1
Total - - -	90	18	16	6	2	2	6	10	9	11	6	4

MOTHERWELL—December 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35	45	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	10	3	7	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	5	-	1	3	1	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	1	-	2	-	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	6	-	-	-	-	-	-	-	2	1	3	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	2	-	-	-	-	-	-	-	-	2	-	-
Bronchitis - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Pneumonia (all forms) - - - - -	8	2	3	-	-	1	1	1	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	3	-	-	-	-	-	1	-	1	1	-	-
Puerperal Sepsis - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	-	1	-	-	-	1	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	11	-	1	-	-	-	1	2	1	1	2	3
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	59	8	15	3	2	3	6	3	5	5	6	3

KIRKCALDY—December 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	6	1	3	2	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	-	1	1	1	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	6	-	-	-	1	1	1	-	-	1	1	1
Bronchitis - - - - -	4	-	-	-	-	-	1	-	-	1	-	2
Pneumonia (all forms) - - - - -	2	1	-	-	-	-	-	1	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	2	-	-	-	-	-	-	-	1	-	1	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	5	5	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	16	-	1	-	-	-	-	3	-	2	6	4
Diseases Ill-defined or Unknown - - - - -	2	-	-	-	-	-	-	1	-	-	-	1
Total - - - - -	55	10	6	2	1	2	4	6	2	5	9	8

CAUSES OF DEATH (corrected for Transfers).

HAMILTON—December 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	2	-	2	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	1	-	1	1	-	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	-	-	2	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	6	1	-	-	1	-	-	1	1	-	2	-
Bronchitis - - - - -	3	-	-	-	-	-	1	-	1	-	1	-
Pneumonia (all forms) - - - - -	2	-	1	-	-	-	-	1	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	3	2	1	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	1	-	-	-	-	-	-	1	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	1	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	9	2	-	-	-	-	-	-	-	4	2	-
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	42	11	6	-	2	-	2	5	4	4	7	-

CLYDEBANK—December 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	7	5	2	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Whooping-cough - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	1	-	1	1	-	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	2	-	-	-	-	-	-	-	1	1	-	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	4	3	-	1	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	2	-	-	-	-	1	-	-	-	1	-	-
Bronchitis - - - - -	4	1	-	-	-	-	-	-	1	1	-	1
Pneumonia (all forms) - - - - -	5	2	3	-	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	-	-	1	-	1	-	-
Puerperal Sepsis - - - - -	1	-	-	-	-	-	1	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	2	-	-	-	-	-	1	1	-	-	-	-
Congenital Debility and Malformation, including Pre- mature Birth - - - - -	8	8	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	7	2	-	-	-	-	-	-	2	1	1	1
Diseases Ill-defined or Unknown - - - - -	3	2	-	-	-	-	-	-	-	-	1	-
Total - - - - -	56	24	9	1	-	2	3	3	5	5	2	2

KILMARNOCK—December 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	3	-	1	2	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	4	-	-	-	1	1	-	1	1	-	-	-
Tuberculous Meningitis - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	1	-	-	-	1	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	5	-	-	-	-	-	-	-	2	1	1	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	5	-	-	-	-	-	-	-	1	3	-	1
Bronchitis - - - - -	5	1	-	-	-	-	-	-	1	1	1	1
Pneumonia (all forms) - - - - -	2	-	1	1	-	-	-	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	1	-	-	-	-	1	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	4	4	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	-	-	-	-	-	-	-	-	-	1	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	20	1	1	-	1	-	2	1	1	2	1	10
Diseases Ill-defined or Unknown - - - - -	2	1	-	-	-	-	-	-	-	-	1	-
Total - - - - -	57	7	4	3	5	2	2	2	6	8	5	13

FALKIRK—December 1913.

CAUSES OF DEATH.	All Ages.	Age.										
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-	75-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Influenza - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	1	-	2	-	-	-	-
Tuberculous Meningitis - - - - -	1	-	1	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	5	-	-	-	-	-	-	-	2	1	2	-
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	5	-	-	-	-	-	-	1	1	2	1	-
Bronchitis - - - - -	1	1	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) - - - - -	2	-	-	-	-	-	-	-	-	-	1	1
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	1	-	-
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	2	-	-	-	-	1	-	-	-	1	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	3	3	-	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	2	-	-	-	-	1	1	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	12	1	-	-	-	-	-	-	3	3	2	3
Diseases Ill-defined or Unknown - - - - -	-	-	-	-	-	-	-	-	-	-	-	-
Total - - - - -	39	6	2	-	-	3	1	3	6	8	6	4

AYR—December 1913.

CAUSES OF DEATH.	All Ages.	Age.									
		-1	1-	5-	10-	15-	25-	35-	45-	55-	65-
Enteric Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-
Typhus Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-
Small-pox - - - - -	-	-	-	-	-	-	-	-	-	-	-
Measles - - - - -	3	-	3	-	-	-	-	-	-	-	-
Scarlet Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-
Whooping-cough - - - - -	-	-	-	-	-	-	-	-	-	-	-
Diphtheria and Croup - - - - -	1	-	1	-	-	-	-	-	-	-	-
Influenza - - - - -	1	-	-	-	1	-	-	-	-	-	-
Erysipelas - - - - -	-	-	-	-	-	-	-	-	-	-	-
Phthisis, Pulmonary Tuberculosis - - - - -	3	-	-	-	-	1	1	-	1	-	-
Tuberculous Meningitis - - - - -	-	-	-	-	-	-	-	-	-	-	-
Abdominal Tuberculosis - - - - -	1	-	1	-	-	-	-	-	-	-	-
Other Tuberculous Diseases - - - - -	-	-	-	-	-	-	-	-	-	-	-
Cancer, Malignant Disease - - - - -	3	-	-	-	-	-	-	1	1	-	1
Rheumatic Fever - - - - -	-	-	-	-	-	-	-	-	-	-	-
Meningitis - - - - -	1	1	-	-	-	-	-	-	-	-	-
Organic Heart Disease - - - - -	4	-	-	-	-	-	-	-	-	-	2
Bronchitis - - - - -	5	2	1	-	-	-	-	-	-	-	1
Pneumonia (all forms) - - - - -	4	2	1	-	-	1	-	-	-	-	-
Other Diseases of Respiratory Organs - - - - -	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea and Enteritis (under 2 years) - - - - -	2	2	-	-	-	-	-	-	-	-	-
Appendicitis and Typhlitis - - - - -	1	-	-	1	-	-	-	-	-	-	-
All Liver Diseases (not Malignant) - - - - -	1	-	-	-	-	-	-	-	-	-	1
Other Diseases of Digestive System (under 2 years) - - - - -	-	-	-	-	-	-	-	-	-	-	-
Nephritis and Bright's Disease - - - - -	-	-	-	-	-	-	-	-	-	-	-
Puerperal Sepsis - - - - -	-	-	-	-	-	-	-	-	-	-	-
Other Diseases & Accidents of Pregnancy & Parturition - - - - -	-	-	-	-	-	-	-	-	-	-	-
Congenital Debility and Malformation, including Pre-mature Birth - - - - -	1	1	-	-	-	-	-	-	-	-	-
Violent Deaths, excluding Suicide - - - - -	1	1	-	-	-	-	-	-	-	-	-
Suicide - - - - -	-	-	-	-	-	-	-	-	-	-	-
Other Defined Diseases - - - - -	13	1	1	-	-	-	1	-	-	1	5
Diseases Ill-defined or Unknown - - - - -	2	2	-	-	-	-	-	-	-	-	-
Total - - - - -	47	12	8	1	1	2	2	1	2	1	10

ABSTRACT OF METEOROLOGICAL OBSERVATIONS

Made at GLASGOW, EDINBURGH, DUNDEE, ABERDEEN, PAISLEY, LEITH, GREENOCK, and PERTH,

During the Month of DECEMBER 1913.

OBSERVERS.	Height of Station above Sea-level.	BARO- METER.		AIR TEMPERATURE.							HYGROMETER.				RAIN, AND OTHER FORMS OF PRE- CIPITATION.		WIND DIRECTIONS.																
		Mean at Station and 32°.	Mean at Sea-Level and 32°.	Mean of	Maximum (A).	Minimum (B.)	Mean of A and B (Mean Tem- perature).	Difference from Average	Absolute Maximum and Minimum.				Mean at 9 A.M. and 9 P.M.				Number of Days.	Total Fall.	Difference from Average.	Number of Observations at 9 A.M. and 9 P.M.													
									Maximum	Day of Month.	Minimum.	Day of Month.	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.				N	NE	E	SE	S	SW	W	NW	Calm or Variable.					
GLASGOW, Medical Officer of Health, Glasgow.	54	29-890	29-951	inch.	45-0	36-8	40-9	+1-6	°	56	9th	21	31st	41-1	2-0	°	216	84	inch.	2-89	17	inch.	-0-98	3	0	3	0	0	0	16	25	3	12
EDINBURGH, Professor R. A. SAMPSON, F.R.S., Royal Observatory.	441	29-445	29-935	inch.	43-9	36-3	40-1	+2-0	°	57	9th	26	31st	39-7	1-7	°	210	86	inch.	1-72	12	inch.	-0-52	1	0	0	1	4	14	35	6	1	
DUNDEE, JOHN CARNOCHAN, Curator of Cemeteries.	164	29-723	29-908	inch.	43-5	33-8	38-7	+1-2	°	53	9th	20	6th	38-2	1-2	°	206	90	inch.	1-29	11	inch.	-1-41	2	0	0	0	0	26	15	19	0	
ABERDEEN,* The Meteorological Office.	90	29-744	29-846	inch.	43-5	33-5	38-5	+0-5	°	56	8th	20	31st	38-1	1-6	°	198	86	inch.	1-89	14	inch.	-1-17	3	0	0	0	5	14	25	13	2	
PAISLEY, The Coats Observatory.	107	29-835	29-956	inch.	44-3	36-7	40-5	+1-0	°	55	9th	23	31st	40-5	1-0	°	231	92	inch.	4-43	18	inch.	-0-33	4	0	0	1	1	16	22	9	9	
LEITH,† JAMES BOLAM, Navigation School.	76	29-821	29-907	inch.	44-1	36-7	40-4	+0-8	°	55	8th	23	31st	40-7	2-1	°	211	84	inch.	1-62	11	inch.	-0-67	2	2	0	4	0	12	34	6	2	
GREENOCK, DANIEL MACALISTER, C.E., Greenock Waterworks.	233	29-671	29-940	inch.	45-6	35-5	40-6	+1-2	°	56	8th	25	31st	41-4	1-7	°	226	88	inch.	5-52	21	inch.	-1-96	0	1	3	0	0	5	30	20	3	
PERTH, ALEX. M. RODGER, The Museum.	85	29-808	29-904	inch.	44-8	32-8	38-8	+0-9	°	56	8, 9	13	31st	38-0	2-2	°	187	81	inch.	1-22	10	inch.	-1-94	8	5	0	2	0	22	13	9	3	
Means	156	29-742	29-918	inch.	44-3	35-3	39-8	+1-1	°	56	39-7	1-7	°	211	86	inch.	2-57	14	inch.	-1-12	3	1	1	1	1	15	25	11	4	

North Latitude.—Glasgow, 55° 51'; Edinburgh, 55° 55'; Dundee, 56° 28'; Aberdeen, 57° 9'; Paisley, 55° 51'; Leith, 55° 58'; Greenock, 55° 57'; Perth, 56° 23'; Mean, 56° 11'.
West Longitude.—Glasgow, 4° 13'; Edinburgh, 3° 11'; Dundee, 2° 57'; Aberdeen, 2° 7'; Paisley, 4° 27'; Leith, 3° 8'; Greenock, 4° 46'; Perth, 3° 25'; Mean, 3° 32'.

* At King's College at 7 A.M. and 6 P.M. † At 9 A.M. only.

